



Time for a **Quality turn**

handpiece spare parts specialist



Message from the crew



Dear partners & friends,

it is with great pride that we announce our new catalog. We have redesigned and expanded it to help you find products faster and easier. We are sure it contains many products you need during everyday work.

We will keep adding new products. Several innovations and new parts are being studied and in phase of development. Beside that we are trying to provide to all our partners all details to facilitate their daily repair services.

Our success and development is based on loyal and honest partners with whom we daily develop new solutions and complement existing ones. Our crew believes that together we will be even more successful.

SPIROdental team

We build trust

RANGE

Our product range is wide and still growing. It includes the most frequent parts for handpiece repair. We are doing our best to keep it up-to-date with all new models to facilitate your daily repairs.

Many special and technical solutions are integrated in the products to keep all clients satisfied. Our top and main product category is high speed dental rotors. Beside our main product category we are offering a wide range of other products for repair workshops and labs.

We are concentrated to offer parts required for repair from the unit till the end of the handpiece. We are focusing also on parts for laboratory handpieces. Many components of our parts, like bearings, are produced in world's best and most known facilities.

We are covering all main brands in the world.

QUALITY

Over 15 years of experience is integrated in manufacturing our high speed dental rotors, which are adapted to suit in original handpieces perfectly. All products are produced under strict supervising control and below many different ISO & Medical standards.

The most important standards used are ISO 7785-1, ISO 7785-2, ISO 1797, ISO 17665-1, MDD 93/42 EEC, ISO 10816-1, ISO 13485

Every product has a warranty period if maintained correctly. We have an efficient and fast warranty procedure to examine and change parts.

Our products are assembled in controlled environments. We are using components and materials from verified and trusted suppliers in order to offer high quality products for the end customer.



Why choose us

PRICES

Our terms and conditions of work are extremely competitive for products of high quality level. We try to optimize our offers to your requirements and market demands, in order to satisfy your expectation.

In order to achieve a strong and long partnerships we are offering optimal cooperating conditions - different payment options and payment delay for regular clients.

Please feel free to contact us for more details and price information.

SHIPPING

All orders are processed as soon as received and the products could be delivered the day after your order. We are trying to offer extremely fast services to allow you serving all your clients in a proper and professional way.

We could provide special delivery options (early morning deliveries,...) and a tracking number for following your package. Deliveries are possible all over the world.

Shipment are done from Monday to Friday with UPS express.

STOCK

We are keeping a large stock of parts, which allows us to offer very fast deliveries. If a product happens to be out of stock, we could supply an exact delivery date. Test units are usually produced after an order is placed.

Hoses are assembled after every order in approximately 24h, since there is a wide range of colors available. All the other parts could be assembled faster.

Our regular clients may benefit from some additional bonuses and stock options.

Product Catalog 2020

"success is walking from failure to failure with no loss of enthusiasm"



TABLE OF CONTENT

HIGHLIGHTED NEW PRODUCTS	10
HIGH SPEED ROTORS AND BEARINGS	13
COMPATIBLE WITH SIEMENS ® & SIRONA ®	14
COMPATIBLE WITH KAVO ®	18
COMPATIBLE WITH W&H ®	21
COMPATIBLE WITH BIEN AIR ®	23
COMPATIBLE WITH STAR ®	24
COMPATIBLE WITH CASTELLINI ®	25
COMPATIBLE WITH MK-DENT ®	26
COMPATIBLE WITH LARES ®	27
COMPATIBLE WITH NSK ®	28
COMPATIBLE WITH FARO ®	30
COMPATIBLE WITH MORITA ®	31
COMPATIBLE WITH B.A. INTERNATIONAL ®	32
COMPATIBLE WITH FONA ®	33
COMPATIBLE WITH ANTHOS ® AND WITH STERN WEBER ®	34
COMPATIBLE WITH PLANMECA ®	35
COMPATIBLE WITH OSADA ®	35
COMPATIBLE WITH BEYES ®	36
COMPATIBLE WITH CHIRANA ®	36
COMPATIBLE WITH SCI-CAN®	37
THE BEARING REVOLUTION - HIGH SPEED BEARINGS	38
GRW ® XTRA ® HIGH SPEED BEARINGS	39
GRW ® HIGH SPEED BEARING	41
TURBINE BACKAPS	43
COMPATIBLE WITH SIEMENS & SIRONA ®	43
COMPATIBLE WITH KAVO ®	45
COMPATIBLE WITH W&H ®	47
COMPATIBLE WITH BIEN AIR ®	48
COMPATIBLE WITH STAR ®	49
COMPATIBLE WITH CASTELLINI ®	50
COMPATIBLE WITH NSK ®	51
COMPATIBLE WITH FARO ®	52
COMPATIBLE WITH MORITA ®	53
COMPATIBLE WITH B.A. INT. ®	53
COMPATIBLE WITH ANTHOS ®	54
COMPATIBLE WITH STERN WEBER ®	54
COMPATIBLE WITH BEYES ®	55
TURBINE KEYS	56
COMPATIBLE WITH SIEMENS ® & SIRONA ®	56
COMPATIBLE WITH KAVO ®	57
COMPATIBLE WITH W&H ®	57
COMPATIBLE WITH BIEN AIR ®	59
COMPATIBLE WITH STAR ®	60
COMPATIBLE WITH CASTELLINI ®	60
COMPATIBLE WITH NSK ®	61

COMPATIBLE WITH FARO ®	62
COMPATIBLE WITH MORITA ®	62
COMPATIBLE WITH B.A. INT. ®	62
COMPATIBLE WITH BEYES ®	62
COMPATIBLE O-RINGS AND WASHERS	63
O-RINGS FOR TURBINES AND COUPLINGS	63
O-RINGS FOR SIRONA ®	63
O-RINGS FOR KAVO ®	63
O-RINGS FOR W&H ®	64
O-RINGS FOR BIEN AIR ®	65
O-RINGS FOR NSK ®	66
O-RINGS FOR CASTELLINI ®	67
O-RINGS FOR STAR ®	67
O-RINGS FOR CHIRANA ®	67
WASHERS FOR TURBINES	68
TEFLON SPACERS	69
COMPATIBLE COUPLINGS	70
LOW SPEED PARTS	71
COMPATIBLE WITH SIRONA ®	71
COMPATIBLE WITH KAVO ®	76
COMPATIBLE WITH W&H ®	84
COMPATIBLE WITH BIEN AIR ®	89
COMPATIBLE WITH NSK ®	91
COMPATIBLE WITH CASTELLINI ®	98
COMPATIBLE WITH B.A. INTERNATIONAL ®	99
NON TURBINE BEARINGS	102
COMPATIBLE WITH KAVO ®	102
COMPATIBLE WITH W&H ®	108
COMPATIBLE WITH BIEN AIR ®	111
COMPATIBLE WITH SIRONA ®	112
COMPATIBLE WITH NSK ®	113
COMPATIBLE WITH MK-DENT ®	116
COMPATIBLE WITH SAESHIN & MARATHON ®	117
COMPATIBLE WITH MVK-LINE ®	119
OTHER TYPES	119
PARTS FOR MICROMOTORS	122
COMPATIBLE ROTORS & PARTS	122
COMPATIBLE CARBON BRUSHES	127
COMPATIBLE CHUCKS	128

SPIRO d.o.o. offers only compatible after-market parts. The company and its products are in no way connected with the following companies and brands: Kavo®, Bien Air®, NSK®, Faro®, Chirana Medical®, EMS®, Satelec®, Mectron®, W&H®, Siemens®, Sirona®, Castellini®, Star®, MK-DENT®, B.A. International®, Luzzani®, Fona ®, Planmeca®, Morita®, Saeshin®, Marathon®, Sci-Can®, Anthos®, Stern Weber®, Cefla®, Cattani®, Lares®, Osada®, Beyes®.

COMPATIBLE BULBS FOR HANDPIECES	130
COMPATIBLE FIBRE OPTIC RODS	133
REPAIR INSTRUMENTS AND TOOLS	137
HOSES, SUCTION TUBES, SYRINGES & ACCESSORIES	139
HOSES FOR TURBINES WITH UNIT FREE END	140
COMPATIBLE HOSES FOR MICROMOTORS WITH UNIT FREE END	143
COMPATIBLE HOSES FOR SCALERS WITH UNIT FREE END	152
COMPATIBLE DETACHABLE HOSES FOR TURBINES	158
COMPATIBLE DETACHABLE HOSES FOR MICROMOTORS	164
COMPATIBLE DETACHABLE HOSES FOR SCALERS	186
HOSES FOR SYRINGES WITH UNIT FREE END	192
COMPATIBLE DETACHABLE HOSES FOR SYRINGES	194
COMPATIBLE COMPONENTS FOR HOSES REPAIR	202
COMPATIBLE ASPIRATION TUBES AND HANDLES	205



Oprozkusni EDV po 460/5 2004/5
 VAT exempt under Article 136(1) of Directive 2006/112/EC
 Order is confirmed after receipt of payment or payment order

Thank you for your interest in SPIR
www.spiroteh.com

HIGHLIGHTED NEW PRODUCTS



GRW XTRA



Rotor for FARO ®

MT02 L mini
+ O-rings: 2x O1400
+ Washers: 2x OW110

P/N1 **J145C** (radial XTRA F:116RX R:116RX)

GRW XTRA



Rotor for B.A. International ®

BA Optima 888
+ O-rings: 2x O900

P/N1 **P180C** (radial XTRA F:105RX R:105RX)
P/N2 **P180X** (angular XTRA F:105X R:105X)



Backcap for FARO ®

MT02 L
P/N **J340**



Backcap for FARO ®


MT02 L mini
P/N **J345**



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
Ti-Max X-DSG20L

P/N **IL173**



Ø 10mm

L:1600mm / R:2500mm

White connector on motor side


Hose for STERN WEBER® iXS4, ANTHOS® iMMs, CASTELLINI® Implantor LED micromotors

*models from 2016

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038



P/N **D4.STD.XX.1**



Ø 10mm

L:1600mm / R:2500mm

White connector on motor side

Hose for STERN WEBER® iXS4, ANTHOS® iMMs, CASTELLINI® Implantor LED micromotors - 400° swivel connection

*models from 2016

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038



P/N **D4.STD.XX.S**



Ø 10mm

L:1200mm / R:1400mm


White connector on motor side

Hose for STERN WEBER® iXS4, ANTHOS® iMMs, CASTELLINI® Implantor LED micromotors

*models from 2016


SUITABLE FOR ANTHOS®: A7+, L9, R7
STERN WEBER®: S320TR, S280TRC, S300, S380TRC
CASTELLINI®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038



for CEFLA® units

P/N **D4.SCF.XX.1**



Ø 10mm

L:1200mm / R:1400mm


White connector on motor side

Hose for STERN WEBER® iXS4, ANTHOS® iMMs, CASTELLINI® Implantor LED micromotors - 400° swivel connection

*models from 2016


SUITABLE FOR ANTHOS®: A7+, L9, R7
STERN WEBER®: S320TR, S280TRC, S300, S380TRC
CASTELLINI®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038



for CEFLA® units

P/N **D4.SCF.XX.S**



Ø 10mm

L:1250mm / R:1400mm

Straight Inox Luzzani® Minilight 6F syringe with silicone hose

SUITABLE FOR PLANMECA®
*original PN 2600287-20

LG: Light Grey RAL 9002



for PLANMECA® units

P/N **L3.PLM.SS.2**

HIGH SPEED ROTORS AND BEARINGS

Models are for your reference (some may be missing)



Product for "Brand" Models

Original part number is for your reference only

*original P/N XXXXXX

- + O-ring: Y100
- + Washer: Z100
- + Bearing cup: W100

Supplied with mentioned parts

Front bearing model

Rear bearing model

SPIRO dental part number

P/N1	X100C (radial XTRA F:100RX R:100RX)
P/N2	X100X (angular XTRA F:100X R:100X)

Brand

Model

2x ceramic radial contact GRW XTRA bearings / other ceramic bearings

2x ceramic angular contact, integral shield GRW XTRA bearings

Supplied with front and rear bearing



Complete rotor includes spindle&impeller and 2 ceramic bearings. O-rings, wavy washers and bearing cups are also supplied (check below each model).



Standards used ISO 7785-1, ISO 7785-2, ISO 1797, ISO 17665-1, MDD 93/42 EEC ISO 10816-1



Warranty includes gripping force, eccentricity and balance for a minimum of 6 months + stock time

Radial deviation of the bur from completely concentric is < 0,015mm


Every Rotor has its own serial number

Impellers are anodized to reduce corrosion

Special Chuck solution for perfect gripping force above 40N

All Rotors are perfectly balanced < 200µg

Materials are hardened up to 60 HRC



COMPATIBLE WITH SIEMENS ® & SIRONA ®



Rotor for SIEMENS ®

Series 3000
T23 4000S
+ O-rings: 2x O700

P/N **A100C** (radial XTRA F:136RX R:136RX)



Rotor for SIEMENS ® & SIRONA ®

4000SL/T1
TS1/TS2
*original P/N 59 53 054
+ O-rings: 2x O700

P/N1 **A110C** (radial XTRA F:125RX R:125RX)
P/N2 **A110X** (angular XTRA F:125X R:125X)



Rotor for SIEMENS ® & SIRONA ®

4000ML/MS
TM1 mini
*original P/N 59 51 595
+ O-rings: 2x O700

P/N **A120C** (radial XTRA F:136RX R:136RX)



Rotor for SIRONA ®

T1 Control
TC 3
SN<65,000
for SN > 502 000 take A140C
*original P/N 41 75 217
+ O-rings: 2x O1001

P/N1 **A130C** (radial XTRA F:125RX R:125RX)
P/N2 **A130X** (angular XTRA F:125X R:125X)



Rotor for SIRONA ®

T1 Control
for SN ≥ 600 000
for SN ≥ 700 000
*original P/N 64 32 608
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A131C** (radial XTRA F:115RX R:115RX)
P/N2 **A131X** (angular XTRA F:115X R:115X)



Rotor for SIRONA ®

T1 Control
for SN ≥ 800 000
*original P/N 67 10 367
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A132C** (radial XTRA F:115RX R:115RX)
P/N2 **A132X** (angular XTRA F:115X R:115X)



Rotor for SIRONA ®

T1 mini
SN<65 000
for SN > 502 000 take A145C
*original P/N 41 78 591
+ O-rings: 2x O1001

P/N **A135C** (radial XTRA F:135RX R:135RX)



Rotor for SIRONA ®

T1 mini
for SN ≥ 600 000
*original P/N 64 32 640
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A136C** (radial XTRA F:115RX R:115RX)
P/N2 **A136X** (angular XTRA F:115X R:115X)

GRW XTRA

Rotor for SIRONA ®



T1 mini CBM
for SN ≥ 700 000
*original P/N 65 48 106
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A137C** (radial XTRA F:115RX R:115RX)
P/N2 **A137X** (angular XTRA F:115X R:115X)

GRW XTRA

Rotor for SIRONA ®



T1 mini
for SN ≥ 800 000
*original P/N 67 10 417
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A138C** (radial XTRA F:115RX R:115RX)
P/N2 **A138X** (angular XTRA F:115X R:115X)

GRW XTRA

Rotor for SIRONA ®



T2 Control
T1 Control SN > 502 000
*original P/N 58 68 299 / 59 57 126
+ O-rings: 2x O900

P/N1 **A140C** (radial XTRA F:105RX R:105RX)
P/N2 **A140X** (angular XTRA F:105X R:105X)

GRW XTRA

Rotor for SIRONA ®



SiroPure P Control
+ O-rings: 2x O900

P/N1 **A141C** (radial XTRA F:105RX R:105RX)
P/N2 **A141X** (angular XTRA F:105X R:105X)

GRW XTRA

Rotor for SIRONA ®



T2 Control
for SN ≥ 600 000
for SN ≥ 700 000
*original P/N 64 32 590
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A142C** (radial XTRA F:115RX R:115RX)
P/N2 **A142X** (angular XTRA F:115X R:115X)

GRW XTRA

Rotor for SIRONA ®



T2 Control
for SN ≥ 800 000
*original P/N 67 10 425
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A143C** (radial XTRA F:115RX R:115RX)
P/N2 **A143X** (angular XTRA F:115X R:115X)

GRW XTRA

Rotor for SIRONA ®



T2 mini
T3 mini
for SN < 600 000
T1 mini SN > 502 000
*original P/N 58 68 315 / 58 68 331
+ O-rings: 2x O900

P/N1 **A145C** (radial XTRA F:105RX R:105RX)
P/N2 **A145X** (angular XTRA F:105X R:105X)

GRW XTRA

Rotor for SIRONA ®



T2 mini
T3 mini
for SN ≥ 600 000
*original P/N 64 32 632
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A146C** (radial XTRA F:115RX R:115RX)
P/N2 **A146X** (angular XTRA F:115X R:115X)

GRW XTRA

Rotor for SIRONA ®



T2 mini CBM
T3 mini CBM
for SN ≥ 700 000
*original P/N 65 48 130
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A147C** (radial XTRA F:115RX R:115RX)
P/N2 **A147X** (angular XTRA F:115X R:115X)

GRW XTRA

Rotor for SIRONA ®



T2 mini
T3 mini
for SN ≥ 800 000
*original P/N 67 10 441
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A148C** (radial XTRA F:115RX R:115RX)
P/N2 **A148X** (angular XTRA F:115X R:115X)



Rotor for SIRONA ®



T2 Racer
T3 Racer
*original P/N 58 68 307 / 58 68 323
+ O-rings: 2x O900

P/N1 **A150C** (radial XTRA F:105RX R:105RX)
P/N2 **A150X** (angular XTRA F:105X R:105X)



Rotor for SIRONA ®



T4 Racer
+ O-rings: 2x O900

P/N1 **A151C** (radial XTRA F:105RX R:105RX)
P/N2 **A151X** (angular XTRA F:105X R:105X)



Rotor for SIRONA ®



SiroPure Racer
+ O-rings: 2x O900

P/N1 **A152C** (radial XTRA F:105RX R:105RX)
P/N2 **A152X** (angular XTRA F:105X R:105X)



Rotor for SIRONA ®



T3 Racer
T4 Racer
for SN > 600 000
*original P/N 64 86 240
+ O-rings: 2x O1001
+ Washers: 2x OW160

P/N1 **A153C** (radial XTRA F:115RX R:115RX)
P/N2 **A153X** (angular XTRA F:115X R:115X)



Rotor for SIRONA ®



SiroBoost
*original P/N 63 34 598
+ O-rings: 2x O1001

P/N1 **A155C** (radial XTRA F:105RX R:105RX)
P/N2 **A155X** (angular XTRA F:105X R:105X)



Rotor for SIRONA ®



T1 Boost
for SN ≥ 600 000
*original P/N 64 32 624
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A160C** (radial XTRA F:115RX R:115RX)
P/N2 **A160X** (angular XTRA F:115X R:115X)



Rotor for SIRONA ®



T1 Boost CBM
for SN ≥ 700 000
*original P/N 65 47 694
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A161C** (radial XTRA F:115RX R:115RX)
P/N2 **A161X** (angular XTRA F:115X R:115X)



Rotor for SIRONA ®



T1 Boost
for SN ≥ 800 000
*original P/N 67 10 409
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A162C** (radial XTRA F:115RX R:115RX)
P/N2 **A162X** (angular XTRA F:115X R:115X)



Rotor for SIRONA ®



T2 Boost
T3 Boost
for SN ≥ 600 000
*original P/N 64 32 616
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A170C** (radial XTRA F:115RX R:115RX)
P/N2 **A170X** (angular XTRA F:115X R:115X)



Rotor for SIRONA ®



T2 Boost CBM
T3 Boost CBM
for SN ≥ 700 000
*original P/N 65 48 122
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A171C** (radial XTRA F:115RX R:115RX)
P/N2 **A171X** (angular XTRA F:115X R:115X)

GRWXTRA




Rotor for SIRONA ®

T2 Boost
T3 Boost
for SN \geq 800 000
*original P/N 67 10 433
+ O-rings: 2x O1001
+ Washers: 2x OW170

P/N1 **A172C** (radial XTRA F:115RX R:115RX)

P/N2 **A172X** (angular XTRA F:115X R:115X)



COMPATIBLE WITH KAVO ®



Rotor for KAVO ®



For friction grip turbines
624/625/625C/625D/627/630/630A/640
*use backcap B300 for conversion to
push button
+ O-rings: 2x O700

P/N1 **B100C** (radial XTRA F:125RX R:125RX)
P/N2 **B100X** (angular XTRA F:125X R:125X)



Rotor for KAVO ®



SUPERtorque® 630 all types
SUPERtorque® 640 all types
*original P/N 0.553.5851 / 0.553.5881
+ O-rings: 2x O700

P/N1 **B100C** (radial XTRA F:125RX R:125RX)
P/N2 **B100X** (angular XTRA F:125X R:125X)



Rotor for KAVO ®



Companion® 634
*original P/N 0.553.8141
+ O-rings: 2x O700

P/N1 **B110C** (radial XTRA F:125RX R:125RX)
P/N2 **B110X** (angular XTRA F:125X R:125X)



Rotor for KAVO ®



CONTACTair® 632 all types
BELLAtorque® 633 all types
BELLAtorque® 639 all types
BELLAtorque® 642 all types
BELLAtorque® 645 all types
*original P/N 0.553.6131 / 0.553.7471
+ O-rings: 2x O700

P/N1 **B120C** (radial XTRA F:125RX R:125RX)
P/N2 **B120X** (angular XTRA F:125X R:125X)



Rotor for KAVO ®



SUPERtorque® 650 all types
*original P/N 0.553.8231 / 0.553.8051
+ O-rings: 2x O700

P/N1 **B130C** (radial XTRA F:125RX R:125RX)
P/N2 **B130X** (angular XTRA F:125X R:125X)



Rotor for KAVO ®



MIRAlux® 635/635B
*original P/N 0.553.8581
+ O-rings: 2x O700

P/N **B140C** (radial XTRA F:125RX R:135RX)



Rotor for KAVO ®



SUPERtorque® 647/647B
OPTitorque® 649/649B
*original P/N 0.553.8541
+ O-rings: 2x O700

P/N1 **B150C** (radial XTRA F:125RX R:125RX)
P/N2 **B150X** (angular XTRA F:125X R:125X)



Rotor for KAVO ®



SUPERtorque® 655 all types
SUPERtorque® 660 all types
*original P/N 1.000.2078
+ O-rings: 2x O710
+ Washers: 2x OW110

P/N1 **B160C** (radial XTRA F:105RX R:105RX)
P/N2 **B160X** (angular XTRA F:105X R:105X)



Rotor for KAVO ®



EXPERTtorque® E680L/LM/LS/C
EXPERTtorque® E679L
*original P/N 1.007.9313
+ O-rings: 2x O710
+ Washers: F: OW120 / R: OW140

P/N **B161C** (radial XTRA F:105RX R:135RX)



Rotor for KAVO ®



SMARTtorque® S609
SMARTtorque® S619
*original P/N 1.008.4163
+ O-rings: 2x O1400
+ Washers: 2x OW110

P/N1 **B162C** (radial XTRA F:105RX R:105RX)
P/N2 **B162X** (angular XTRA F:105X R:105X)



Rotor for KAVO ®



SMARTtorque mini® S605
SMARTtorque mini® S615
*original P/N 1.008.4164
+ O-rings: 2x O1400
+ Washers: 2x OW110

P/N **B163C** (radial XTRA F:116RX R:116RX)



Rotor for KAVO ®



EXPERTtorque® E677L
EXPERTtorque® E675L
*original P/N 1.007.9457
+ O-rings: 2x O710
+ Washers: F: OW140 / R: OW120

P/N **B164C** (radial XTRA F:135RX R:116RX)



Rotor for KAVO ®



GENTLEforce® 7000 all types
*original P/N 1.000.4772
+ O-rings: 2x O700
+ Washers: 2x OW170

P/N1 **B170C** (radial XTRA F:115RX R:115RX)
P/N2 **B170X** (angular XTRA F:115X R:115X)



Rotor for KAVO ®



GENTLEsilence® 8000 all types
GENTLEsilence® 6500BR
*original P/N 1.003.6884
+ O-rings: 2x O710
+ Washers: 2x OW120

P/N1 **B171C** (radial XTRA F:105RX R:115RX)
P/N2 **B171X** (angular XTRA F:105X R:115X)





Rotor for KAVO ®

GENTLEsilence® 6500/6500B
*original P/N 1.003.9664

+ O-rings: 2x O710
+ Washers: F: OW140 / R: OW120

P/N1 **B172C** (radial XTRA F:125RX R:115RX)
P/N2 **B172X** (angular XTRA F:125X R:115X)



Rotor for KAVO ®

MASTERtorque mini® M8700L

+ O-rings: 2x O710
+ Washers: 2x OW120

P/N **B174C** (radial XTRA F:120M R:105RX)
*120M has phenolic cage



Rotor for KAVO ®

MASTERtorque® M8900L

+ O-rings: 2x O710
+ Washers: 2xOW120

P/N1 **B175C** (radial XTRA F:105RX R:105RX)
P/N2 **B175X** (angular XTRA F:105X R:105X)



Rotor for KAVO ®

GENTLEforce® 6000/6000B
*original P/N 1.001.3888

+ O-rings: 2x O710
+ Washers: F; OW140 / R: OW120

P/N **B180C** (radial XTRA F:136RX R:115RX)



Rotor for KAVO ®

MIRAtorque mini® 637 all types
*original P/N 0.553.8661

+ O-rings: 2x O700

P/N **B190C** (radial XTRA F:125RX R:135RX)



Rotor for KAVO ®

COMPACTtorque® 636 all types
POWERtorque® 646 all types

*not CP model
*original P/N 0.553.8911

+ O-rings: 2x O700

P/N1 **B191C** (radial XTRA F:125RX R:125RX)
P/N2 **B191X** (angular XTRA F:125X R:125X)



Rotor for KAVO ®

SUPERtorque® 659B
*original P/N 1.004.5632

+ O-rings: 2x O700

P/N **B193C** (radial XTRA F:135RX R:116RX)



Rotor for KAVO ®

GENTLEsilence mini® 4500/4500BR
*original P/N 1.006.4564

+ O-rings: 2x O710
+ Washers: 2x OW150

P/N **B194C** (radial XTRA F:135RX R:135RX)



Rotor for KAVO ®

MASTERtorque® M9000L/LS
*without brake Ring 1.009.5301
*original P/N 2.000.2266

+ O-rings: 2x O710
+ Washers: 2xOW120

P/N1 **B195C** (radial XTRA F:105RX R:105RX)
P/N2 **B195X** (angular XTRA F:105X R:105X)



Rotor for KAVO ®

GENTLE mini® 5000/5000B
MASTERtorque mini® M4500

+ O-rings: 2x O710
+ Washers: 2x OW150

P/N **B197C** (radial XTRA F:135RX R:135RX)

COMPATIBLE WITH W&H ®



Rotor for W&H ®



290B/295
390/393/395/396
695/696

+ O-rings: 2x O700
+ Washers: 2x OW130

P/N1 **C100C** (radial XTRA F:115RX R:115RX)
P/N2 **C100X** (angular XTRA F:115X R:115X)



Rotor for W&H ®



398
795
895

+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C110C** (radial XTRA F:115RX R:115RX)
P/N2 **C110X** (angular XTRA F:115X R:115X)



Rotor for W&H ®



196/196RM
796
896/896RM

+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C120C** (radial XTRA F:105RX R:105RX)
P/N2 **C120X** (angular XTRA F:105X R:105X)



Rotor for W&H ®



Trend@ TC-80 BC/RM
Trend@ TC-95 BC/RM
* for FG use backcap C310

+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C130C** (radial XTRA F:105RX R:105RX)
P/N2 **C130X** (angular XTRA F:105X R:105X)



Rotor for W&H ®



Synea@ TA-96/L/LM/M
Alegra@ HS2003 TE-96

+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C140C** (radial XTRA F:105RX R:105RX)
P/N2 **C140X** (angular XTRA F:105X R:105X)



Rotor for W&H ®



Synea@ TA-98/L/LM/M/C/LC/LCM/CM

+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C150C** (radial XTRA F:105RX R:105RX)
P/N2 **C150X** (angular XTRA F:105X R:105X)

Rotor for W&H ®



Alegra@ HS2003 TE-95/98
Alegra@ HS2009 TE-95/98
Alegra@ TE-98 LED G Brasil SN>100001
Alegra@ TE-98 LED G SN>102298
Alegra@ TE-98 LED G A-dec
*original P/N 05958900

+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C151C** (radial XTRA F:105RX R:105RX)
P/N2 **C151X** (angular XTRA F:105X R:105X)



Rotor for W&H ®



Synea@ Fusion TG-98/L

+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C152C** (radial XTRA F:105RX R:105RX)
P/N2 **C152X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for W&H ®

Synea® Vision TK-98
+ O-rings: 2x O650
+ Washers: 2x OW160

P/N1 **C153C** (radial XTRA F:105RX R:105RX)
P/N2 **C153X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for W&H ®

Synea® Vision TK-100
+ O-rings: 2x O650
+ Washers: 2x OW160

P/N1 **C154C** (radial XTRA F:105RX R:105RX)
P/N2 **C154X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for W&H ®

Synea® TA-98C LED/CM/CLM
Alegra® HS2009 TE-98 C LED G
+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C155C** (radial XTRA F:105RX R:105RX)
P/N2 **C155X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for W&H ®

Synea® Fusion TG-98LM/LN/LRM
+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C156C** (radial XTRA F:105RX R:105RX)
P/N2 **C156X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for W&H ®

Synea® Vision TK-97
+ O-rings: 2x O650
+ Washers: 2x OW160

P/N1 **C157C** (radial XTRA F:105RX R:105RX)
P/N2 **C157X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for W&H ®

Synea® Vision TK-94
+ O-rings: 2x O650
+ Washers: 2x OW160

P/N1 **C158C** (radial XTRA F:105RX R:105RX)
P/N2 **C158X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for W&H ®

190-BC
698
798
898
+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C160C** (radial XTRA F:105RX R:105RX)
P/N2 **C160X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for W&H ®

Synea® TA-97C LED/CLM
+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C165C** (radial XTRA F:105RX R:105RX)
P/N2 **C165X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for W&H ®

Alegra® HS2009 TE-97
+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C166C** (radial XTRA F:105RX R:105RX)
P/N2 **C166X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for W&H ®

Synea® Fusion TG-97LN/LRM
+ O-rings: 2x O600
+ Washers: 2x OW130

P/N1 **C170C** (radial XTRA F:105RX R:105RX)
P/N2 **C170X** (angular XTRA F:105X R:105X)



Rotor for W&H ®

Synea® Fusion TG-97/L/LM

- + O-rings: 2x O600
- + Washers: 2x OW130

P/N1 **C171C** (radial XTRA F:105RX R:105RX)
P/N2 **C171X** (angular XTRA F:105X R:105X)



Rotor for W&H ®

RC-95

- + O-rings: 2x O600
- + Washers: 2x OW180

P/N **C180C** (radial XTRA F:140RX R:140RX)



Rotor for W&H ®

Alegra® HS2014 TE-95

- + O-rings: 2x O600
- + Washers: 2x OW180

P/N **C185C** (radial XTRA F:140RX R:140RX)



Rotor for W&H ®

Alegra® HS2014 TE-97

- + O-rings: 2x O600
- + Washers: 2x OW180

P/N **C190C** (radial XTRA F:140RX R:140RX)



Rotor for W&H ®

Alegra® HS2014 TE-98

*original P/N 06787501

- + O-rings: 2x O600
- + Washers: 2x OW180

P/N **C195C** (radial XTRA F:140RX R:140RX)

COMPATIBLE WITH BIEN AIR ®



Rotor for BIEN AIR ®

Black Pearl (all models)

Croma X
Croma S25
Croma S
Boralina

Black Pearl ECO (only some models)

*original P/N 1500164

- + O-rings: 2x O300

P/N **D105C** (radial XTRA F:165RX R:165RX)



Rotor for BIEN AIR ®

Bora all types
Rotamax L

Bora S36

*original P/N 1500181

- + O-rings: 2x O300

P/N **D115C** (radial XTRA F:165RX R:165RX)



Rotor for BIEN AIR ®

Ondine
 Prestilina
 Chroma M
 Prestige old type
 *original P/N 2093019
 + O-rings: 2x O700

P/N1 **D120C** (radial XTRA F:105RX R:105RX)
 P/N2 **D120X** (angular XTRA F:105X R:105X)



Rotor for BIEN AIR ®

Prestige S30
 Prestige S32
 *original P/N 1500486
 + O-rings: 1x O500, 2x O400

P/N1 **D130C** (radial XTRA F:105RX R:105RX)
 P/N2 **D130X** (angular XTRA F:105X R:105X)



Rotor for BIEN AIR ®

Eolia
 Black Pearl ECO (only some models)
 + O-rings: 2x O300

P/N **D136C** (radial XTRA F:165RX R:165RX)



Rotor for BIEN AIR ®

Tornado
 *original P/N 1501968
 + O-rings: 2x O2000
 + Washers: 2x OW200

P/N1 **D137C** (radial XTRA F:105RX R:105RX)
 P/N2 **D137X** (angular XTRA F:105X R:105X)



Complete Rotor for BIEN AIR ®

LAB TD783
 LAB TDS890
 *new chuck
 + O-rings: 2x O300

P/N **DL100C** (radial XTRA F:165RX R:165RX)

COMPATIBLE WITH STAR ®



Rotor for STAR ®

430
 + O-rings: 3x O100
 + Washers: 1x OW240

P/N **F100C** (radial F:145A R:145A)

COMPATIBLE WITH CASTELLINI ®



Rotor for CASTELLINI ®

Titanium Power
Hi Power M
Clean Air 2000/2000R
Clean Light 2000/2000R
*original P/N FL0000874
+ O-rings: 2x O800

P/N **G100C** (radial F:155M R:155M)



Rotor for CASTELLINI ®

Titanium Gold/Gold 2
Hi Power Light
Hi Power Ceramic/Ceramic 2
*original P/N FL0001370
+ O-rings: 2x O800

P/N1 **G110C** (radial XTRA F:105RX R:105RX)
P/N2 **G110X** (angular XTRA F:105X R:105X)



Rotor for CASTELLINI ®

Sient Power Gold/Gold M
Silent Power Silver 2/2L/4L/4LK
*original P/N FL0001857
+ O-rings: 2x O800

P/N1 **G120C** (radial XTRA F:105RX R:105RX)
P/N2 **G120X** (angular XTRA F:105X R:105X)



Rotor for CASTELLINI ®

Silent Power Miniature
Silent Power Gold Miniature
*original P/N FL0001858
+ O-rings: 2x O800

P/N1 **G130C** (radial XTRA F:105RX R:105RX)
P/N2 **G130X** (angular XTRA F:105X R:105X)



Rotor for CASTELLINI ®

Silent Power EVO 2/2L/4L/4LK
+ O-rings: 2x O800

P/N1 **G140C** (radial XTRA F:105RX R:105RX)
P/N2 **G140X** (angular XTRA F:105X R:105X)



Rotor for CASTELLINI ®

Silent Power EVO miniature/miniature K
+ O-rings: 2x O800

P/N1 **G150C** (radial XTRA F:105RX R:105RX)
P/N2 **G150X** (angular XTRA F:105X R:105X)

COMPATIBLE WITH MK-DENT ®



Rotor for MK-DENT ® TC2021

HC2001/HC2002	HE11
HC2011/HC2012 (from SN: F)	HB12/HE12
HC4011 M/K/S/W (from SN: F)	HB15L/HE15L
HC4021 K (till SN: E)	
HC6011 M/K/S/W (from SN: F)	

+ O-rings: 2x O700

P/N1 **H100C** (radial XTRA F:125RX R:125RX)
P/N2 **H100X** (angular XTRA F:125X R:125X)



Rotor for MK-DENT ® TC2031

HC2022	HC6021
HC4021 M (from SN: F)	HC7021
HC4021 K (from SN: F)	HC7031
HC4021 S/W/NT/NQ/Y	
HC5021	
HC5031	

+ O-rings: 2x O700

P/N1 **H110C** (radial XTRA F:125RX R:125RX)
P/N2 **H110X** (angular XTRA F:125X R:125X)



Rotor for MK-DENT ® TC2032

HC2003/HC2004	HC5012
HC2013/HC2014 (from SN: F)	HC5022
HC2024	HC5032
HC4012 M/K/S/W (from SN: F)	HC6022
HC4012 NT/NQ/Y (from SN: F)	HC7012
HC4022	HC7022
HC6012 M/K/S (from SN: F)	HC7032

+ O-rings: 2x O700

P/N1 **H120C** (radial XTRA F:125RX R:125RX)
P/N2 **H120X** (angular XTRA F:125X R:125X)



Rotor for MK-DENT ® TC2038

HC21K/KL
HC20K/KL

+ O-rings: 2x O710
+ Washers: 2x OW120

P/N **H125C** (radial XTRA F:105RX R:116RX)



Rotor for MK-DENT ® TC2041

HC8021
HC9021
HP21KL/NL

+ O-rings: 2x O710
+ Washers: 2x OW120

P/N1 **H130C** (radial XTRA F:105RX R:115RX)
P/N2 **H130X** (angular XTRA F:105X R:115X)



Rotor for MK-DENT ® TC2042

HC8022
HC9022
HP22KL/NL

+ O-rings: 2x O700

P/N **H140C** (radial XTRA F:135RX R:135RX)



Rotor for MK-DENT ® TC2034

HE17
HE21K/KL/N/NL
HB21K/KL

+ O-rings: 2x O710
+ Washers: F:1x OW120, R:1x OW140

P/N **H145C** (radial XTRA F:105RX R:120M)
*120M has phenolic cage



Rotor for MK-DENT ® TC2039

HC22-KL

+ O-rings: 2x O710
+ Washers: 2x OW140

P/N1 **H150C** (radial XTRA F:135RX R:135RX)

GRW XTRA



Rotor for MK-DENT ® TC2035

HE14
HE16L
HE18
HE22K/KL/N/NL/W/WL

+ O-rings: 2x O710
+ Washers: 2x OW140

P/N1 **H160C** (radial XTRA F:135RX R:116RX)

GRW XTRA

COMING
SOON

Rotor for MK-DENT ® TC2033

HB14
HB23K/KL

+ O-rings: 2x O710

P/N1 **H170C** (radial XTRA F:135RX R:135RX)

COMPATIBLE WITH LARES ®

GRW XTRA



Rotor for LARES ®

557

+ O-rings: /

P/N1 **L110C** (radial XTRA F:115RX R:115RX)
P/N2 **L110X** (angular XTRA F:115X R:115X)

GRW XTRA



Rotor for LARES ®

757

+ O-rings: /

P/N1 **L120C** (radial XTRA F:115RX R:115RX)
P/N2 **L120X** (angular XTRA F:115X R:115X)



COMPATIBLE WITH NSK ®



Rotor for NSK ® TiX-Tu03

Ti-Max X700/L
NL9000T/ST/KT/WT/BT
+ O-rings: 2x O1000
+ Washers: 1x OW210, 1x OW220

P/N1 **I100C** (radial XTRA F:115RX R:115RX)
P/N2 **I100X** (angular XTRA F:115X R:115X)



Rotor for NSK ® TiX-Su03

Ti-Max X600L/KL/BL/SL/WL
NL9000S/SS/KS/WS/BS
+ O-rings: 2x O1000
+ Washers: 1x OW210, 1x OW220

P/N1 **I110C** (radial XTRA F:115RX R:115RX)
P/N2 **I110X** (angular XTRA F:115X R:115X)



Rotor for NSK ® TiX45-Su03

Ti-Max X450L/KL/SL/WL/BL
+ O-rings: 2x O1000
+ Washers: 1x OW210, 1x OW220

P/N1 **I115C** (radial XTRA F:115RX R:115RX)
P/N2 **I115X** (angular XTRA F:115X R:115X)



Rotor for NSK ® TiX-Mu03

Ti-Max X500L/KL/BL/SL/WL
NL9000M/SM//KM/WM/BM
+ O-rings: 1x O1000, 1x O1500
+ Washers: 1x OW210, 1x OW220

P/N **I120C** (radial XTRA F:136RX R:115RX)



Rotor for NSK ® PAX-TU03

PANA-MAX PAX-TU M4
PANA-MAX PAX-TU B2
+ O-rings: 2xO1000
+ Washers: 1x OW210

P/N1 **I130C** (radial XTRA F:115RX R:115RX)
P/N2 **I130X** (angular XTRA F:115X R:115X)



Rotor for NSK ® PAX-SU03

PANA-MAX PAX-SU M4
PANA-MAX PAX-SU B2
+ O-rings: 2xO1000
+ Washers: 1x OW210

P/N1 **I135C** (radial XTRA F:115RX R:115RX)
P/N2 **I135X** (angular XTRA F:115X R:115X)



Rotor for NSK ® PAX2-SU03

PANA-MAX2 PTL
PANA-MAX2 KV
PANA-MAX2 M4/B2
+ O-rings: /

P/N1 **I140C** (radial XTRA F:115RX R:115RX)
P/N2 **I140X** (angular XTRA F:115X R:115X)



Rotor for NSK ® TiZ-MU03

Ti-Max Z 800/L/KL/SL/WL/BL
*175RX not for original rotor
+ O-rings: 2xO1000
+ Washers: 1x OW210

P/N **I165C** (radial XTRA F:175RX R:115RX)
*175RX has phenolic cage

GRW XTRA



Rotor for NSK ®

Ti-Max Z 900/L/KL/SL/WL/BL
*175RX not for original rotor
+ O-rings: 2x O1000
+ Washers: 1x OW210

P/N **I166C** (radial XTRA F:175RX R:115RX)
*175RX has phenolic cage

Rotor for NSK ® SX-Mu03



S-Max M500/L/KL/SL/WL/BL
Pana-Max PLUS PAP-MU M4
Pana-Max PLUS PAP-MU B2
**not genuine SPIRO PART*

P/N **XI145C** with canister

GRW XTRA



Rotor for NSK ® SX-Su03

S-Max M600/L/KL/SL/WL/BL
Pana-Max PLUS PAP-SU M4
Pana-Max PLUS PAP-SU B2
+ O-rings: 2x O2200, 1x O1510, 1x O1520
+ Washers: 1x OW110

P/N1 **XI146C** with canister (radial XTRA F:115RX R:115RX)
P/N2 **I146C** without canister (radial XTRA F:115RX R:115RX)

GRW XTRA



Rotor for NSK ® NMC-Mu03

Mach-Lite XT M	AK200L/AS200L
Mach 2 M	Mach QD-M
AW200L/AB200L	NL75/85 Mach Lite M
<i>*not genuine SPIRO PART</i>	
+ O-rings: /	

P/N1 **XI150C** with canister
P/N2 **I150C** without canister (radial F:115RX R:115RX)

GRW XTRA



Rotor for NSK ® NMC-Su03

Mach-Lite XT S	AK300L/AS300L
Mach 2 S	Mach QD-S
AW300L/AB300L	NL75/85 Mach Lite S
+ O-rings: 2x O2200, 1x O1510, 2x O1520	
+ Washers: 1x OW110	

P/N1 **XI151C** with canister (radial XTRA F:115RX R:115RX)
P/N2 **I151C** without canister (radial XTRA F:115RX R:115RX)

GRW XTRA



Rotor for NSK ® NMC-Tu03

Mach-Lite XT T	AK400L/AS400L
Mach 2 T	Mach QD-T
AW400L/AB400L	NL75/85 Mach Lite T
<i>*not genuine SPIRO PART</i>	
+ O-rings: /	

P/N1 **XI152C** with canister
P/N2 **I152C** without canister (radial XTRA F:115RX R:115RX)

Rotor for NSK ® NCH-Mu03



Mach Lite NL65 M
Phatelus II M
**not genuine SPIRO PART*
+ O-rings: /

P/N **XI160C** with canister

Rotor for NSK ® NCH-Su03



AK450L/AS450L	Mach QD-45
AW450L/AB450L	Phatelus II S
Phatelus 45 S	Mach Lite 65 S
<i>*not genuine SPIRO PART</i>	
+ O-rings: /	

P/N **XI161C** with canister

Rotor for NSK ® NCH-Tu03

GRW XTRA



AK455L/AS455L
AW455L/AB455L
Phatelus 45 T
Phatelus II T
Mach Lite 65 T
**not genuine SPIRO PART*
+ O-rings: /

P/N1 **XI162C** with canister
P/N2 **I162C** without canister (radial XTRA F:115RX R:115RX)

Rotor for NSK ® NPA-Mu03



Pana AIR MU Σ
**not genuine SPIRO PART*
+ O-rings: /

P/N **XI170C** with canister

GRW XTRA



Rotor for NSK ® NPA-Su03

Pana AIR SU Σ
**not genuine SPIRO PART*
+ O-rings: /

P/N1 **XI171C** with canister
P/N2 **I171C** without canister (radial XTRA F:115RX R:115RX)



Rotor for NSK ® NPA-Tu03

Pana AIR TU Σ
**not genuine SPIRO PART*
+ O-rings: /

P/N **XI172C** with canister

GRW XTRA



Rotor for NSK ® Ti-Mu03

A500/L
AK500L/AS500L
AW500L/AB500L
Ti-Max NL95 M
**not genuine SPIRO PART*
+ O-rings: /

P/N1 **XI180C** with canister
P/N2 **I180C** without canister (radial XTRA F:115RX R:115RX)

GRW XTRA



Rotor for NSK ® Ti-Su03

A600/L
AK600L/AS600L
AW600L/AB600L
Ti-Max NL95 S
+ O-rings: 2x O2200, 1x O1510, 1x O1520
+ Washers: 1x OW110

P/N1 **XI181C** with canister (radial XTRA F:115RX R:115RX)
P/N2 **I181C** without canister (radial XTRA F:115RX R:115RX)

GRW XTRA



Rotor for NSK ® Ti-Tu03

A700/L
AK700L/AS700L
AW700L/AB700L
Ti-Max NL95 T
**not genuine SPIRO PART*
+ O-rings: /

P/N1 **XI182C** with canister
P/N2 **I182C** without canister (radial XTRA F:115RX R:115RX)

GRW



Complete Rotor for NSK ®

Presto II
Presto Aqua II
Presto Aqua Lux
+ O-rings: /

P/N **IL190C** (radial F:155M R:155M)

COMPATIBLE WITH FARO ®

GRW XTRA



Rotor for FARO ®

S-400
+ O-rings: /

P/N1 **J100C** (radial XTRA F:115RX R:115RX)
P/N2 **J100X** (angular XTRA F:115X R:115X)

GRW XTRA



Rotor for FARO ®

Trilogy
+ O-rings: /

P/N1 **J110C** (radial XTRA F:105RX R:105RX)
P/N2 **J110X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for FARO ®

Trilogy Head
+ O-rings: /

P/N1 **J120C** (radial XTRA F:105RX R:105RX)
P/N2 **J120X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for FARO ®

Trilogy plus
+ O-rings: /

P/N1 **J130C** (radial XTRA F:105RX R:105RX)
P/N2 **J130X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for FARO ®

MT02 L
+ O-rings: 2x O1400
+ Washers: 2x OW110

P/N1 **J140C** (radial XTRA F:105RX R:105RX)
P/N2 **J140X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for FARO ®

MT02 L mini
+ O-rings: 2x O1400
+ Washers: 2x OW110

P/N1 **J145C** (radial XTRA F:116RX R:116RX)

NEW

COMPATIBLE WITH MORITA ®

GRW XTRA



Rotor for MORITA ®

TwinPower PAR-4HEX-O
+ O-rings: 2x O600

P/N1 **M100C** (radial XTRA F:115RX R:115RX)
P/N2 **M100X** (angular XTRA F:115X R:115X)

GRW XTRA



Rotor for MORITA ®

TwinPower PAR-4HX-O
+ O-rings: 2x O600

P/N1 **M110C** (radial XTRA F:115RX R:115RX)
P/N2 **M110X** (angular XTRA F:115X R:115X)

GRW XTRA



Rotor for MORITA ®

TwinPower PAR-4HUEX-O
+ O-rings: 2x O600

P/N1 **M120C** (radial XTRA F:115RX R:115RX)
P/N2 **M120X** (angular XTRA F:115X R:115X)

COMPATIBLE WITH B.A. INTERNATIONAL ®

MODEL DEPENDS ON SERIAL NUMBER OF TURBINE - CONTACT US

GRW XTRA



Rotor for B.A. International ®

BA 635 Ultimate Turbine
+ O-rings: 2x O900

P/N1 **P100C** (radial XTRA F:105RX R:105RX)
P/N2 **P100X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for B.A. International ®

BA 650 Ultimate
+ O-rings: 2x O700

P/N1 **P110C** (radial XTRA F:125RX R:125RX)
P/N2 **P110X** (angular XTRA F:125X R:125X)

GRW XTRA



Rotor for B.A. International ®

BA 675 Ultimate Handpiece
BA 685 Ultimate Handpiece
+ O-rings: 2x O900

P/N1 **P120C** (radial XTRA F:105RX R:105RX)
P/N2 **P120X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for B.A. International ®

BA 680 Ultimate
+ O-rings: 2x O900

P/N1 **P130C** (radial XTRA F:105RX R:105RX)
P/N2 **P130X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for B.A. International ®

BA 695 Ultimate Range
for SN > 600 000 take P141C
+ O-rings: 2x O900

P/N1 **P140C** (radial XTRA F:105RX R:105RX)
P/N2 **P140X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for B.A. International ®

BA 695 Ultimate Range
*new type
+ O-rings: 2x O700
+ Washers: 2x OW170

P/N1 **P141C** (radial XTRA F:115RX R:115RX)
P/N2 **P141X** (angular XTRA F:115X R:115X)

GRW XTRA



Rotor for B.A. International ®

BA 758 Ultimate Power +
+ O-rings: 2x O900

P/N1 **P145C** (radial XTRA F:105RX R:105RX)
P/N2 **P145X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for B.A. International ®

BA 755 Ultimate Power +
+ O-rings: 2x O900

P/N1 **P150C** (radial XTRA F:105RX R:105RX)
P/N2 **P150X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for B.A. International ®

BA 755 Ultimate Power +
*new type
+ O-rings: 2x O700
+ Washers: 2x OW170

P/N1 **P151C** (radial XTRA F:115RX R:115RX)
P/N2 **P151X** (angular XTRA F:115X R:115X)

GRW XTRA



Rotor for B.A. International ®

BA 670 Ultimate
+ O-rings: 2x O900

P/N1 **P160C** (radial XTRA F:105RX R:105RX)
P/N2 **P160X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for B.A. International ®

BA 670
+ O-rings: 2x O700

P/N1 **P161C** (radial XTRA F:125RX R:125RX)
P/N2 **P161X** (angular XTRA F:125X R:125X)

GRW XTRA



Rotor for B.A. International ®

BA Optima 525
+ O-rings: /

P/N1 **P170C** (radial XTRA F:105RX R:105RX)
P/N2 **P170X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for B.A. International ®

BA Optima 888
+ O-rings: 2x O900

P/N1 **P180C** (radial XTRA F:105RX R:105RX)
P/N2 **P180X** (angular XTRA F:105X R:105X)

COMPATIBLE WITH FONA ®

GRW XTRA



Rotor for FONA ®

6080 MR
+ O-rings: 2x O900

P/N1 **R100C** (radial XTRA F:105RX R:105RX)
P/N2 **R100X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for FONA ®

8060 SR
+ O-rings: 2x O900

P/N1 **R110C** (radial XTRA F:105RX R:105RX)
P/N2 **R110X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for FONA ®

8080 SR
+ O-rings: 2x O900

P/N1 **R120C** (radial XTRA F:105RX R:105RX)
P/N2 **R120X** (angular XTRA F:105X R:105X)

COMPATIBLE WITH ANTHOS ® AND WITH STERN WEBER ®

GRW XTRA



Rotor for ANTHOS ®

Sient Power Gold/Gold M
Silent Power Silver 2/2L/4L/4LK
+ O-rings: 2x O800

P/N1 **G120C** (radial XTRA F:105RX R:105RX)
P/N2 **G120X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for ANTHOS ®

Silent Power EVO 2/2L/4L/4LK
+ O-rings: 2x O1000

P/N1 **G140C** (radial XTRA F:105RX R:105RX)
P/N2 **G140X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for ANTHOS ®

Silent Power EVO miniature/minianature K
+ O-rings: 2x O1000

P/N1 **G150C** (radial XTRA F:105RX R:105RX)
P/N2 **G150X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for STERN WEBER ®

Silent Power EVO 2/2L/4L/4LK
+ O-rings: 2x O1000

P/N1 **G140C** (radial XTRA F:105RX R:105RX)
P/N2 **G140X** (angular XTRA F:105X R:105X)

GRW XTRA



Rotor for STERN WEBER ®

Silent Power EVO miniature/minianature K
+ O-rings: 2x O1000

P/N1 **G150C** (radial XTRA F:105RX R:105RX)
P/N2 **G150X** (angular XTRA F:105X R:105X)

COMPATIBLE WITH PLANMECA ®

GRW XTRA



Rotor for Planmeca ®

NOMA ML
+ O-rings: 2x O710

P/N **N100C** (radial XTRA F:136RX R:136RX)

GRW XTRA



Rotor for Planmeca ®

NOMA SL
+ O-rings: /

P/N **N110C** (radial XTRA F:136RX R:136RX)

GRW XTRA



Rotor for Planmeca ®

MINEA ML
+ O-rings: 2x O710

P/N **N120C** (radial XTRA F:136RX R:136RX)

COMPATIBLE WITH OSADA ®

GRW XTRA



Rotor for OSADA®

OT-TDL 4H
+ O-rings: 2xO700

P/N **U100C** (radial XTRA F:175RX R:175RX)

GRW XTRA



Rotor for OSADA®

OFJ-TZL
+ O-rings: /

P/N **U110C** (radial XTRA F:125RX R:125RX)

GRW XTRA



Rotor for OSADA®

OFJ-MZL
+ O-rings: /

P/N **U120C** (radial XTRA F:136RX R:136RX)

COMPATIBLE WITH BEYES®

GRW XTRA



Rotor for BEYES®

Airlight M800-M
+ O-rings: 2x O1000

P/N1 **K100C** (radial XTRA F:115RX R:115RX)
P/N2 **K100X** (angular XTRA F:115X R:115X)

GRW XTRA



Rotor for BEYES®

Airlight M800-S
+ O-rings: 2x O1000

P/N1 **K110C** (radial XTRA F:115RX R:115RX)
P/N2 **K110X** (angular XTRA F:115X R:115X)

COMPATIBLE WITH CHIRANA®

GRW XTRA



Rotor for CHIRANA®

TG
*original P/N 390312560
+ O-rings: 2x O3000

P/N1 **T100C** (radial XTRA F:125RX R:125RX)
P/N2 **T100X** (angular XTRA F:125X R:125X)

GRW XTRA



Rotor for CHIRANA®

TG H
*original P/N 390312560.6
+ O-rings: 2x O3000

P/N1 **T110C** (radial XTRA F:125RX R:125RX)
P/N2 **T110X** (angular XTRA F:125X R:125X)

GRW XTRA



Rotor for CHIRANA®

TG HF
*original P/N 3903128271
+ O-rings: 2x O3000

P/N1 **T120C** (radial XTRA F:125RX R:125RX)
P/N2 **T120X** (angular XTRA F:125X R:125X)

GRW XTRA



Rotor for CHIRANA®

TS HF
*original P/N 03125614
+ O-rings: 2x O3000

P/N1 **T130C** (radial XTRA F:125RX R:125RX)
P/N2 **T130X** (angular XTRA F:125X R:125X)

COMPATIBLE WITH SCI-CAN®

GRW XTRA



Rotor for Sci-Can®

Statis ML201.1
+ O-rings: 2x O710

P/N **S120C** (radial XTRA F:136RX R:136RX)

GRW XTRA



Rotor for Sci-Can®

Statis SL101.1
+ O-rings: /

P/N **S130C** (radial XTRA F:136RX R:136RX)



THE BEARING REVOLUTION - HIGH SPEED BEARINGS

We offer GRW ® quality for high speed turbine bearings:

1. GRW ® radial contact ceramic bearings with phenolic cage (M type, i.e. 135M)
2. GRW ® XTRA ® radial contact ceramic bearings with XTRA cage, XTRA oil (RX type, i.e. 105RX)
3. GRW ® XTRA ® angular contact ceramic bearings with XTRA cage, XTRA oil (X type, i.e. 105X)

New GRW ® XTRA ® ceramic bearings features:

- XTRAlube – Optimized lubrication conditions for high-speed applications
- XTRAlon – The GRW ® PAI based patented cage material

Customers' benefits from GRW ® XTRA ® components:

- Reduced friction
- Increasing speed
- Minimization of running noise
- Prolonged service life and reduction of the maintenance intervals of customers' products
- Improved ball bearing and assembly performance



GRW ® XTRA ® HIGH SPEED BEARINGS

BEARINGS

TECHNICAL INFORMATION

XTRALube

It is developed in the GRW ® laboratory as a new lubricant with the potential to considerably extend service life. The new XTRALube developed in the GRW ® laboratory delivers outstanding results both in the test criteria which GRW ® considers crucial and in the various functional tests. It also has the special ability to adhere to the contact surfaces of the inner ring and outer ring much better than standard greases.

It is precisely in ball bearings for dental turbines that this property is particularly sought after, because the air extracted from the turbine flows partly through the ball bearings and transports the grease reservoir to the outside very rapidly. This leads to a situation of inadequate lubrication, which is responsible for the failure of the ball bearings.

Customers' benefits from XTRALube:

- Reduction of lubricant escape
- Improved contact area adhesion of the lubricant
- Prolonged service life

XTRAlon

GRW's ® premium material is designed for the most demanding requirements in terms of friction, thermal stability and wear. The unique production method involving the chemical binding of solid lubricant to the base polymer polyamidimide (PAI) creates a homogeneous, dense fabric, which offers little opportunity for attack by the superheated steam during autoclaving.

The fine distribution of solid lubricant and the chemical bond to the base material means that the exceptional property of dry-running suitability is obtained, even in extreme applications where rotational speeds of $n \times \text{dm} > 1.000.000 \text{ mm/min}$ are the norm.

In internal tests on GRW's ® own test rigs, service lifetimes of up to 15 hours were attained with completely dry ball bearings. All conventional cage materials fail after only a few minutes in the same test. The SEM images show the surfaces of XTRAlon and PAI mod. after 1.000 cycles of sterilisation by steam under pressure. It can be clearly seen that the surface structure of XTRAlon is preserved, while the PAI mod. has a very jagged surface.

Benefits from XTRAlon:

- Outstanding high temperature performance
- Minimal friction and abrasion coefficient
- Prolonged service life



GRW ® XTRA ® ANGULAR CONTACT BEARINGS

TECHNICAL INFORMATION

Cage:	XTRAlon	Origin:	made in Germany
Lubricant:	XTRALube	Packaging:	individual in plastic foil
Speed:	500 000 rpm	LOT num.:	printed on plastic foil



GRW ® XTRA ® Smooth Ceramic Bearing

3,175x6,350x2,779mm

Features: Integral shield, angular contact, XTRALube, XTRAlon

P/N **105X** **XTRA**



GRW ® XTRA ® Smooth Ceramic Bearing

3,175x6,350x2,380mm

Features: Integral shield, angular contact, XTRALube, XTRAlon

P/N **115X** **XTRA**





GRW ® XTRA ® Stepped Ceramic Bearing

3,175x6,350x2,779mm

Features: Integral shield, angular contact, XTRAlube, XTRAlon

P/N **125X XTRA**



We recommend GRW ® XTRA ® bearings for:

1. most demanding clients and repairs
2. handpieces with many operating hours
3. clinics with expected lower lubrication and maintenance
4. increased quality of your repairs

GRW ® HIGH SPEED BEARING



GRW ® XTRA ® RADIAL CONTACT BEARINGS

TECHNICAL INFORMATION

Cage: phenolic/XTRAlon (RX)
Lubricant: XTRAlube (RX)
Speed: 500 000 rpm

Origin: made in Germany
Packaging: individual in plastic foil
LOT num.: printed on plastic foil



GRW ® Smooth Ceramic Bearing

3,175x6,350x2,779mm
Features: Radial contact, XTRAlube, XTRAlon

P/N 105RX

XTRA



GRW ® Smooth Ceramic Bearing

3,175x6,350x2,380mm
Features: Radial contact, XTRAlube, XTRAlon

P/N 115RX

XTRA



Smooth Ceramic Bearing

3,175x6,350x2,380mm
*extended inner ring 2,779mm
Features: Radial contact, XTRAlube, XTRAlon

P/N 116RX

XTRA



GRW ® Stepped Ceramic Bearing

3,175x6,450x2,38mm
*extended inner ring 2,72mm
Features: Radial contact

P/N 120M



GRW ® Stepped Ceramic Bearing

3,175x6,350x2,779mm
Features: Radial contact, XTRAlube, XTRAlon

P/N 125RX

XTRA



GRW ® Stepped Ceramic Bearing

3,175x6,350x2,380mm
*extended inner ring 2,779mm
Features: Radial contact, XTRAlube, XTRAlon

P/N 135RX

XTRA



GRW ® Stepped Ceramic Bearing

3,175x6,350x2,380mm
Features: Radial contact, XTRAlube, XTRAlon

P/N 136RX

XTRA



GRW ® Stepped Ceramic Bearing

3,175x6,310(6,350)x2,779mm
*double flange 7,518mm
*flange width 0,473/0,456mm
Features: Radial contact, XTRAlube, XTRAlon

P/N 140RX

XTRA





Flanged Ceramic Bearing

3,175x6,350x2,779mm
*flange 7,518mm
*flange width 0,450mm
Made in Japan
Features: Radial contact

P/N 145A



GRW ® Flanged Ceramic Bearing

3,175x6,350x2,779mm
*flange 7,518mm
*flange width 0,787mm
Features: Radial contact

P/N 155M



GRW ® Smooth Ceramic Bearing

3,175x7,938x3,571mm
Features: Radial contact, XTRAlube, XTRAlon

P/N 165RX

XTRA



GRW ® Flanged Ceramic Bearing

3,175x6,35x2,38mm
*flange 7,518mm
*flange width 0,584mm
Features: Radial contact, XTRAlube, XTRAlon

P/N 175RX

XTRA



Bearing cup for

Bien Air Prestige front
Bien Air Ondine front

P/N D730F



Bearing cup for

Bien Air Prestige back

P/N D730B



TURBINE BACKCAPS



COMPATIBLE WITH SIEMENS & SIRONA ®



Backcap for SIEMENS ® & SIRONA ®

Series 3000
T23 4000S
4000SL/T1
TS1/TS2
TM1 mini

P/N **A300**



Backcap for SIRONA ®

T2 Control SN < 600 000
T1 Control SN > 502 000
SiroPURE P control

P/N **A310**



Backcap for SIRONA ®

T1 Control
TC3
for SN < 65 000
for SN > 502 000 take A310

P/N **A330**



Backcap for SIRONA ®

T1 Control
T2 Control
for SN > 600 000

P/N **A331**



Backcap for SIRONA ®

T1 mini
for SN < 65 000
for SN > 502 000 take A345

P/N **A335**



Backcap for SIRONA ®

T1 mini
T2 mini
T3 mini
for SN > 600 000

P/N **A336**



Backcap for SIRONA ®

T1 mini
T2 mini
T3 mini
for SN > 700 000

P/N **A337**



Backcap for SIRONA ®

T1 Control
T2 Control
for SN > 700 000

P/N **A342**



Backcap for SIRONA®

T2 mini
T3 mini
SiroPURE P mini
for SN < 600 000
T1 mini SN > 502 000

P/N **A345**



Backcap for SIRONA®

T2 Racer
T3 Racer
T4 Racer

P/N **A350**



Backcap for SIRONA®

T3 Racer
T4 Racer
for S/N > 600 000

P/N **A353**



Backcap for SIRONA®

SIROBoost

P/N **A355**



Backcap for SIRONA®

T1 Boost
T2 Boost
T3 Boost
for SN > 600 000

P/N **A360**



Backcap for SIRONA®

T1 Boost
T2 Boost
T3 Boost
for SN > 700 000

P/N **A361**



COMPATIBLE WITH KAVO ®



Backcap for KAVO ®

624/625
625C/625D
627/630
630A/640

*from friction grip to push button
*thread diameter 11,90mm

P/N **B300**



Backcap for KAVO ®

SUPERtorque® 630
SUPERtorque® 640
*thread diameter 11,60mm

P/N **B310**



Backcap for KAVO ®

CONTACTair® 632
BELLatorque® 633
BELLatorque® 639
BELLatorque® 642

P/N **B320**



Backcap for KAVO ®

SUPERtorque® 647
SUPERtorque® 650
COMPACTtorque® 636
POWERtorque® 646

P/N **B330**



Backcap for KAVO ®

MIRAlux® 635
MIRAtorque mini® 637

P/N **B340**



Backcap for KAVO ®

SUPERtorque® 655
SUPERtorque® 660
GENTLEforce® 6000
GENTLEforce® 7000

P/N **B360**



Backcap for KAVO ®

EXPERTtorque® E679L
EXPERTtorque® E680L

P/N **B361**



Backcap for KAVO ®

SMARTtorque® S609
SMARTtorque® S619

P/N **B362**



Backcap for KAVO ®

SMARTtorque® S605
SMARTtorque® S615

P/N **B363**



Backcap for KAVO ®

BELLAtorque® 645

P/N **B370**



Backcap for KAVO ®

GENTLEforce® 6500
GENTLEsilence® 6500BR
GENTLEsilence® 8000

P/N **B371**



Backcap for KAVO ®

MASTERtorque mini® M8700L

P/N **B374**



Backcap for KAVO ®

MASTERtorque mini® M8900L

P/N **B375**



Backcap for KAVO ®

SUPERtorque® 659B

P/N **B393**



Backcap for KAVO ®

GENTLEsilence mini® 4500BR
EXPERTtorque® E675L
EXPERTtorque® E677L
GENTLElux® 5000

P/N **B394**



Backcap for KAVO ®

MASTERtorque® M9000L

P/N **B395**

COMPATIBLE WITH W&H ®



Backcap for W&H ®

290B
295
390
393
395
695

P/N **C300**



Backcap for W&H ®

190-BC
795/895
Trend® TC-80 BC/RM
Trend® TC-95 BC/RM
398/698/798/898
Alegra® HS2003 TE-95/98

P/N **C310**



Backcap for W&H ®

796

P/N **C320**



Backcap for W&H ®

196
896

P/N **C330**



Backcap for W&H ®

Synea® TA-96
Alegra® HS2003 TE-96

P/N **C340**



Backcap for W&H ®

Synea® TA-98
*with 2 pins

P/N **C350**



Backcap for W&H ®

Synea® Fusion TG-98

P/N **C352**



Backcap for W&H ®

Synea® Vision TK-98

P/N **C353**



Backcap for W&H ®

Synea® Vision TK-100

P/N C354



Backcap for W&H ®

Synea® TA-98 LED
*with 3 pins

P/N C355



Backcap for W&H ®

Synea® Vision® TK-97

P/N C357



Backcap for W&H ®

Synea® Vision® TK-94

P/N C358



Backcap for W&H ®

Synea® TA-97
Alegra® HS2009 TE-97
Synea® Fusion TG-97

P/N C365



Backcap for W&H ®

Alegra® HS2014 TE-97

P/N C390

COMPATIBLE WITH BIEN AIR ®



Backcap for W&H ®

Alegra® HS2014 TE-95
Alegra® HS2014 TE-98

P/N C395



Backcap for BIEN AIR ®

Black Pearl
S25-L
Boralina
Eolia

P/N D300



Inner cap for BIEN AIR ®

Black Pearl

P/N D300i



Inner cap spring for BIEN AIR ®

Bora
Black Pearl
P/N **D300s**



Backcap for BIEN AIR ®

Bora
S36-L
Rotamax L
*compatible with Key D810
P/N **D310**



Inner cap for BIEN AIR ®

Bora
P/N **D310i**



Backcap for BIEN AIR ®

Ondine
P/N **D320**



Backcap for BIEN AIR ®

Prestige
S32-L
P/N **D330**



Backcap for BIEN AIR ®

Tornado
P/N **D337**



Backcap for STAR ®

430
P/N **F300**

COMPATIBLE WITH STAR ®

COMPATIBLE WITH CASTELLINI ®



Backcap for CASTELLINI ®

Hi Power M
Clean Air 2000/2000R
Titanium Power
Cleanlight 2000/2000R
*original P/N F633F03R0

P/N **G300**



Backcap for CASTELLINI ®

Silent Power Gold
Hi Power Light
Titanium Gold
Titanium Gold 2
*original P/N F699F30R0

P/N **G310**



Backcap for CASTELLINI ®

Silent Power Silver 2/2L/4L/4L-K
Hi Power Ceramic
Hi Power Ceramic 2
*original P/N F699F40R0

P/N **G320**



Backcap for CASTELLINI ®

Silent Power Gold Miniature
Titanium Gold 2M
*original P/N F697A10P0

P/N **G330**



Backcap for CASTELLINI ®

Silent Power EVO 2/2L/4L/4LK

P/N **G340**



Backcap for CASTELLINI ®

Silent Power EVO Miniature/Miniature K

P/N **G350**

COMPATIBLE WITH NSK ®



Backcap for NSK ®

Ti-Max X700/L
NL9000T/ST//KT/WT/BT

P/N **I300**



Backcap for NSK ®

Ti-Max X600L/KL/BL/SL/WL
NL9000S/SS/KS/WS/BS

P/N **I310**



Backcap for NSK ®

Ti-Max X450L/KL/SL/WL/BL

P/N **I315**



Backcap for NSK ®

Ti-Max X500L/KL/BL/SL/WL
NL9000M/SM/KM/WM/BM

P/N **I320**



Backcap for NSK ®

PANA-MAX PAX-TU M4
PANA-MAX PAX-TU B2

P/N **I330**



Backcap for NSK ®

PANA-MAX PAX-SU M4
PANA-MAX PAX-SU B2

P/N **I335**



Backcap for NSK ®

PANA-MAX 2 M4
PANA-MAX 2 B2
PANA-MAX 2 KV
PANA-MAX 2 PTL

P/N **I340**



Backcap for NSK ®

S-Max M500L/K/KL/SL/WL/BL
Pana-Max PLUS PAP-MU M4
Pana-Max PLUS PAP-MU B2

P/N **I345**



Backcap for NSK ®

S-Max M600L/K/KL/SL/WL/BL
Pana-Max PLUS PAP-SU M4
Pana-Max PLUS PAP-SU B2

P/N **I346**



Backcap for NSK ®

Ti-Max Z800/L/KL/SL/WL/BL

P/N **I365**



Backcap for NSK ®

Ti-Max Z900/L/KL/SL/WL/BL

P/N **I366**

COMPATIBLE WITH FARO ®



Backcap for FARO ®

S-400

P/N **J300**



Backcap for FARO ®

Trilogy

P/N **J310**



Backcap for FARO ® **NEW**

MT02 L

P/N **J340**



Backcap for FARO ® **NEW**

MT02 L mini

P/N **J345**

COMPATIBLE WITH MORITA ®



Backcap for MORITA ®

TwinPower PAR-4HEX-O

P/N **M300**

COMING
SOON

Backcap for MORITA ®

TwinPower PAR-4HX-O

P/N **M310**

COMING
SOON

Backcap for MORITA ®

TwinPower PAR-4HUEX-O

P/N **M320**

COMPATIBLE WITH B.A. INT. ®



Backcap for B.A. International ®

BA525 Optima

P/N **P300**



Backcap for B.A. International ®

BA755 Ultimate Power +

P/N **P310**

COMPATIBLE WITH ANTHOS ®



Backcap for ANTHOS ®

Silent Power EVO 2/2L/4L/4LK

P/N **G340**



Backcap for ANTHOS ®

Silent Power EVO Miniature/Miniature K

P/N **G350**

COMPATIBLE WITH STERN WEBER ®



Backcap for STERN WEBER ®

Silent Power EVO 2/2L/4L/4LK

P/N **G340**



Backcap for STERN WEBER ®

Silent Power EVO Miniature/Miniature K

P/N **G350**

COMPATIBLE WITH BEYES®



Backcap for BEYES®

BEYES Airlight M800-M

P/N **K300**



Backcap for BEYES®

BEYES Airlight M800-S

P/N **K310**

TURBINE KEYS

COMPATIBLE WITH SIEMENS ® & SIRONA ®

6 MONTHS
WARRANTY



Key for SIEMENS ® & SIRONA ®

Series 3000
T23 4000S
4000SL/T1
TS1/TS2

P/N **A800**



Key for SIRONA ®

T2 Control
T2 mini
T2 Racer
T3 Racer
T4 Racer

P/N **A810**



Key for SIRONA ®

T1 Control
TC3

P/N **A815**



Key for SIRONA ®

T1 Control
T2 Control
for SN > 600 000 & > 700 000

P/N **A831**



Key for SIRONA ®

T1 mini
T2 mini
T3 mini
for SN > 600 000 & > 700 000

P/N **A836**



Key for SIRONA ®

T2 mini
T3 mini
for SN < 600 000
SIROBoost

P/N **A845**



Key for SIRONA ®

T1 Boost
T2 Boost
T3 Boost
for SN > 600 000 & > 700 000
T3 Racer
T4 Racer
for SN > 600 000

P/N **A860**

COMPATIBLE WITH KAVO ®



Key for KAVO ®

624/625/625C/625D/627
SUPERtorque® 630
SUPERtorque® 640
CONTACTair® 632
BELLatorque® 633
BELLatorque® 639
BELLatorque® 642
BELLatorque® 645

P/N **B800**



Key for KAVO ®

SUPERtorque® 650	GENTLEsilence® 8000
SUPERtorque® 647B	COMPACTtorque® 636
SUPERtorque® 655	POWERtorque® 646
SUPERtorque® 659B	MASTERTorque® M9000L
SUPERtorque® 660B	MASTERTorque® M8900L
GENTLEforce® 6000	EXPERTtorque® E679L
GENTLEforce® 7000	EXPERTtorque® E680L
GENTLEsilence® 6500	SMARTtorque® S609
GENTLEsilence® 6500BR	SMARTtorque® S619

P/N **B830**



Key for KAVO ®

MIRAlux® 635
MIRAtorque mini® 637

P/N **B840**



Key for KAVO ®

GENTLEsilence mini® 4500BR
SMARTtorque mini® S605
SMARTtorque mini® S615
EXPERTtorque® E675
EXPERTtorque® E677
MASTERTorque® M8700
GENTLElux mini® 5000

P/N **B894**

COMPATIBLE WITH W&H ®



Key for W&H ®

290B	393
295	395
390	695

P/N **C800**



Key for W&H ®

190-BC
795/895
398/698/798/898
Trend® TC-80 BC/RM
Trend® TC-95 BC/RM
Alegra® HS2003 TE-95/98

P/N **C810**



Key for W&H ®

196
796
896

P/N **C820**



Key for W&H ®

Synea® TA-98

P/N **C850**



Key for W&H ®

Synea® Fusion TG-98

P/N **C852**



Key for W&H ®

Synea® Vision TK-98

P/N **C853**



Key for W&H ®

Synea® Vision TK-100

P/N **C854**



Key for W&H ®

Synea® TA-98 LED

P/N **C855**



Key for W&H ®

Synea® TA-97
Alegra® HS2009 TE-97
Synea® Fusion TG-97

P/N **C865**



Key for W&H ®

Alegra® HS2014 TE-97

P/N **C890**



Key for W&H ®

Alegra® HS2014 TE-95
Alegra® HS2014 TE-98

P/N **C895**

COMPATIBLE WITH BIEN AIR ®



Key for BIEN AIR ®

Black Pearl
S25-L
Boralina
Eolia
*for cap D300

P/N **D800**



Key for BIEN AIR

Bora
S36-L
*for original cap

P/N **D815**



Key for BIEN AIR ®

Ondine

P/N **D820**



Key for BIEN AIR ®

Prestige
S32-L
* for original cap

P/N **D835**



Key for BIEN AIR ®

Tornado

P/N **D837**

COMPATIBLE WITH STAR ®



Key for STAR ®

430

P/N **F800**

COMPATIBLE WITH CASTELLINI ®



Key for CASTELLINI ®

Hi Power M
Clean Air 2000/2000R
Titanium Power
Cleanlight 2000/2000R

P/N **G800**



Key for CASTELLINI ®

Silent Power Gold
Hi Power Light
Titanium Gold
Titanium Gold 2

P/N **G810**



Key for CASTELLINI ®

Silent Power Silver 2/2L/4L/4L-K
Hi Power Ceramic
Hi Power Ceramic 2

P/N **G820**



Key for CASTELLINI ®

Silent Power EVO 2/2L/4L/4LK

P/N **G840**



Key for CASTELLINI ®

Silent Power Gold Miniature
Silent Power EVO Miniature/Miniature K
Titanium Gold 2M

P/N **G850**

COMPATIBLE WITH NSK ®



Key for NSK ®

Ti-Max X700/L
NL9000T/ST//KT/WT/BT

P/N **1800**



Key for NSK ®

Ti-Max X600L/KL/BL/SL/WL
NL9000S/SS/KS/WS/BS
PANA-MAX2

P/N **1810**



Key for NSK ®

Ti-Max X450L/KL/SL/WL/BL

P/N **1815**



Key for NSK ®

Ti-Max X500L/KL/BL/SL/WL
NL9000M/SM/KM/WM/BM

P/N **1820**



Key for NSK ®

PANA-MAX PAX-TU M4
PANA-MAX PAX-TU B2
PANA-MAX PAX-SU M4
PANA-MAX PAX-SU B2

P/N **1830**



Key for NSK ®

S-Max M500L/K/KL/SL/WL/BL
S-Max M600L/K/KL/SL/WL/BL
Pana-Max PLUS PAP-MU M4
Pana-Max PLUS PAP-MU B2
Pana-Max PLUS PAP-SU M4
Pana-Max PLUS PAP-SU B2

P/N **1845**



Key for NSK ®

Ti-Max Z800/L/KL/SL/WL/BL

P/N **1865**



Key for NSK ®

Ti-Max Z900/L/KL/SL/WL/BL

P/N **1866**

COMPATIBLE WITH FARO ®



Key for FARO ®

Trilog
MT02 L

P/N **J840**



Key for FARO ®

S-400

P/N **J800**



Key for FARO ®

MT02 L mini

P/N **J845**

COMPATIBLE WITH MORITA ®



Key for MORITA ®

TwinPower PAR-4HEX-O

P/N **M800**

COMPATIBLE WITH B.A. INT. ®



Key for B.A. International ®

BA 755 Ultimate Power +

P/N **A845**

COMPATIBLE WITH BEYES ®




Key for BEYES ®

Airlight M800-M
Airlight M800-S

P/N **K800**

COMPATIBLE O-RINGS AND WASHERS



O-RINGS FOR TURBINES AND COUPLINGS

O-RINGS FOR SIRONA ®



O-ring for SIRONA ®

*original P/N 5829416

P/N **O900**

Material **PERFORM60**



O-ring set for SIRONA ®

*original P/N 1891840
- set of 4 pieces

P/N **O901**

Material **PERFORM60**



O-ring for SIRONA ®

*original P/N 6273747

P/N **O1001**

Material **PERFORM60**

O-RINGS FOR KAVO ®



O-ring for KAVO ®

most models
*original P/N 0.200.6172

P/N **O700**

Material **PERFORM60**



O-ring for KAVO ®

GENTLEforce® 7000
GENTLEsilence® 8000
GENTLEforce® 6000
GENTLEsilence® 6500

P/N **O710**

Material **PERFORM60**



O-ring for KAVO ®

*original P/N 1.002.1149

P/N **O1400**

Material **PERFORM60**



O-ring set for KAVO ®

Coupling MULTiflex® 460E
 Coupling MULTiflex® LUX 465LRN
 Coupling MULTiflex® LUX 465LED
 *original P/N 1.004.2776/1.004.2775
 *set of 5 pieces (3x large, 2x small)

P/N **O750**

Material **PERFORM60**



Large O-ring for KAVO ®

Coupling MULTiflex® 460E
 Coupling MULTiflex® LUX 465LRN
 Coupling MULTiflex® LUX 465LED
 *original P/N 1.004.2776

P/N **OCK1**

Material **PERFORM60**



Small O-ring for KAVO ®

Coupling MULTiflex® 460E
 Coupling MULTiflex® LUX 465LRN
 Coupling MULTiflex® LUX 465LED
 *original P/N 1.004.2775

P/N **OCK2**

Material **PERFORM60**



O-ring for KAVO ®

181CB/181DB
 INTRA LUX K190/K200/K201
 INTRA LUX KL700/KL701/KL702/KL703
 + other models
 *original P/N 0.200.6120

P/N **O2100**

Material **PERFORM60**

O-RINGS FOR W&H ®



O-ring for W&H ®

most models
 *original P/N 01066001

P/N **O600**

Material **PERFORM60**



O-ring set for W&H ®

Roto-quick RA-24
 Roto-quick RA-25
 *original P/N 02060100
 - set of 4 pieces

P/N **O601**

Material **PERFORM60**




O-ring for W&H ®

Roto-quick RQ-14
Roto-quick RQ-24
*original P/N 02060100/02060200
- set of 3 pices (2x large, 1x small)

P/N **O602**

Material **PERFORM60**



O-ring for W&H ®

*original P/N 03811100

P/N **O603**

Material **PERFORM60**



O-ring for W&H ®

*original P/N 03816700

P/N **O604**

Material **PERFORM60**



O-ring for W&H ®

*original P/N 06849600

P/N **O650**

Material **PERFORM60**

O-RINGS FOR BIEN AIR ®



O-ring for BIEN AIR ®

Bora
Black Pearl
Eolia
*original P/N 705.01.81

P/N **O300**

Material **PERFORM60**



O-ring for BIEN AIR ®

Prestige Large
*original P/N 705.02.35

P/N **O400**

Material **PERFORM60**



O-ring for BIEN AIR ®

Prestige Small
*original P/N 705.02.39

P/N **O500**

Material **PERFORM60**



O-ring for BIEN AIR ®

MC3
*original P/N 011.35.28

P/N **O1200**

Material **PERFORM60**



O-ring for BIEN AIR ®

Tornado
*original P/N 1306347

P/N **O1200**

Material **PERFORM60**

O-RINGS FOR NSK ®



O-ring for NSK ®

*original P/N 0319063100

P/N **O1000**

Material **PERFORM60**



O-ring for NSK ®

*original P/N 0312060080

P/N **O1500**

Material **PERFORM60**



O-ring for NSK ®

*original P/N 0312049030

P/N **O1510**

Material **PERFORM60**



O-ring for NSK ®

*original P/N 0312069030

P/N **O1520**

Material **PERFORM60**



O-ring for NSK ®

*original P/N 0312077030

P/N **O1530**

Material **PERFORM60**



O-ring for NSK ®

for Canisters

P/N **O2200**

Material **PERFORM60**



O-ring for CASTELLINI ®

*original P/N F12401004

P/N **O800**

Material **PERFORM60**

O-RINGS FOR CASTELLINI ®



O-ring for STAR ®

P/N **O100**

O-RINGS FOR STAR ®



O-ring for CHIRANA ®

TG
TG H
TG HF
TS HF

P/N **O3000**

Material **PERFORM60**

O-RINGS FOR CHIRANA ®

WASHERS FOR TURBINES



Wavy washer for SIRONA ®

T1 mini/T2 mini/T3 mini SN > 600 000
T1 boost/T2 boost/T3 boost SN > 600 000
T1 control/T2 control SN > 600 000/700 000
*original P/N 6367648

P/N **OW170**



Wavy washer for KAVO ®

SUPERtorque® 655
SUPERtorque® 660
GENTLEforce® 6000
GENTLEforce® 7000
SMARTtorque mini® S605
SMARTtorque mini® S615
SMARTtorque® S609
SMARTtorque® S619
*original P/N 1.001.5032

P/N **OW110**



Wavy washer for KAVO ®

GENTLEsilence® 6500
GENTLEsilence® 8000
MASTERtorque® M9000
EXPERTtorque® E677L Back
EXPERTtorque® E680L Front
*original P/N 1.003.5900

P/N **OW120**



Wavy washer for KAVO ®

GENTLEsilence® 6500
EXPERTtorque® E677L Front
EXPERTtorque® E680L Back
*original P/N 1.003.7576

P/N **OW140**



Wavy washer for KAVO ®

GENTLEmini® 5000
*original P/N 1.001.6391

P/N **OW150**



Wavy washer for W&H ®

many models
*original P/N 02749408

P/N **OW130**



Wavy washer for W&H ®

Synea® Vision TK-94
Synea® Vision TK-97
Synea® Vision TK-98
Synea® Vision TK-100
*original P/N 06857600

P/N **OW160**



Wavy washer for W&H ®

Alegra® HS2014 TE-95
Alegra® HS2014 TE-97
Alegra® HS2014 TE-98

P/N **OW180**



Wavy washer for W&H ®

Alegra® HS2003 TE-95/98
Alegra® HS2009 TE-95/98
Alegra® TE-98 LED G Brasil SN>100001
Alegra® TE-98 LED G SN>102298
Alegra® TE-98 LED G A-dec
*original P/N 04955000

P/N **OW100**



Wavy washer for BIEN AIR ®

Tornado
*original P/N 1306000

P/N **OW200**



Wavy washer for NSK ®

*original P/N P053 360

P/N **OW210**



Flat washer for NSK ®

*original P/N 20000567

P/N **OW220**



Set of washers for STAR®

430
- set of 5 pieces

P/N **OW240**

TEFLON SPACERS



Teflon spacer

thicknes 0,127mm

P/N **TW100**



Teflon spacer

thicknes 0,254mm

P/N **TW110**

COMPATIBLE COUPLINGS

Coupling for KAVO ®

- MULTiflex® 460E
- 4-pin connection
- water spray regulation
- no light

*original P/N 1.001.7600

P/N **CK100**



Coupling for KAVO ®

- MULTiflex® LUX 465LRN
- 6-pin connection
- water spray regulation
- xenon bulb inside

*original P/N 0.553.1550

P/N **CK200**



Coupling for KAVO ®

- MULTiflex® LUX 465LED
- 6-pin connection
- water spray regulation
- LED bulb inside

*original P/N 1.007.3197

P/N **CK300**



MULTiflex ® is a registered trade mark of Kaltenbach&Voight & CO. GmbH.

LOW SPEED PARTS

COMPATIBLE WITH SIRONA®

HEAD GEARS



+ Bearings
F: 610L R: 610L

Complete Head Gear for SIRONA®

T1 LINE C200 SN>30 000
T1 LINE C200L SN>43 000 / SN>65 000
T1 CLASSIC S200L SN≤32 001
T2 LINE A200L SN<7804 / SN>7805
T2 LINE A170L
T3 LINE E200 SN<2325 / SN>2326
*original P/N 6175587/6405687

P/N **AL100**



Drive Kit for SIRONA®

Complete Head Gear + Intermediate Shaft

T1 LINE C200 SN>30 000
T1 LINE C200L SN>43 000 / SN>65 000
T1 CLASSIC S200L SN≤32 001
T2 LINE A200L SN<7804 / SN>7805
T3 LINE E200 SN<2325 / SN>2326

P/N **AL101**



+ Bearings
F: 320L R: 120L

Complete Head Gear for SIRONA®

T1 LINE C40/C40L (ADA) - large head
T2 LINE A40L
T3 LINE E40
*original P/N 6000983

P/N **AL110**



Drive Kit for SIRONA®

Complete Head Gear + Intermediate Shaft

T1 LINE C40/C40L (ADA) - large head
T2 LINE A40L
T3 LINE E40

P/N **AL111**



+ Bearings
F: 591L R: 550L

Complete Head Gear for SIRONA®

T1 CLASSIC S40L SN>30 000 & >202 000
T1 LINE C40L SN>65 000 & >202 000
T1 LINE C40/C40L 1:1 8,7 - small head
*original P/N 6405695

P/N **AL120**



Drive Kit for SIRONA®

Complete Head Gear + Intermediate Shaft

T1 CLASSIC S40L SN>30 000 & >202 000
T1 LINE C40L SN>65 000 & >202 000
T1 LINE C40/C40L - small head

P/N **AL121**



+ Bearings
F: 591L R: 550L

Complete Head Gear for SIRONA®

T1 LINE C40/C40L mini
T2 S-LINE AS40L
T3 S-LINE ES40
T3 LINE E40 SN>202 000
T2 LINE A40 SN>202 000
*original P/N 6049352

P/N **AL125**



Drive Kit for SIRONA®

Complete Head Gear + Intermediate Shaft

T2 S-LINE AS40 L
T3 S-LINE ES40
T3 LINE E40 SN>202 000
T2 LINE A40 SN>202 000

P/N **AL126**



Complete Head Gear for SIRONA®

T2 REVO R40
*original P/N 5943092

P/N **AL130**

+ Bearings
F: 591L R: 120L



Drive Kit for SIRONA®

Complete Head Gear + Intermediate Shaft
T2 REVO R40

P/N **AL131**



Complete Head Gear for SIRONA®

T1 CLASSIC S200L SN>32 002
T1 CLASSIC S200L SN>202 000
T1 LINE C200L SN>68 381
T1 LINE C200L SN<302 000 & >202 000
T1 LINE C200L SN>302 000
*original P/N 6414457

P/N **AL140**

+ Bearings
F: 611L R: 611L



Drive Kit for SIRONA®

Complete Head Gear + Intermediate Shaft
T1 CLASSIC S200L SN>32 002
T1 CLASSIC S200L SN>202 000
T1 LINE C200L SN>68 381
T1 LINE C200L SN<302 000 & >202 000
T1 LINE C200L SN>302 000

P/N **AL141**



Complete Head Gear for SIRONA®

T2 LINE A200L SN>202 000 & SN<302 000
T2 LINE A200L SN>302 000
T3 LINE E200 SN>202 000
T3 S-LINE ES200
T2 S-LINE AS200L
*original P/N 6562586

P/N **AL145**

+ Bearings
F: 611L R: 611L



Drive Kit for SIRONA®

Complete Head Gear + Intermediate Shaft
T2 LINE A200L SN>202 000 & SN<302 000
T2 LINE A200L SN>302 000
T3 LINE E200 SN>202 000
T3 S-LINE ES200
T2 S-LINE AS200L

P/N **AL146**



Complete Head Gear for SIRONA®

T1 LINE ENDO 6L
*original P/N 6535525

P/N **AL150**



Drive Kit for SIRONA®

Complete Head Gear + Intermediate Shaft
T1 LINE ENDO 6L

P/N **AL151**



Complete Head Gear for SIRONA DENTSPLY®

X-SMART 16:1

P/N **AL170**



Drive Kit for SIRONA DENTSPLY®

Head Gear + Intermediate Shaft
X-SMART 16:1

P/N **AL171**



Complete Head Gear for SIRONA DENTSPLY®

X-SMART PLUS 6:1

P/N **AL180**

+ Bearings
F: 120L R: 120L



Drive Kit for SIRONA DENTSPLY®

Head Gear + Intermediate Shaft

X-SMART PLUS 6:1

P/N **AL181**

BACKCAPS

Backcap for SIRONA®



T1 CLASSIC S200L SN≤32 001
T1 LINE C200L SN>43 000 & >65 000
T1 LINE C200 SN>30 000
T3 LINE E200L
T2 LINE A200L SN<7804 & >7805
T2 LINE A170L
T3 LINE E200 SN<2325 & >2326
SIROPure P200SL/IL
*original P/N 89 25 083 + 59 96 967 + 59 47 957

P/N **AL300**

Backcap for SIRONA®



T1 CLASSIC S40L
T1 CLASSIC S6L
T1 LINE C40/C40L (ADA)
T1 LINE C6/C6L
T1 LINE C1.6/C1.6L
SIROPure P40SL/IL
SIROPure P6SL/IL
*original P/N 9 25 083 + 62 59 639 + 59 47 957

P/N **AL310**

Backcap for SIRONA®



T2 LINE A40L
T2 LINE A6L
T3 LINE E40
T3 LINE E6
SIROPure P40SL/IL (ADA)
SIROPure P6SL/IL (ADA)
*original P/N 89 25 083 + 89 17 924 + 59 47 957

P/N **AL320**

Backcap for SIRONA®



T1 CLASSIC S200L SN≥32 002
T1 CLASSIC S200L/S200L mini
T1 LINE C200L SN>68 381 & <43 000
T1 LINE C200L SN<302 000 & >302 000
T1 LINE C200L mini

P/N **AL330**

T2 LINE A200 SN<302 000 & >302 000
T2 S-LINE AS200L/T3 S-LINE ES200
SIROPure P200SL/IL
T3 LINE E200
*original P/N 60 49 337

Backcap for SIRONA®



T1 LINE ENDO 6L
*original P/N 65 44 444

P/N **AL350**

Backcap for SIRONA ®



T1 CLASSIC S40L/S6L/S1,6L
 T1 CLASSIC S40L/S6L/S1,6L SN>202 000
 T1 CLASSIC C40L/C6L/C1,6L SN>65 000
 T1 CLASSIC C40L/C6L SN>202 000
 T1 LINE C40/C40 mini/C40L/C40L mini
 T1 LINE C6/C6L mini/C1.6/C1.6L
 T2 S-LINE AS40L/AS6L
 T3 S-LINE ES40/ES6

SIROPure P40SL/IL
 SIROPure P6SL/IL
 T2 LINE A6L/A40L SN>202 000
 T3 LINE E40 SN>202 000
 T3 LINE E6 SN>202 000
 T1 LINE C1,6L SN >202 000
 *original P/N 60 49 329

P/N **AL340**

Backcap for SIRONA DENTSPLY®



X-SMART 16:1

P/N **AL370**

Backcap for SIRONA DENTSPLY®



X-SMART PLUS 6:1

P/N **AL380**

SHAFTS

Intermediate Shaft for SIRONA ®



T1 CLASSIC S200L mini
 T1 LINE C200L mini SN > 65 000 / SN > 43 000
 T1 LINE C200 mini SN > 30 000
 T2 LINE A200L SN<7804 / SN>7805
 T3 LINE E200 SN<2325 / SN>2326
 T1 LINE C200 SN>30 000
 T1 LINE C200L SN>43 000 / SN>65 000

T1 CLASSIC S200L SN≤32 001
 T1 CLASSIC S200L SN>32 002
 T1 CLASSIC S200L SN>202 000
 T1 LINE C200L SN>68 381
 T1 LINE C200L SN<302 000 & >202 000
 T1 LINE C200L SN>302 000
 T2 line A200 L SN >202 000 & < 302 000

T2 S-line AS 200 L
 T3 S-line ES 200
 T3 line E200 SN > 202 000
 T2 line A200 L SN >302 000
 *original P/N 6175603

P/N **AL500**

Intermediate Shaft for SIRONA ®



T1 Classic S40L SN>30 000 & SN>202 000
 T2 Line A40L/T3 Line E40
 T1 Line C40L SN>65 000
 T1 Line C40/C40L/C40 (ADA)/C40L (ADA)
 T2 S-Line AS40L/T3 S-Line ES40
 T3 Line E40 SN>202 000
 T1 Line C40L SN>202 000
 T2 Line A40L SN>202 000
 *original P/N 6000959
 P/N **AL510**

Intermediate Shaft for SIRONA ®



T2 REVO R40
 *original P/N 5943167
 P/N **AL530**

Intermediate Shaft for SIRONA ®



LINE ENDO 6L
 *original P/N 6535533
 P/N **AL550**

Intermediate Shaft for SIRONA DENTSPLY®



X-SMART 16:1
 P/N **AL570**



**Intermediate Shaft for
SIRONA DENTSPLY®**

X-SMART PLUS 6:1

P/N **AL580**

KEYS



Key for SIRONA®

Most of contra angles
Standard head
*original P/N 4178054

P/N **AL800**



Key for SIRONA®

Most of contra angles
Mini head
*original P/N 5986208


P/N **AL810**



Key for SIRONA®

X-SMART PLUS 6:1

P/N **AL880**



COMPATIBLE WITH KAVO ®

COMPLETE HEADS



Complete Head for KAVO ®

INTRAlux® 68LDN 1:1

P/N **BL010**



Complete Head for KAVO ®

INTRAlux® 68LH 1:1

P/N **BL020**



Complete Head for KAVO ®

INTRAlux® 67LH 2:1

P/N **BL030**



Complete Head for KAVO ®

INTRAlux® L80

P/N **BL050**



Complete Head for KAVO ®

INTRA® LUX CL3
*original P/N 1.001.8993

P/N **BL080**

HEAD GEARS



Head Gear for KAVO ®

INTRAlux® 68LU
INTRAlux® 68LH
INTRAhead® L68
EXPERTmatic® E20L
INTRAcompact® 2068LHC
*original P/N 0.540.4012

P/N **BL200**



Head Gear for KAVO ®

INTRAlux® 67LH
INTRA® L67
INTRA® 67LHB
*original P/N 0.540.4022

P/N **BL210**



Head Gear for KAVO ®

INTRAlux® 68LDN
*original P/N 0.540.4092

P/N **BL220**



Complete Head Gear for KAVO ®

INTRAlux® 68LU
INTRAlux® 68LH
INTRAhead® L68
EXPERTmatic® E20L
INTRAcompact® 2068LHC
*original P/N 0.540.3661

+ Bearings
F: 140L R: 120L

P/N **BL100**



Drive Kit for KAVO ®

Complete Head Gear + Intermediate Shaft

INTRAlux® 68LH
INTRAhead® L68
EXPERTmatic® E20L
INTRAcompact® 2068LHC

P/N **BL101**



Complete Head Gear for KAVO ®

INTRAlux® L80

P/N **BL105**



Drive Kit for KAVO ®

INTRAlux® L80

P/N **BL106**



Complete Head Gear for KAVO ®

INTRAlux® 67LH
INTRA® L67
INTRA® 67LHB
EXPERTmatic® E15L/C
INTRAcompact® 0767LHC/CHC
*original P/N 0.540.3671

+ Bearings
F: 140L R: 120L

P/N **BL110**



Drive Kit for KAVO ®

Complete Head Gear + Intermediate Shaft

INTRAlux® 67LH
INTRA® L67
INTRA® 67LHB

P/N **BL111**



Complete Head Gear for KAVO ®

INTRAlux® 68LDN
*original P/N 0.540.4092

P/N **BL120**

+ Bearings
F: 110L R: 100L



Drive Kit for KAVO ®

Complete Head Gear + Intermediate Shaft

INTRAlux® 68LDN

P/N **BL121**



Complete Head Gear for KAVO ®

INTRAmatic® 25LH/LHC
INTRAmatic® 25LHS
INTRAmatic® 25CN
INTRAmatic® 25CH
INTRAmatic® LUX 24LN
INTRAmatic® LUX 24LS
*original P/N 0.553.7341/0.553.5761

+ Bearings
F: 130L R: 130L

P/N **BL130**



Drive Kit for KAVO ®

Complete Head Gear + Intermediate Shaft

NTRAmatic® 25LH/LHC
 INTRAmatic® 25LHS
 INTRAmatic® 25CN
 INTRAmatic® 25CH
 *original P/N 0.553.7341 + 0.553.7201

P/N **BL131**



Complete Head Gear for KAVO ®

EXPERTmatic® E25
 EXPERTmatic® E25L
 *original P/N 1.008.4040

P/N **BL135**

+ Bearings
 F: 135L R: 136L



Drive Kit for KAVO ®

EXPERTmatic® E25
 EXPERTmatic® E25L
 *original P/N 1.008.4040 + 1.007.9916

P/N **BL136**



Complete Head Gear for KAVO ®

GENTLEpower® LUX 25LP
 GENTLEpower® LUX 25LPA
 COMFORTdrive® 200XD
 COMFORTdrive® 200XDR
 *original P/N 1.001.3520/1.002.6135

P/N **BL140**

+ Bearings
 F: 131L R: 130L



Drive Kit for KAVO ®

Complete Head Gear + Intermediate Shaft

GENTLEpower® LUX 25LP
 GENTLEpower® LUX 25LPA
 *original P/N 1.001.3520/1.002.6135 +1.001.3515

P/N **BL141**



Complete Kit for KAVO ®

Head Gear + Intermediate Shaft + Idler Shaft

GENTLEpower® LUX 25LP
 GENTLEpower® LUX 25LPA
 *original P/N 1.006.2965 (1.001.3520/1.002.6135 +1.001.3515+1.001.3519)

P/N **BL141i**



Complete Head Gear for KAVO ®

INTRA® 68G
 *original P/N 0.540.1781

P/N **BL150**

+ Bearings
 F: 400L



Drive Kit for KAVO ®

Complete Head Gear + Intermediate Shaft

INTRA® 68G

P/N **BL151**



Complete Head Gear for KAVO ®

MASTERmatic® LUX M25L
 *original P/N 1.011.0129

P/N **BL160**

+ Bearings
 F: 141L R: 142L



Drive Kit for KAVO ®

Head Gear + Intermediate Shaft

MASTERmatic® LUX M25L
 *original P/N 1.011.0129 + 1.001.3515

P/N **BL161**



Complete Kit for KAVO ®

Head Gear + Intermediate Shaft + Idler Shaft
MASTERmatic® LUX M25L
*original P/N 1.011.0129 + 1.001.3515 + 1.001.3519

P/N **BL161i**



Complete Head Gear for KAVO ®

INTRA® LUX CL3
*original P/N 1.001.4490

P/N **BL180**

+ Bearings
F: 660L R: 670L



Drive Kit for KAVO ®

Head Gear + Intermediate Shaft
INTRA® LUX CL3
*original P/N 1.001.4490 + 1.003.4207

P/N **BL181**

BACKCAPS



Backcap for KAVO ®

INTRAlux® 68LH
*original P/N 0.540.3741

P/N **BL300**



Backcap for KAVO ®

INTRAlux® L80

P/N **BL305**



Backcap for KAVO ®

INTRAlux® 67LH/67LHB

P/N **BL310**



Backcap for KAVO ®

INTRAlux® 67LDN
INTRAlux® 68LDN

P/N **BL320**



Backcap for KAVO ®

INTRAmatic® 25LH
INTRAmatic® 25LHS
INTRAmatic® 25CN
INTRAmatic® 25CH
INTRAmatic® 25LS
INTRAmatic® LUX 24LN
INTRAmatic® LUX 24LS

P/N **BL330**



Backcap for KAVO ®

EXPERTmatic® E25
EXPERTmatic® E25L

P/N **BL335**



Backcap for KAVO ®

GENTLEpower® LUX 25LP
 GENTLEpower® LUX 25LPA
 *key BL840 necessary

P/N **BL340**



Backcap for KAVO ®

MASTERmatic® LUX M25L
 *original P/N 1.009.3634 + 0.201.8157 +
 1.009.3638

P/N **BL360**



Backcap for KAVO ®

INTRALux® LUX CL3
 *original P/N 1.001.4486 + 0.540.3752 +
 0.201.8958 + 0.222.4040

P/N **BL380**

SHAFTS



Intermediate Shaft for KAVO ®

INTRALux® 68LH/68LDN
 INTRAhead® L80/L68
 INTRALux® 52LDN/80LD
 EXPERTmatic® E20L
 INTRA® 80G
 INTRAcompact® 2068LHC
 *original P/N 0.540.1151

P/N **BL500**



Intermediate Shaft for KAVO ®

INTRALux® 67LH
 INTRA® 67LHB
 INTRA® 67G/L67/67CN
 67HC
 INTRAprophy® L31
 *original P/N 0.540.1161

P/N **BL510**



Intermediate Shaft for KAVO ®

INTRAmatic® 25LH
 INTRAmatic® 25LHS
 INTRAmatic® 25CN
 INTRAmatic® 25CH
 *original P/N 0.553.7201

P/N **BL530**



Intermediate Shaft for KAVO ®

EXPERTmatic® E25
 EXPERTmatic® E25L
 *original P/N 1.007.9916

P/N **BL535**



Intermediate Shaft for KAVO ®

GENTLEpower® LUX 25LP
 GENTLEpower® LUX 25LPA
 MASTERmatic® LUX M25L
 *original P/N 1.001.3515

P/N **BL540**



Idle Shaft for KAVO ®

GENTLEpower® LUX 25LP
 GENTLEpower® LUX 25LPA
 *original P/N 1.001.3519

P/N **BL540i**



Intermediate Shaft for KAVO ®

INTRA® 68G

P/N **BL550**



Intermediate Shaft for KAVO ®

INTRA® LUX CL3
*original P/N 1.003.4207

P/N **BL580**

SMALL PARTS



Set for 3 pieces for KAVO ®

Contra angles various models
- Ring segment BL601
- Wire Ring BL602
- Slider BL603

P/N **BL600**



Segment for KAVO ®

INTRALux® 68LU/68LH/66LU/67LH/52LDN
INTRAhead® L68/L68B/L66B/L62/L67
EXPERTmatic® E20L
INTRAcompact® 2068LHC
INTRAmatic® 14ES/20ES
INTRAendo® 53LDN/62LDN/67LHB
+ other types

P/N **BL601**



Wire Ring for KAVO ®

INTRALux® 68LU/68LH/66LU/67LH/52LDN
INTRAhead® L68/L68B/L66B/L62/L67
EXPERTmatic® E20L
INTRAcompact® 2068LHC
INTRAmatic® 14ES/20ES
INTRAendo® 53LDN/62LDN/67LHB
+ other types

P/N **BL602**



Slider for KAVO ®

INTRALux® 68LU/68LH/66LU/67LH
INTRAhead® L68/L68B/L66B/L67
EXPERTmatic® E20L
INTRAcompact® 2068LHC
INTRAmatic® 14ES/20ES
INTRAendo® 67LHB
+ other types

P/N **BL603**



Set of 4 pieces for KAVO ®

Contra angles
- 2 screws BL611
- 2 springs BL612

P/N **BL610**



Screw for KAVO ®

many models

P/N **BL611**



Spring for KAVO ®

many models

P/N **BL612**



Gear for KAVO ® Intermediate Shaft

- BL500 Front
INTRALux® 68LH/68LDN
EXPERTmatic® E20L
INTRAcompact® 2068LHC
- BL550 Front
INTRA® 68G

P/N **BL621**



Gear for KAVO® Intermediate Shaft

- BL500 Rear
 INTRAlux® 68LH/68LDN
 EXPERTmatic® E20L
 INTRAccompact® 2068LHC
 - BL550 Rear
 INTRA® 68G

P/N **BL622**



Gear for KAVO® Intermediate Shaft

- BL530 Front
 INTRAmatic® 25LH
 INTRAmatic® 25LHS
 INTRAmatic® 25CN
 INTRAmatic® 25CH

P/N **BL631**



Gear for KAVO® Intermediate Shaft

- BL530 Rear
 INTRAmatic® 25LH
 INTRAmatic® 25LHS
 INTRAmatic® 25CN
 INTRAmatic® 25CH

P/N **BL632**



Gear for KAVO® Intermediate Shaft

- BL540 Front
 GENTLEpower® LUX 25LP
 GENTLEpower® LUX 25LPA
 MASTERmatic® LUX M25L

P/N **BL641**



Gear for KAVO® Intermediate Shaft

- BL540 Rear
 GENTLEpower® LUX 25LP
 GENTLEpower® LUX 25LPA
 MASTERmatic® LUX M25L

P/N **BL642**



Spur Wheel for KAVO®

GENTLEpower® LUX 25LP
 GENTLEpower® LUX 25LPA
 MASTERmatic® LUX M25L
 *original P/N 1.001.3071

P/N **BL740**



KEYS



Key for KAVO ®

INTRAlux® 68LH
INTRAlux® 67LH
INTRAlux® 67LDN
INTRAlux® 68LDN
EXPERTmatic® E20L

P/N **BL800**



Back Key for KAVO ®

To open the rear ring for most contrangels
*original P/N 0.411.1881

P/N **BL805**



Key for KAVO ®

INTRAmatic® 25LH
INTRAmatic® 25LHS
INTRAmatic® 25CN
INTRAmatic® 25CH
INTRAmatic® 25LS
INTRAmatic® LUX 24LN
INTRAmatic® LUX 24LS

P/N **BL830**



Key for KAVO ®

EXPERTmatic® E25
EXPERTmatic® E25L

P/N **BL835**



Key for KAVO ®

GENTLEpower® LUX 25LP
GENTLEpower® LUX 25LPA
*one side for original backcap
**other side for backcap BL340

P/N **BL840**



Ejector for KAVO ®

GENTLEpower® LUX 25LP
GENTLEpower® LUX 25LPA
MASTERmatic® LUX M25L

P/N **BL841**



Key for KAVO ®

INTRA® LUX CL3

P/N **BL880**

COMPATIBLE WITH W&H ®

HEAD GEARS



Complete Head Gear for W&H ®

Alegra® WE-56
Alegra® WE-56E

P/N **CL100**

+ Bearings
F: 120L R: 120L



Drive Kit for W&H ®

Complete Head Gear + Intermediate Shaft
Alegra® WE-56
Alegra® WE-56E

P/N **CL101**



Complete Head Gear for W&H ®

Trend® WD-56
*supplied with backcap CL305

P/N **CL105**

+ Bearings
F: 120L R: 120L



Drive Kit for W&H ®

Trend® WD-56
*supplied with backcap CL305

P/N **CL106**



Complete Head Gear for W&H ®

RC-58

P/N **CL110**



Drive Kit for W&H ®

Complete Head Gear + Intermediate Shaft
RC-58

P/N **CL111**



Complete Head Gear for W&H ®

Synea® WA-56/WA-56LT *from 2007
Synea® WA-66/WA-66A/WA-66LT *from 2007
Synea® Vision WK-56 till SN 04013
Synea® Vision WK-66 till SN 01906
*original P/N 05431100

P/N **CL120**

+ Bearings
F: 550L R: 550L



Drive Kit for W&H ®

Synea® WA-56/WA-56LT *from 2007
*original P/N 05233200

P/N **CL121**



Complete Head Gear for W&H ®

Synea® WA-99LT *from 2007
*original P/N 05220300

P/N **CL125**

+ Bearings
F: 565L R: 680L



Drive Kit for W&H ®

Synea® WA-99LT *from 2007

P/N **CL126**



Complete Head Gear for W&H ®

Alegra® WE-56 LED
Alegra® WE-56A

P/N **CL130**

+ Bearings
F: 120L R: 120L

COMING
SOON

Drive Kit for W&H ®

Alegra® WE-56 LED
Alegra® WE-56A

P/N **CL131**



Complete Head Gear for W&H ®

Fusion® WG-99LT SN > 007802
Vision® WK-99LT SN > 01001
*original P/N 07473400

P/N **CL135**



Drive Kit for W&H ®

Fusion® WG-99LT SN > 007802
Vision® WK-99LT SN > 01001

P/N **CL136**



Complete Head Gear for W&H ®

WS-75 LED G
WS-75E/KM
WS-75LG
WI-75 E/KM
WI-75 LED G

P/N **CL140**

+ Bearings
F: 580L R: 580L



Drive Kit for W&H ®

Complete Head Gear + Intermediate Shaft

WS-75
WI-75 E/KM
WI-75 LED G

P/N **CL141**



Drive Kit for W&H ®

Complete Head Gear + Intermediate Shaft

WS-75 LED G

P/N **CL142**



Complete Head Gear for W&H ®

WS-75 E/KM
(SN 01001 to 25335)
**replace also shaft CL550 and cap CL350

P/N **CL150**

+ Bearings
F: 580L R: 580L



Drive Kit for W&H ®

Complete Head Gear + Intermediate Shaft

WS-75 E/KM
 *model produced till 2008
 (SN 01001 to 25335)
 **replace also shaft CL550 and cap CL350

P/N **CL151**

BACKCAPS



Backcap for W&H ®

Alegra® WE-56/56A/56E
 Alegra® WE-56LED

P/N **CL300**



Backcap for W&H ®

Trend® WD-56

P/N **CL305**



Backcap for W&H ®

Synea® WA-56/56LT *from 2007

P/N **CL320**



Backcap for W&H ®

Synea® WA-99A/99LT *from 2007
 *original P/N 07771800 / 07771700 / 04952800

P/N **CL325**



Backcap for W&H ®

WS-75
 WS-75 E/KM
 WS-75E/KM SN>30000
 WI-75E/KM SN>01001
 WI-75 LED G SN>01001
 WS-75 LED G
 *model produced till 2008
 (SN 01001 to 25335)
 *original P/N 04940500

P/N **CL350**

SHAFTS



Intermediate Shaft for W&H ®

Alegra® WE-56
 Alegra® WE-56E

P/N **CL500**



Intermediate Shaft for W&H ®

Trend® WD-56

P/N **CL505**



Intermediate Shaft for W&H ®

RC-58

P/N **CL510**



Intermediate Shaft for W&H ®

Synea® WA-56/WA-56LT *from 2007
Fusion® WG-56LT SN 001001-014633
*original P/N 05233200

P/N **CL520**



Intermediate Shaft for W&H ®

Synea® WA-99LT *from 2007
Fusion® WG-99LT SN 001001-007801
Fusion® WG-99A SN 001001-001818
*original P/N 06420900

P/N **CL525**

COMING
SOON

Intermediate Shaft for W&H ®

Alegra® WE-56 LED
Alegra® WE-56A
*original PN 05844300

P/N **CL530**



Intermediate Shaft for W&H ®

Fusion® WG-99LT SN > 007802
Vision® WK-99LT SN > 01001
*original PN 06579200

P/N **CL535**



Intermediate Shaft for W&H ®

WI-75 E/KM
WI-75 LED G

P/N **CL540**



Intermediate Shaft for W&H ®

WS-75 LED G

P/N **CL545**



Intermediate Shaft for W&H ®

WS-75 E/KM
*model produced till 2008
(SN 01001 to 25335)

P/N **CL550**

SMALL PARTS



Upper Gear for W&H ® Intermediate Shaft

CL500

P/N **CL621**



Lower Gear for W&H ® Intermediate Shaft

CL500

P/N **CL622**

KEYS



Key for W&H®

Alegra® WE-56/56A/56E
Alegra® WE-56LED

P/N **CL800**



Key for W&H®

Trend® WD-56

P/N **CL805**



Key for W&H®

Synea® WA-56/56LT
*from 2007

P/N **CL820**



Key for W&H®

Synea® WA-99A/99LT

P/N **CL825**



Key for W&H®

Synea® WA-56/66/86/99
Fusion® WG-56/66/99
Vision® WK-56/66/93/99
*original PN C-1126

P/N **CL830**



COMPATIBLE WITH BIEN AIR ®

HEAD GEARS



Complete Rotor for BIEN AIR ®

LAB TD783
LAB TDS890
+ O-rings: 1x O350 2x O300
+ Washers: 1x OW230

+ Bearings
F: 165RX R: 165RX

P/N **DL100C**



Complete Head Gear for BIEN AIR ®

Contra angle CA 1:5 L
*with O-Rings & Spring

P/N **DL110**

+ Bearings
F: 620L R: 620L



Drive Kit for BIEN AIR ®

Contra angle CA 1:5 L
*with O-Rings & Spring

P/N **DL111**



Complete Head Gear for BIEN AIR ®

Contra angle CA 1:1/1:1 L
*with O-Rings & Springs
*original P/N 1501085

P/N **DL120**

+ Bearings
F: 100L R: 340L



Drive Kit for BIEN AIR ®

Complete Head Gear + Intermediate Shaft
Contra angle CA 1:1/1:1 L

P/N **DL121**



Complete Head Gear for BIEN AIR ®

Contra angle CA 20:1/20:1 L

P/N **DL130**

+ Bearings
F: 660L R: 670L



Drive Kit for BIEN AIR ®

Complete Head Gear + Intermediate Shaft
Contra angle CA 20:1/20:1 L

P/N **DL131**

BACKCAPS



Backcap for BIEN AIR ®

Contra angle CA 1:5 L
*original P/N 1500169

P/N **DL310**



Backcap for BIEN AIR ®

Contra angle CA 1:1/1:1 L
*original P/N 150055

P/N **DL320**



Backcap for BIEN AIR ®

Contra angle CA 20:1/20:1 L

P/N **DL330**

SHAFTS



Intermediate Shaft for BIEN AIR ®

Contra angle CA 1:5 L

P/N **DL510**



Intermediate Shaft for BIEN AIR ®

Contra angle CA 1:1/1:1 L
*original P/N 1501083

P/N **DL520**



Intermediate Shaft for BIEN AIR ®

Contra angle CA 20:1/20:1 L

P/N **DL530**

SMALL PARTS



Upper Gear for BIEN AIR ®

Intermediate shaft 1.5L Red

P/N **DL611**

KEYS



Key for BIEN AIR ®

Contra angle 1:5 L

P/N **DL810**



Key for BIEN AIR ®

Contra angle CA 20:1/20:1 L

P/N **DL830**

COMPATIBLE WITH NSK ®

COMPLETE HEADS



Complete Head for NSK ®

S-Max M25/M25L

P/N **IL010**



Complete Head for NSK ®

S-Max M95/M95L

P/N **IL060**

HEAD GEARS



Complete Head Gear for NSK ®

FPB-Y head
Ti-Max Ti25/Ti25L
Ti-Max Ti15/Ti15L

P/N IL100

+ Bearings
F: 120L R: 120L



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
FPB-Y head

P/N IL101



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
Ti-Max Ti25/Ti25L

P/N IL102



Complete Head Gear for NSK ®

FX15/FX25
*original P/N C1052700

P/N IL105



Drive Kit for NSK ®

FX15/FX25

P/N IL106



Complete Head Gear for NSK ®

S-Max M25/M25L

P/N IL110

+ Bearings
F: 120L R: 120L



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
S-Max M25/M25L

P/N IL111



Complete Head Gear for NSK ®

Ti-Max X25/X25L
Ti-Max X15/X15L

P/N IL120

+ Bearings
F: 120L R: 120L



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
Ti-Max X25/X25L

P/N IL121



Complete Head Gear for NSK®

Ti-Max Z25/Z25L

P/N IL125



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
Ti-Max Z25/Z25L

P/N IL126



Complete Head Gear for NSK ®

MP-F head
MPA-Y head
MPAS-Y head

P/N IL130



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
MP-F head
MPA-Y head
MPAS-Y head

P/N IL131



Complete Head Gear for NSK ®

BB-Y head

P/N IL140



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
BB-Y head

P/N IL141



Complete Head Gear for NSK ®

NAC-Y head

P/N IL150



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
NAC-Y

P/N IL151



Complete Head Gear for NSK ®

Ti-Max X95/X95L
S-Max M95/M95L
*NEW IMPROVED TYPE
*original P/N C600C015

+ Bearings
F: 130L R: 130L

P/N IL160



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
S-Max M95/M95L

P/N IL161



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
Ti-Max X95/95L

P/N IL162



Complete Head Gear for NSK ®

Ti-Max Z95/Z95L SN from DBK30001
 ** for other serial numbers replace with backcap IL365
 *original P/N C1034D017

P/N **IL165**



Drive Kit for NSK ®

Ti-Max Z95/Z95L SN from DBK30001
 ** for other serial numbers replace with backcap IL365

P/N **IL166**



Complete Head Gear for NSK ®

S-Max SG20
 Ti-Max X-SG20L
 Ti-Max X-DSG20L

P/N **IL170**

+ Bearings
 F: 660L R: 670L



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
 S-Max SG20

P/N **IL171**



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
 Ti-Max X-SG20L

P/N **IL172**



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
 Ti-Max X-DSG20L

P/N **IL173**

NEW



Complete Head Gear for NSK ®

SGM-E16RI
 SGM-E20RI

P/N **IL180**



Drive Kit for NSK ®

Complete Head Gear + Intermediate Shaft
 SGM-E16RI
 SGM-E20RI

P/N **IL181**

BACKCAPS



Backcap for NSK ®

FPB-Y head
 Ti-Max Ti25/Ti25L
 Ti-Max Ti15/Ti15L

P/N **IL300**



Backcap for NSK ®

FX15/FX25/FX23
 *original P/N C1052500

P/N **IL305**



Backcap for NSK ®

S-Max M25/M25L

P/N **IL310**



Backcap for NSK ®

Ti-Max X15/X15L
Ti-Max X25/X25L
*original P/N C601 050

P/N **IL320**



Backcap for NSK ®

Ti-Max Z25/Z25L

P/N **IL325**



Backcap for NSK ®

MP-F head
MPA-Y head
MPAS-Y head

P/N **IL330**



Backcap for NSK ®

S-Max M95 /M95L

P/N **IL360**



Backcap for NSK ®

Ti-Max X95 /X95L

P/N **IL361**



Backcap for NSK ®

Ti-Max Z95/Z95L SN from DBK30001
** for other serial numbers replace with
head gear IL165
*original P/N C1034052

P/N **IL365**



Backcap for NSK ®

S-Max SG20
Ti-Max X-SG20L
Ti-Max X-DSG20L

P/N **IL370**

SHAFTS



Intermediate Shaft for NSK ®

FPB-Y head
FFB-Y head

P/N **IL500**



Intermediate Shaft for NSK ®

Ti-Max Ti25/Ti25L

P/N **IL501**



Intermediate Shaft for NSK ®

FX15/FX25/FX23
*original P/N C10000946

P/N **IL505**



Intermediate Shaft for NSK ®

S-Max M25/M25L

P/N **IL510**



Intermediate Shaft for NSK ®

Ti-Max X25/Z25L

P/N **IL520**



Intermediate Shaft for NSK ®

Ti-Max Z25/Z25L

P/N **IL525**



Intermediate Shaft for NSK ®

MP-F head
MPA-Y head
MPAS-Y head

P/N **IL530**



Intermediate Shaft for NSK ®

BB-Y head

P/N **IL540**



Intermediate Shaft for NSK ®

NAC-Y head
NBBW-Y
NM-Y

P/N **IL550**



Intermediate Shaft for NSK ®

S-Max M95/M95L
*original P/N 10000559

P/N **IL560**



Intermediate Shaft for NSK ®

Ti-Max X95/Z95L
*original P/N C600C022A

P/N **IL561**



Intermediate Shaft for NSK ®

Ti-Max Z95/Z95L
*original P/N C1034022

P/N **IL565**



Intermediate Shaft for NSK ®

S-Max SG-20

P/N **IL570**



Intermediate Shaft for NSK ®

Ti-Max X-SG20L

P/N **IL571**



Intermediate Shaft for NSK ®

Ti-Max X-DSG20L
*original P/N C1068912

P/N **IL572**



Intermediate Shaft for NSK ®

SGM-E16RI
SGM-E20RI

P/N **IL580**

SMALL PARTS



Gear for NSK ®

FPB-Y
Ti-Max Ti25L

P/N **IL620**



Gear for NSK ®

S-Max M25/M25L

P/N **IL621**



Gear for NSK ®

Ti-Max X95/X95L

P/N **IL660**



Spur Wheel for NSK ®

Ti-Max X95/X95L
S-Max M95/M95L

P/N **IL760**

KEYS



Key for NSK ®

FPB-Y head
Ti-Max Ti25/Ti25L
Ti-Max Ti15/Ti15L
Ti-Max X15/X15L
Ti-Max X25/X25L
Ti-Max Z25/Z25L
S-Max M25/M25L

P/N **IL800**



Key for NSK ®

FX15/FX25

P/N **IL805**



Key for NSK ®

MP-F head
MPA-Y head
MPAS-Y head

P/N **IL830**



Key for NSK ®

S-Max M95/M95L

P/N **IL860**



Key for NSK ®

Ti-Max Z95/Z95L

P/N **IL865**



Key for NSK ®

S-Max SG20
Ti-Max X-SG20L
Ti-Max X-DSG20L

P/N **IL870**

COMPATIBLE WITH CASTELLINI ®

HEAD GEARS



Complete Head Gear for CASTELLINI ®

Goldspeed S1
Goldspeed S1-L

P/N **GL100**

+ Bearings
F: 120L R: 120L



Complete Head Gear for CASTELLINI ®

Goldspeed S1/S1-L

P/N **GL101**



Complete Head Gear for CASTELLINI ®

Goldspeed EVO S1

P/N **GL130**

+ Bearings
F: 120L R: 120L

BACKCAPS



Backcap for CASTELLINI®

Goldspeed S1
Goldspeed S1-L

P/N **GL300**



Backcap for CASTELLINI®

Goldspeed EVO S1

P/N **GL330**

SHAFTS



Intermediate Shaft for CASTELLINI®

Goldspeed S1
Goldspeed S1-L

P/N **GL501**

KEYS



Key for CASTELLINI®

Goldspeed S1
Goldspeed S1-L

P/N **GL800**



Key for CASTELLINI®

Goldspeed EVO S1

P/N **GL830**

COMPATIBLE WITH B.A. INTERNATIONAL®



Complete Head Gear for B.A. International®

BA 40 LS Ultimate
*not all SN

P/N **PL100**

+ Bearings
F: 120L R: 120L



Complete Head Gear for B.A. International®

BA 200 LTS Ultimate
*not all SN

P/N **PL110**

+ Bearings
F: 610L R: 610L



Complete Head Gear for B.A. International ®

BA 40 LSS Ultimate Power+
*not all SN

P/N **PL120**

+ Bearings
F: 591L R: 550L





NON TURBINE BEARINGS

COMPATIBLE WITH KAVO ®

LOW SPEED HEADS



Bearings for KAVO ®

62GD/66GD/67GD/67GDN
67LDN/67LD/68LDN/68LD
68CDN/and many others
*original P/N 0.220.0105
Dim: 4x7x2mm

P/N 100L



Bearings for KAVO ®

67R/67RC/67RIC
67LDN/LD/GDN
68LDN/LD/GDN/CDN
*original P/N 0.220.0713
Dim: 3x7x3mm

P/N 110L



Bearings for KAVO ®

66LU
67LH/LHB
68LH/LU
0768LHC/2068LHC
*original P/N 0.220.2005
Dim: 4x7x2mm

P/N 120L



Bearings for KAVO ®

68LH/LU
67LH/LHB
*original P/N 0.220.0051
Dim: 3x7x2,5/3,35mm

P/N 140L



Bearings for KAVO ®

Head 31LR/52LDN/52GDN/
62G/62GN/
67G/67GN/67IC/67F/67CN/67C
68G/68F/68CN
*original P/N 0.220.0104
Dim: 3x6x2mm

P/N 400L

LOW SPEED OTHERS



Bearings for KAVO ®

10B/11B/10C/13B/13C
15G/15
2313L/2313LN/2313
*original P/N 0.220.0126
Dim: 5x11x5mm

P/N 200L



Bearings for KAVO ®

10/10B/10C/10CH/10CN
10D/10LH/10LN/10LP
10CHC/10E/10ES/11B
*original P/N 0.220.1301
Dim: 4x9x4mm

P/N 201L

**Bearings for KAVO ®**

10/10B/10C/10CH/10CN
10D/10LH/10LN/10LP
10CHC/10E/10ES/11B
13/2313
*original P/N 0.220.1302
Dim: 5x8x3mm

P/N **202L**

**Bearings for KAVO ®**

6N/10/13A/15
C3548/C3549/C3550
C3554/C3555/C3556
*original P/N 0.220.0103
Dim: 4x9x4mm

P/N **240L**

**Bearings for KAVO ®**

6N
475A
*original P/N 0.220.0102
Dim: 3x7x3mm

P/N **241L**

**Bearings for KAVO ®**

7A/13A/15C/38A
50A/51A/60A
*original P/N 0.220.0068
Dim: 4x13x5mm

P/N **310L**

**Bearings for KAVO ®**

7A/13A/15C/38A
50A/51A/60A
*original P/N 0.220.0069
Dim: 4x13x5mm

P/N **311L**

**Bearings for KAVO ®**

Contra angle 3640L
Surgey C09-CL09
Contra angle E40-E120
*original P/N 0.220.0020
Dim: 3x7x2mm

P/N **320L**

**Bearings for KAVO ®**

Intra 7B-7LP
13B/13C/0768LHC
2313/E15
*original P/N 0.220.0139
Dim: 4x11x4mm

P/N **330L**

**Bearings for KAVO ®**

7LP/19E/19ES/29LN/29LP
2307LN/2329/2329LN
2731/2761/2967/E20C/E20L
*original P/N 0.220.0174
Dim: 4x11x4mm

P/N **331L**

**Bearings for KAVO ®**

2325LN/2329/2953/2962
2967/3614/19E/19ES
*original P/N 0.220.0175
Dim: 3x7x2mm

P/N **332L**

**Bearings for KAVO ®**

2307/2307L/2307LN/2313L
2313LN/2320/2320L/2320LN
2325L/2325LN/2329LN
*original P/N 0.220.0144
Dim: 2x6x2,3mm

P/N **333L**



Bearings for KAVO ®

2307LN/2313LN
2325L/2329LN
*original P/N 0.220.0161
Dim: 3x7x2mm

P/N **334L**



Bearings for KAVO ®

Surgey 38A-81
*original P/N 0.220.0106
Dim: 5x8x2mm

P/N **340L**



Bearings for KAVO ®

Contra angle 25LH/25LHA
25LN/25LS/25LHC/E25L
*original P/N 0.220.0171
Dim: 4x9x2,5mm

P/N **350L**



Bearings for KAVO ®

20LH/20LP/14E/20E/23ES/31ES/80E
*original P/N 0.220.0098
Dim: 3x8x3mm

P/N **351L**

HIGH SPEED HEADS



Bearings for KAVO ®

15CN
* original P/N 0.220.1306
Dim: 5x9,525x3,175mm

P/N **630L**



Bearings for KAVO ®

24CN/25CH/CHC/CN/LH/LHS
25LN/LS/LHC/LHA/LP
*original P/N 1.001.2836
Dim: 4x7x2mm

P/N **130L**



Bearings for KAVO ®

25LP front
*original P/N 1.001.3167
Dim: 3,175x6,35x1,90x2,76mm

P/N **131L**



Bearings for KAVO ®

E25L front
*original P/N 1.008.4038
Dim: 3,175x6,35x2,778mm

P/N **135L**



Bearings for KAVO ®

E25L back
*original P/N 1.008.4039
Dim: 4x7x1,6/2mm

P/N **136L**



Front Bearings for KAVO ®

MASTERmatic® LUX M25L
Dim: 3,18x5,8x1,4/2,3mm
*original P/N 1.010.9766

P/N **141L**

**Rear Bearings for KAVO ®**

MASTERmatic® LUX M25L
Dim: 3,5x6,5x2mm
*original P/N 1.010.9767

P/N **142L**

**Bearings for KAVO ®**

COMFORTdrive ® 200XDR front
Dim: 2x5x1,5/2,3mm

P/N **145L**

**Bearings for KAVO ®**

COMFORTdrive ® 200XDR front
Dim: 2,5x7,1x2,779mm

P/N **146L**

**Bearings for KAVO ®**

Head Gear 24LN/24LS
2303LD/2303LDS/2325LN
*original P/N 0.220.0734
Dim: 4x7x2mm

P/N **300L**

HIGH SPEED OTHERS**Bearings for KAVO ®**

Middle Gear 25LH/25LHA/E25L
*original P/N 0.220.0730
Dim: 2,35x5x1,5mm

P/N **132L**

**Bearings for KAVO ®**

Middle Gear 25LP/25LPA/E25L
*original P/N 1.001.2834
Dim: 2x5x1,5mm

P/N **133L**

ELECTRIC&AIR MOTOR**Bearings for KAVO ®**

186B/187/188
190/191/192/193/196/197
*original P/N 0.220.0136
Dim: 2x6x2,3mm

P/N **170L**

**Bearings for KAVO ®**

186B/187/188
190/191/192/193/196/197
*original P/N 0.220.0089
Dim: 4x11x4mm

P/N **230L**

**Bearings for KAVO ®**

Motor 700KL
*original P/N 0.220.0218
Dim: 3x8x3mm

P/N **290L**

**Bearings for KAVO ®**

Motor 700KL
*original P/N 0.220.0219
Dim: 5x11x5mm

P/N **291L**

Bearings



Bearings for KAVO ®

Motor K200, K201, 701
*original P/N 1.000.7185
Dim: 5x8x3mm

P/N **292L**



Bearings for KAVO ®

Motor KL702
*original P/N 1.003.5818
Dim: 3x8x3mm

P/N **293L**



Bearings for KAVO ®

Motor KL702, KL703 LED
*original P/N 1.003.6023
Dim: 5x8x3mm

P/N **294L**



Bearings for KAVO ®

Motor KL703 LED
*original P/N 1.007.0966
Dim: 3x7x3mm

P/N **295L**



Bearings for KAVO ®

Motor K201
*original P/N 0.220.0209
Dim: 2x6x2,3mm

P/N **296L**



Bearings for KAVO ®

Motor 121/121A/181L/181M
*original P/N 0.220.0021
Dim: 3x7x2mm

P/N **360L**



Bearings for KAVO ®

181/181CB/181DB
*original P/N 0.220.0097
Dim: 3x8x3mm

P/N **361L**

LABORATORY



Bearings for KAVO ®

Laboratory drive K9
EWL 950-955
Laboratory drive K10 4950
*original P/N 0.220.0113
Dim: 8x16x6mm

P/N **150L**



Bearings for KAVO ®

Laboratory drive K9
EWL 950-955
*original P/N 0.220.0158
Dim: 2x6x2,3mm

P/N **180L**



Bearings for KAVO ®

Laboratoy drive K5
Bearing SET
*original P/N 0.220.0058
Dim: 7x14,1x7,5mm

P/N **160L**



Bearings for KAVO ®

Laboratory drive K5-K9
Blue K12 power grip
*original P/N 0.220.0055
Dim: 7x14,1x7,5mm

P/N **260L**



Bearings for KAVO ®

Laboratory drive SF
EWL 4004-4005
*original P/N 0.220.0112
Dim: 7x14x5mm

P/N **190L**



Bearings for KAVO ®

Laboratory Drive SF EWL 4005
*original P/N 0.247.6057
Dim: 8x22x7mm

P/N **191L**



Bearings for KAVO ®

Laboratory Drive SF EWL 4004
*original P/N 0.247.6056
Dim: 8x22x7mm

P/N **192L**



Bearings for KAVO ®

Laboratory drive K9
EWL 955
*original P/N 0.220.0148
Dim: 8x14x4mm

P/N **210L**



Bearings for KAVO ®

Laboratory drive K9
EWL 950-955
*original P/N 0.220.0157
Dim: 4x11x4mm

P/N **220L**



Bearings for KAVO ®

Laboratory drive
K10/K11/K12
*original P/N 0.220.0778
Dim: 3x8x4mm

P/N **250L**



Bearings for KAVO ®

Laboratory Drive
K10/K11/K12
*original P/N 0.220.0779
Dim: 4x11x4mm

P/N **251L**



Bearings for KAVO ®

Laboratory Drive K5
*original P/N 0.220.0056
Dim: 10x19x7mm

P/N **261L**

Bearings



Bearings for KAVO ®

Laboratory Drive K9 Blue K11
K12 Power Grip
*original P/N 0.220.0044
Dim: 7,85x15,89x5,98mm

P/N **270L**



Bearings for KAVO ®

Laboratory Drive K11
*original P/N 0.220.0045
Dim: 7,85x15,89x7,5mm

P/N **271L**



Bearings for KAVO ®

Laboratory Drive K9 Blue EWL 4930- 4932
*original P/N 0.220.0223
Dim: 5x11x4mm

P/N **280L**

COMPATIBLE WITH W&H ®

LOW SPEED HEADS



Bearings for W&H ®

WA56/66/86/956/966/975/986/988
WS75E/KM
*original P/N 01589600
Dim: 4x7x2mm

P/N **100L**



Bearings for W&H ®

WA56LT New Model
* original P/N 05039400
Dim: 4x7x1,6mm

P/N **550L**



Bearings for W&H ®

WS-75E/WS-75KM/WI75LEDG/WI75EKM
* original P/N 04027300
Dim: 4x7x2mm

P/N **580L**

LOW SPEED OTHERS

**Bearings for W&H ®**

Shaft cpl. HD43EM
HA/43A/S9/S10/S11
*original P/N 01672300
Dim: 5x8x3mm

P/N **202L**

**Bearings for W&H ®**

Shaft cpl. WP64/WD66/969/999/WA56/WA66
*original P/N 01589400
Dim: 3x7x2mm

P/N **320L**

**Bearings for W&H ®**

Shaft cpl. HD43
*original P/N 01381900
Dim: 5x8x2mm

P/N **340L**

**Bearings for W&H ®**

WA56LT New Model
WA56LT/62LT/A-66LT/A-67LT/A-86LT
* original P/N 01579300
WS-75E/WS-75KM/WI75LEDG/WI75EKM
* original P/N 04733900
Dim: 2,35x5,5x2mm

P/N **570L**

**Bearings for W&H ®**

Shaft cpl. WA56/WD56/WS75
S9/S10/S11/S12
* original P/N 01577000
Dim: 3x10x4mm

P/N **575L**

**Bearings for W&H ®**

WA99/969/999
* original P/N 01579600
Dim: 2,35x5,5x2mm

P/N **590L**

**Bearings for W&H ®**

Lower shaft cpl. WI-75 LED G
* original P/N 04033500
Dim: 3x6x2mm

P/N **591L**

**Bearings for W&H ®**

Lower shaft cpl. WA99 A/99
Adec 99LT
* original P/N 01565800
Dim: 5x8x2mm

P/N **592L**

HIGH SPEED HEADS

**Bearings for W&H ®**

WS92E
*original P/N 04025900
Dim: 4x7x2mm

P/N **300L**

**Bearings for W&H ®**

WA99LT New Model
WA99A
* original P/N 05257200
Dim: 3,4x6,5x1,6mm

P/N **565L**



Bearings for W&H ®

WE99 LED G/WE99A/999
 * original P/N 02649400
 WA99 A/999E
 * original P/N 04486000
 Dim: 4x7x2mm

P/N **566L**

ELECTRIC&AIR MOTOR



Bearings for W&H ®

EB40A/EB40E/EB40LT
 *original P/N 04059000
 Dim: 2,38x7,938x3,571mm

P/N **370L**



Bearings for W&H ®

EB40A/EB40E/EB40LT
 *original P/N 04062000
 Dim: 4x11x4mm

P/N **371L**



Bearings for W&H ®

A20/LT25/A25/E25
 *original P/N 01850600
 Dim: 3,175x7,938x3,571mm

P/N **381L**

LABORATORY



Bearings for W&H ®

260 Blue & Black
 LA66
 *original P/N 03202300
 Dim: 8x16x6mm

P/N **150L**



Bearings for W&H ®

260 Blue & Black
 LA66
 *original P/N 03202200
 Dim: 7x14x5mm

P/N **151L**



Bearings for W&H ®

Motor MF Tectorque
 Motor MF Perfecta
 *original P/N 02685500
 Dim: 5x11x5mm

P/N **200L**



Bearings for W&H ®

Motor MF Tectorque
 Motor MF Perfecta
 *original P/N 01206200
 Dim: 3x8x4mm

P/N **250L**

COMPATIBLE WITH BIEN AIR ®

LOW SPEED HEADS



Bearings for BIEN AIR ®

Contra Angle 1:1/1:1 L
Dim: 4x7x2mm

P/N 100L



Bearings for BIEN AIR ®

Contra Angle 1:1/1:1 L
Dim: 5x8x2mm

P/N 340L

HIGH SPEED



Bearings for BIEN AIR ®

Contra Angle 1:4/1:5
* original P/N 701.01.68
Dim: 4x7x2mm

P/N 620L



Bearings for BIEN AIR ®

Contra Angle 1:5
* original P/N 701.01.75
Dim: 2,35x4,763x2,35mm

P/N 621L

ELECTRIC&AIR MOTOR



Bearings for BIEN AIR ®

Motor MC3
*original P/N 701.01.70
Dim: 2,38x7,938x3,571mm

P/N 370L



Bearings for BIEN AIR ®

Motor MC3
*original P/N 701.01.71
Dim: 4x11x4mm

P/N 371L



Bearings for BIEN AIR ®

Motor MC2 Isolite 100
Motor MC2 Isolite 300
*original P/N 701.01.23
Dim: 2,38x7,938x3,571mm

P/N 380L



Bearings for BIEN AIR ®

Motor MC2 Isolite 100
Motor MC2 Isolite 300
*original P/N 701.01.14
Dim: 3,175x7,938x3,571mm

P/N 381L



Bearings for BIEN AIR ®

MX Motor
 * original P/N 701.01.93
 Dim: 4,763x7,938x3,175mm

P/N **640L**



Bearings for BIEN AIR ®

MX Motor
 * original P/N 701.01.94
 Dim: 3,967x7,938x3,175mm

P/N **641L**

COMPATIBLE WITH SIRONA ®

LOW SPEED HEADS



Bearings for SIRONA ®

C6L mini
 C40L mini
 * original P/N 5887174
 Dim: 3x6x2mm

P/N **591L**

LOW SPEED OTHERS



Bearings for SIRONA ®

C 1,6
 *original P/N 4181157
 C 1,6 SN>65 000
 *original P/N 6360577
 Dim: 3x7x2mm

P/N **320L**



Bearings for SIRONA ®

H40L
 *original P/N 4181108
 Dim: 5x8x2mm

P/N **340L**



Bearings for SIRONA ®

C40/C6
 * original P/N 4181132
 A200/C200/E200
 A40/C40/E40
 A6/C6/E6
 SN>65 000
 * original P/N 6360551
 Dim: 3x8x3mm

P/N **615L**



Bearings for SIRONA ®

C200/S200
 C40/S40
 C6/S6
 C1,6/S1,6
 * original P/N 7044688/6360601
 Dim: 6x10,35x2,98mm

P/N **616L**



Bearings for SIRONA ®

T2 Revo R170
* original P/N 7044654
Dim: 2,35x5,5x2mm

P/N **590L**

HIGH SPEED HEADS



Bearings for SIRONA ®

T1 Classic S200
T1 Line C200
* original P/N 5890855/4181173
Dim: 3,175x7x2mm

P/N **610L**



Bearings for SIRONA ®

T1 Classic S200 mini
T1 Line C200 mini
* original P/N 5899863
Dim: 3,175x6x2mm

P/N **611L**

ELECTRIC & AIR MOTOR



Bearings for SIRONA ®

Motor SL
(front rotor bearing)
* original P/N 7040801
Dim: 4x9x4mm

P/N **710L**



Bearings for SIRONA ®

Motor SL
(rear rotor bearing)
* original P/N 7036130
Dim: 2x6x2,3mm

P/N **720L**

COMPATIBLE WITH NSK ®

LOW SPEED HEADS



Bearings for NSK ®

FPB-Y head
Ti-Max X25/X25L
S-Max M25/M25L
*original P/N
Dim: 4x7x2mm

P/N **120L**

LOW SPEED OTHERS



Bearings for NSK ®

Contra angle 3640L
 Surgey C09-CL09
 Contra angle E40-E120
 SGR2-E/SGT2-E
 *original P/N B10313-0703
 Dim: 3x7x2mm

P/N **320L**



Bearings for NSK ®

EB40A/EB40E/EB40LT
 EX203/EX103/EX200/EX100/EX203C
 IS205/TI205/TI205L
 PTL950TI
 *original P/N B22227-7923
 Dim: 2,38x7,938x3,571mm

P/N **370L**



Bearing for NSK ®

EX5/EX6/EX7/EX8/EX9
 IS65/GS65/GS300
 *original P/N B13213-0804
 Dim: 4x8x3mm

P/N **420L**



Bearing for NSK ®

EX5/EX6/EX7/EX8/EX9/EX12
 IS65/E10R
 SGS-E2G/SGS-E2S/SGS-E2M/SGS-E2L
 GS65/GS300
 *original P/N B10321-1005
 Dim: 5x10x3mm

P/N **430L**



Bearing for NSK ®

Ti-Max X65
 *original P/N B11223-1005
 Dim: 5x10x4mm

P/N **460L**



Bearings for NSK ®

Ti-SG65L
 *original P/N B12213-0704
 Dim: 3,175x7x2mm

P/N **650L**

HIGH SPEED HEADS



Bearings for NSK ®

Ti-Max X95/X95L
 S-Max M95/M95L
 Dim: 4x7x2mm

P/N **130L**

HIGH SPEED OTHERS



Bearings for NSK ®

Ti-Max Ti85
Ti-Max Ti95
Ti-Max X95
Dim: 2,35x4,76x1,57mm

P/N **485L**

ELECTRIC&AIR MOTOR



Bearings for NSK ®

XL-450-UHR
*original P/N B11253-0904
Dim: 4x9x4mm

P/N **240L**



Bearings for NSK ®

Ultimate 450/VH/2/3
405-UHR 50T/C/UHR 35
Ultimate XL-VR E/UHR45C/UHRXL T/TP/C
*original P/N B11243-1306 & B11223-1306
Dim: 6x13x5mm

P/N **480L**



Bearings for NSK ®

Ultimate 450/VH/2/3
405-UHR 50T/C/UHR 35
Ultimate XL-VR E/UHR45C/UHRXL T/TP/C
*original P/N B20215-2763 & B20245-2763
Dim: 6,35x12,7x4,762mm

P/N **500L**



Bearings for NSK ®

Presto Rotor
Dim: 3,175x6,350x2,779mm

P/N **155A**



COMPATIBLE WITH MK-DENT ®

LOW SPEED HEADS



Bearings for MK-DENT ®

Head Gear LS9011/LS9021
*original P/N BE5012
Dim: 4x7x2mm

P/N **120L**



Bearings for MK-DENT ®

Head Gear LS9011/LS9021
*original P/N BE5011
Dim: 3x7x2,5/3,35mm

P/N **140L**

LOW SPEED OTHERS



Bearings for MK-DENT ®

LS1011
*original P/N BE5015
Dim: 5x8x3mm

P/N **202L**



Bearings for MK-DENT ®

LS1011
*original P/N BE5014
Dim: 4x9x4mm

P/N **240L**



Bearings for MK-DENT ®

LS2011
*original P/N BE5013
Dim: 3x8x3mm

P/N **290L**

HIGH SPEED HEADS



Bearings for MK-DENT ®

Head Gear LS2115
*original P/N BE5021
Dim: 4x7x2mm

P/N **130L**

HIGH SPEED OTHERS



Bearings for MK-DENT ®

Intermediate Shaft LS2115
*original P/N BE5022
Dim: 2,35x4,76x1,57mm

P/N **485L**

ELECTRIC&AIR MOTOR



Bearings for MK-DENT ®

Motor AM1014
*original P/N BE9023
Dim: 3x7x2mm

P/N **320L**



Bearings for MK-DENT ®

RO1190/RO1192/RO1193
*original P/N BE9025
Dim: 2x6x2,3mm

P/N **170L**



Bearings for MK-DENT ®

RO1190/RO1192/RO1193
*original P/N BE9026
Dim: 4x11x4mm

P/N **230L**

COMPATIBLE WITH SAESHIN & MARATHON ®

LABORATORY



Bearing

Spindle DC Type
Spindle ETC Type
*original P/N 1480ZZ
Dim: 8x14x4mm

P/N **210L**



Bearing

Spindle DC Type
Spindle ETC Type
*original P/N 1260ZZ
Dim: 6x12x4mm ZZ

P/N **390L**

Bearings



Bearing

Motor ETC Type
Motor DC Type
*original P/N 1360ZZ
Dim: 6x13x5mm ZZ

P/N **480L**



Bearing

Motor E Type
Motor DC Type
*original P/N 830ZZ
Dim: 3x8x4mm

P/N **250L**



Bearings

Motor E Type
Motor DC Type
*original P/N 1030ZZ
Dim: 3x10x4mm ZZ

P/N **440L**



Bearing

*original P/N 940ZZ
Dim: 4x9x4mm

P/N **240L**



Bearing

*original P/N 1370ZZ
Dim: 7x13x4mm ZZ

P/N **410L**



Bearing

*original P/N 1050ZZ
Dim: 5x10x4mm ZZ

P/N **460L**



Bearing

*original P/N 188ZZ
Dim: 6,35x12,7x4,762mm ZZ

P/N **500L**

COMPATIBLE WITH MVK-LINE ®

Bearings



LTA-4
Dim: 3,967x7,938x3,175mm
P/N 700L

OTHER TYPES



Bearing

Dim: 4x13x5mm
P/N 312L



Bearing

Dim: 4x10x4mm
P/N 450L



Bearing

Dim: 5x13x4mm
P/N 470L



Bearing

Dim: 8x16x5mm
P/N 510L

Bearings



Bearing

Dim: 3,175x9,525x3,967mm

P/N 520L



Bearing

Dim: 7,938x12,7x3,96mm

P/N 530L



Bearing

Dim: 3,175x7,938x3,571mm

P/N 560L



PARTS FOR MICROMOTORS

COMPATIBLE ROTORS & PARTS

12 MONTHS
WARRANTY
ON ROTORS

KAVO® K9



Rotor for KAVO®

K9 950
P/N **RMK9**



Driver for KAVO®

K9 950
P/N **RMK9D**



Pin for KAVO®

K9 950
P/N **RMK9P**



Front bearing for KAVO®

K9 950
*original P/N 0.220.0157
P/N **220L**



Rear bearing for KAVO®

K9 950
*original P/N 0.220.0158
P/N **180L**



Bearings for KAVO®

Laboratory drive K9
EWL 950-955
*original P/N 0.220.0113
Dim: 8x16x6mm
P/N **150L**

KAVO® K10



Rotor for KAVO®

K10 4950
P/N **RMK10**



Driver for KAVO®

K10 4950
P/N **RMK10D**



Pin for KAVO ®

K10 4950

P/N **RMK10P**



Front bearing for KAVO ®

K10 4950

*original P/N 0.220.0779

P/N **251L**



Rear bearing for KAVO ®

K10 4950

*original P/N 0.220.0778

P/N **250L**



Bearings for KAVO ®

Laboratory drive K10 4950

*original P/N 0.220.0113

Dim: 8x16x6mm

P/N **150L**

KAVO ® K190



Rotor for KAVO ®

K190

K196

P/N **RMK190/196**



Driver for KAVO ®

K190

K196

P/N **RMK190D**



Pin for KAVO ®

K190

K196

P/N **RMK190P**



Front bearing for KAVO ®

K190

K196

*original P/N 0.220.0136

P/N **170L**



Rear bearing for KAVO ®

K190

K196

*original P/N 0.220.0089

P/N **230L**



O-ring for KAVO ®

181CB/181DB

INTRA LUX K190/K200/K201

INTRA LUX KL700/KL701/KL702/KL703

+ other models

*original P/N 0.200.6120

P/N **O2100**

Material **PERFORM60**

KAVO® K192



Rotor for KAVO®

K192
P/N **RMK192**



Driver for KAVO®

K192
P/N **RMK192D**



Pin for KAVO®

K192
P/N **RMK192P**



Front bearing for KAVO®

K192
*original P/N 0.220.0136
P/N **170L**



Rear bearing for KAVO®

K192
*original P/N 0.220.0089
P/N **230L**



O-ring for KAVO®

181CB/181DB
INTRA LUX K190/K200/K201
INTRA LUX KL700/KL701/KL702/KL703
+ other models
*original P/N 0.200.6120

P/N **O2100**

Material **PERFORM60**

KAVO® K200



Rotor for KAVO®

K200
P/N **RMK200**



Driver for KAVO®

K200
P/N **RMK200D**



Pin for KAVO®

K200
P/N **RMK200P**



Front bearing for KAVO®

K200
P/N **292L**



Rear bearing for KAVO ®

K200
*original P/N 0.220.0136

P/N 170L



O-ring for KAVO ®

181CB/181DB
INTRA LUX K190/K200/K201
INTRA LUX KL700/KL701/KL702/KL703
+ other models
*original P/N 0.200.6120

P/N O2100

Material PERFORM60

KAVO ® K193



Rotor for KAVO ®

K193

P/N RMK193



Driver for KAVO ®

K193

P/N RMK193D



Pin for KAVO ®

K193

P/N RMK193P



Front bearing for KAVO ®

K193
*original P/N 0.220.0136

P/N 170L



Rear bearing for KAVO ®

K193
*original P/N 0.220.0089

P/N 230L



O-ring for KAVO ®

181CB/181DB
INTRA LUX K190/K200/K201
INTRA LUX KL700/KL701/KL702/KL703
+ other models
*original P/N 0.200.6120

P/N O2100

Material PERFORM60

BIEN AIR ® MC3



Rotor for BIEN AIR ®

Motor MC3

P/N RMC3



Driver for BIEN AIR ®

Motor MC3

P/N RMC3D



Pin for BIEN AIR ®

Motor MC3
P/N RMC3P



V-seal for BIEN AIR ®

Motor MC3
P/N RMC3V



Front bearing for BIEN AIR ®

Motor MC3
*original P/N 701.01.71
P/N 371L



Rear bearing for BIEN AIR ®

Motor MC3
*original P/N 701.01.70
P/N 370L

SIRONA ® SL



Rotor for SIRONA ®

Motor SL
P/N RMSSL



Driver for SIRONA ®

Motor SL
P/N RMSSLD



Pin for SIRONA ®

Motor SL
P/N RMSSLP



V-seal for SIRONA ®

Motor SL
P/N RMSSLV



Front bearing for SIRONA ®

Motor SL
P/N 710L



Rear bearing for SIRONA ®

Motor SL
P/N 720L

COMPATIBLE CARBON BRUSHES



Carbon brush for KAVO ®

K9
K950
*original P/N 0.676.0241

P/N **CBRK9**



Carbon brush for KAVO ®

K10
*original P/N 0.674.2481

P/N **CBRK10**



**Carbon brush for KAVO ®
K190/192/193**

K196/197
K200/201
*original P/N 0.676.0881

P/N **CBRK190**



Carbon brush for BIEN AIR ®

MC2

P/N **CBRMC2**



Carbon brush for BIEN AIR ®

MC3

P/N **CBRMC3**

COMPATIBLE CHUCKS



Chuck for KAVO ®

K4/K5/K9
EWL4930/EWL4932
K12
*original P/N 0.674.4871

P/N **CHK4**



Chuck for KAVO ®

K9 EWL950/955
K10/K11
*original P/N 0.674.7752

P/N **CHK9**



Chuck for KAVO ®

SF 4004-4005
*original P/N 0.671.1562

P/N **CHK4004**



COMPATIBLE BULBS FOR HANDPIECES



LED BULBS

TECHNICAL INFORMATION

Input voltage range:	3.0-3.2V DC	Power:	max 0,5W
Current:	40-100mA	Max. temperature:	125°C
Luminosity:	>25,000lux	Storage temperature:	-40°C - 125°C
Color temperature:	5.500-6.000K		

6 MONTHS
WARRANTY
ON LED
BULBS



XENON BULBS

TECHNICAL INFORMATION

Input voltage range:	3.0-3.6V DC	Luminosity:	40,2 Lumens
Recommend voltage:	3.5V DC	Color temperature:	3200K
Current:	750mA	Life span:	more than 70 hours



XENON Bulb for SIRONA®

Turbines
*original P/N 59 40 291

P/N **A900**



XENON Bulb for SIRONA®

Motors
*original P/N 59 40 291

P/N **A901**

LED



LED Bulb for SIRONA®

Turbines & Motors
*original P/N 63 14 558

P/N **A910**



XENON Bulb for KAVO® / MK-DENT®

Turbines & Motors

P/N **B900**

LED



LED Bulb for KAVO® / MK-DENT®

Turbines & Motors

P/N **B910**



XENON Bulb for W&H®

Turbines

P/N **C900**



XENON Bulb for W&H ®

EA-40LT
EA-50LT
FA-51LT

P/N C901



XENON Bulb for W&H ®

Ra-24 coupling

P/N C902

LED



LED Bulb for W&H ®

Turbines

P/N C910



LED



LED Bulb for W&H ®

Turbines

*inverted polarity

P/N C911



LED



LED Bulb for W&H ®

Motor LT25

P/N C912

LED



LED Bulb for W&H ®

EA-40LT
EA-50LT
FA-51LT

P/N C913



XENON Bulb for BIEN AIR ®

Turbines

P/N D900



XENON Bulb for BIEN AIR ®

Motors

P/N D901

LED



LED Bulb for BIEN AIR ®

Turbines

P/N D910

LED



LED Bulb for BIEN AIR ®

Motors

P/N D911





LED Bulb for BIEN AIR ®

Motors
*inverted polarity



P/N **D912**

XENON Bulb for NSK ®



Y900529

P/N **I900**



XENON Bulb for NSK ®

Y900132

P/N **I904**



LED Bulb for NSK ®

Y900529

P/N **I910**



LED Bulb for NSK ®

Turbines SL/KL

P/N **I911**



LED Bulb for NSK ®

KCL/SCL/PTL

P/N **I912**



LED Bulb for NSK ®

Motor TIM40/Ti205L

P/N **I913**



LED Bulb for NSK ®

Y900132

P/N **I914**



COMPATIBLE FIBRE OPTIC RODS

TECHNICAL INFORMATION

- a. Completely suitable for original handpieces
- b. Packed in solid plastic box
- c. Perfect light transmission
- d. Where necessary plastic shoes are added

SUITABLE FOR KAVO

Fibre Optic for KAVO ®

SUPERtorque® 640B
*original P/N 0.553.6601

P/N **BF100**

Fibre Optic for KAVO ®

SUPERtorque® 650B
SUPERtorque® 655B
POWERtorque® 646B
*original P/N 0.553.8482

P/N **BF130**

Fibre Optic for KAVO ®

GENTLEforce® 7000B
GENTLEsilence® 8000B
GENTLEsilence® 6500B
SMARTtorque mini® S615L
SMARTtorque mini® S619L
*original P/N 1.000.0782

P/N **BF170**

Fibre Optic for KAVO ®

KaVo BELLAtorque® 642
BELLAtorque® MINI 637 B
MIRA® LUX 635 B
*original P/N 0.553.6821/0.553.8601

P/N **BF190**

Fibre Optic for KAVO ®

INTRAmatic® LUX 7LH
INTRAmatic® LUX3 20LH
INTRAmatic® LUX3 29LH
INTRAcompact® LUX 2080LHC
*original P/N 0.534.0092

P/N **BF100L**

Fibre Optic for KAVO ®

GENTLEpower® LUX 7LP
GENTLEpower® LUX 20LP
GENTLEpower® LUX 29LP
EXPERTmatic® LUX E20L
*original P/N 1.001.7851

P/N **BF105L**

Fibre Optic for KAVO ®

INTRAmatic® LUX 24LN
INTRAmatic® LUX 24LS
*original P/N 0.553.6421

P/N **BF130L**

Fibre Optic for KAVO ®

INTRAmatic® 25LHS
INTRAmatic® 25LH
INTRAmatic® 25LHA
INTRAmatic® 25LHC
INTRAmatic® 25LCR
*original P/N 0.553.0283

P/N **BF131L**

Fibre Optic for KAVO ®

EXPERTmatic® E25L
*original P/N 1.007.5572

P/N **BF135L**

Fibre Optic for KAVO ®

GENTLEpower® LUX 25LP
GENTLEpower® LUX 25LPA
GENTLEpower® LUX 25LPR
COMFORTdrive® 200XDR
COMFORTdrive® 200DR
MASTERmatic® LUX M25L
*original P/N 1.001.3320

P/N **BF140L**

Fibre Optic for KAVO ®

SONICflex® LUX 2003L/2008L
*original P/N 1.000.4242

P/N **BF100S**

SUITABLE FOR MK-DENT

Fibre Optic for MK-DENT ®

LS2011L

P/N **HF100L**

SUITABLE FOR W&H

Fibre Optic for W&H ®

Synea® TA-98L
*original P/N 04058300

P/N **CF150**

Fibre Optic for W&H ®

Synea® ZA-55LM
*original P/N 04143700

P/N **CF100S**

Fibre Optic for W&H ®

Synea® WA-56
Synea® WA-99
Synea® WA-66LT
Synea® Fusion WG-56LT
*original P/N 04058500

P/N **CF150L**

Fibre Optic for W&H ®

Synea® TA-97CLM
*original P/N 05288700

P/N **CF165**

Fibre Optic for W&H ®

Vision® WK-93
Vision® WK-99LT
Fusion® WG-99LT
*original P/N 06584600

P/N **CF135L**

SUITABLE FOR NSK

Fibre Optic for NSK ®

Ti-Max Z25
Ti-Max Z95
*original P/N C1034026

P/N **IF100L**

Fibre Optic for NSK ®

Ti-Max X25
Ti-Max X95
S-Max M15
S-Max M25
S-Max M95
*original P/N C600266

P/N **IF110L**

SUITABLE FOR SIRONA

Fibre Optic for SIRONA ®

T1 CLASSIC S200L/ S200L mini SN>30 000 & SN>202 000
T1 CLASSIC S40L SN>30 000 & SN>202 000
T1 CLASSIC S6L SN>30 000 & SN>202 000
T1 CLASSIC S1,6L SN>30 000 & SN>202 000
T1 CLASSIC ENDO SN>30 000
T1 CLASSIC KM1,6L SN>30 000
T1 CLASSIC EVA 04L/EVA 11 SN>30 000
T1 CLASSIC PROPHY SN>30 000
SIROPure P200 SL
SIROPure P40 SL
SIROPure P6 SL
*original P/N 5898924

P/N **AF100L**

Fibre Optic for SIRONA ®

T1 LINE C200L SN>43 000
T1 LINE C40L
T1 LINE C6L
T1 LINE C1,6L
T1 LINE KM1,6L
T1 LINE KM L
T1 LINE ENDO L
T1 LINE PROFIN L
SIROPure P200IL
SIROPure P40IL
SIROPure P6IL
*original P/N 3328890

P/N **AF110L**





REPAIR INSTRUMENTS AND TOOLS

1. SPIRO complete test unit 3.0 is designed for functional check of turbines and electric motors (brush or brushless), as well as their compatible hoses.
2. Test unit functions:
 - a. Controls the rotational speed of electrical motors (1000-40000rpm)
 - b. Measures electrical motor DC power voltage
 - c. Measures DC power current of brush motors
 - d. Measures average phase current of brushless motors
 - e. Feeds +3V DC to motors or turbines lighting lamp
 - f. Feeds cooling air with controlled rate of delivery and pressure to motors
 - g. Feeds driving air with controlled rate of delivery and pressure to turbines
 - h. Feeds spray air with controlled rate of delivery and pressure to motors and turbines
 - i. Feeds cooling fluid (distilled water) with controlled rate of delivery for spray to motors and turbines
3. The test unit has 3 detachable connections
 - a. Turbines
 - b. Brush motors
 - c. Brushless motors
4. The detachable connection can be used for many different motors:
 - a. Bien Air MC3, NSK M40
 - b. Bien Air MC2 IR, Bien Air MC2 Isolite
 - c. Chirana P2ED460
 - d. Chirana CH660, Kavo K190, Kavo K196, Kavo K200
 - e. Kavo K192+K201
 - f. Kavo K700, Kavo K701, Kavo K702
 - g. NSK TIM40
 - h. Hoses for motors are optional
5. The detachable connection can be used for many different scalers:
 - a. EMS Piezon
 - b. Satelec Suprasson
 - c. Mectron Piezoscaler
 - d. Bien Air Power Care
6. Test unit technical equipment:
 - a. Power supply voltage 230V, 50Hz
 - b. Connection to air compressor with a maximum pressure of 10bar
 - c. Reducing valve to maintain the work pressure at 5bar
 - d. Integrated water container for distilled water
7. More information available on request

SPIRO COMPLETE TEST UNIT 3.0

THE BASIC TEST UNIT INCLUDES:

- Test unit
- Turbine hose
- Brush motor hose
- Brushless motor hose
- Power supply cord
- High pressure plastic tube
- Fuse 4A 2x

ADDITIONALLY NEEDED:

- Air compressor



P/N RTU

The list of optional Hoses:

1. Hose for Bien Air MC3 and NSK M40
2. Hose for Bien Air MC2 IR
3. Hose for Bien Air MC2 Isolite
4. Hose for Chirana P2ED460
5. Hose for NSK TIM40
6. Hose for Chirana CH660 , Kavo K190, Kavo K196, Kavo K200
7. Hose for Kavo K192+K201
8. Hose for Kavo K700, Kavo K701, Kavo K702
9. Hose for EMS Piezon
10. Hose for Satelec Suprasson
11. Hose for Mectron Piezoscaler
12. Hose for Bien Air Power Care
13. Other types after request

SPIRO PRESS TOOL 2.0

1. Used for Bearing removal
2. Used for Bearing installation
3. Complete with all accessories
4. Easy to use
5. No maintenance needed
6. Measuring watch is optional*

P/N RPT100



SPIRO ECCENTRICITY GAUGE

1. Special tool for experienced technicians
2. Used to measure the Rotor eccentricity
3. Additional repair value

P/N RET100



SPIRO Bearing REMOVAL

1. Used for Bearing removal
2. Easy to use
3. Can remove Bearing of \varnothing 6,35/7,938

P/N RBR100




HOSES, SUCTION TUBES, SYRINGES & ACCESSORIES


Assortment of hoses:

1. Hoses for turbines with unit free end
2. Hoses for micromotors with unit free end
3. Hoses for scalers with unit free end
4. Detachable hoses for turbines
5. Detachable hoses for micromotors
6. Detachable hoses for scalers
7. Hoses for syringes with unit free end
8. Detachable hoses for syringes
9. Components for hoses repair
10. Aspiration tubes and handles

Hoses suitable for Kavo ®, Sirona ®, Cefla ®, Planmeca ®


**ALL HOSES
HAVE 12 MONTHS
WARRANTY**





HOSES FOR TURBINES WITH UNIT FREE END

WITHOUT WATER SPRAY REGULATION




Ø 10mm
L:1600mm / R:2500mm

Hose 3-hole borden connector

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N 3H.STD.XX.1




Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector and separate air return tubing - nut 1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 4H.STD.XX.1




Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector and separate air return tubing - nut 2

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 4H.STD.XX.2




Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector and separate air return tubing - nut 3

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 4H.STD.XX.3




Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector and separate air return tubing - nut 4

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 4H.STD.XX.4




Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector and separate air return tubing - nut 5

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 4H.STD.XX.5




Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing - nut 1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 6H.STD.XX.1




Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing - nut 2

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 6H.STD.XX.2




Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing - nut 3

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 6H.STD.XX.3




Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing - nut 4

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 6H.STD.XX.4




Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing - nut 5

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 6H.STD.XX.5



Ø 11mm
L:1600mm / R:2500mm


Hose 5-hole midwest connector with integrated LED

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 5H.STD.XX.1

WITH WATER SPRAY REGULATION




Ø 10mm
L:1600mm / R:2500mm

Hose 3-hole borden connector with water regulation

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N 3R.STD.XX.1




Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector and separate air return tubing with water regulation

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 4R.STD.XX.1



Ø 11mm
L:1600mm / R:2500mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing with water regulation


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 6R.STD.XX.1

COMPATIBLE HOSES FOR MICROMOTORS WITH UNIT FREE END

FOR BIEN AIR® MC3, NSK® M40 AND MULTIPURPOSE




Ø 11mm
L:1600mm / R:2500mm

Hose for BIEN AIR® MC3 micromotor

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 8H.STD.XX.1




Ø 11mm
L:1600mm / R:2500mm

Hose for BIEN AIR® MC3 micromotor - with long nut

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 8H.STD.XX.2




Ø 11mm
L:1600mm / R:2500mm

Hose for NSK® M40 micromotor

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 8H.NSK.XX.1




Ø 11mm
L:1600mm / R:2500mm

Hose for BIEN AIR® MC3, NSK® M40 micromotors and midwest type turbines

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



P/N 8P.STD.XX.1




Ø 10mm
L:1600mm / R:2500mm

Hose for BIEN AIR® MC3 micromotor with spray regulation - 400° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N 8R.STD.XX.1




Ø 10mm
L:1600mm / R:2500mm

Hose for BIEN AIR® MC3, NSK® M40 micromotor with spray regulation - 400° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N 8R.NSK.XX.1




Ø 10mm
L:1600mm / R:2500mm

Hose for BIEN AIR® MC3 micromotor - 400° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N 8S.STD.XX.1



Ø 10mm
L:1600mm / R:2500mm


Hose for NSK ® M40 micromotor - 40° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N **8S.NSK.XX.1**

FOR BIEN AIR ® MC2 IR, MC2 ISOLITE 300




Ø 10mm
L:1600mm / R:2500mm

Hose for BIEN AIR ® MC2 IR micromotor

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N **B5.STD.XX.1**




Ø 10mm
L:1600mm / R:2500mm

Hose for BIEN AIR ® MC2 Isolite 300 micromotor

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N **B7.STD.XX.1**




Ø 10mm
L:1600mm / R:2500mm

Hose for both BIEN AIR ® MC2 IR and Isolite 300 micromotor (*dual use)

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N **B3.STD.XX.1**




Ø 10mm
L:1600mm / R:2500mm

Hose for BIEN AIR ® MC2 Isolite 300 micromotor - 40° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N **B2.STD.XX.1**



Ø 10mm


L:1600mm / R:2500mm

Hose for both BIEN AIR® MC2 IR and Isolite 300 micromotor - 400° swivel connection (*dual use)

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N **B4.STD.XX.1**



Ø 10mm


L:1600mm / R:2500mm

Hose for BIEN AIR® MC2 Isolite 300 micromotor - with waterspray regulation - 400° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N **BR.STD.XX.1**



Ø 10mm


L:1600mm / R:2500mm

Hose for BIEN AIR® MC2 IR micromotor - with waterspray regulation - 400° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N **BR.STD.XX.2**



Ø 10mm

L:1600mm / R:2500mm


Hose for both BIEN AIR® MC2 IR and Isolite 300 micromotor - with waterspray regulation (*dual use) - 400° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N **BR.STD.XX.3**

FOR CHIRANA® P2ED, NSK® TI M40



Ø 10mm


L:1600mm / R:2500mm

Hose for Chirana medical® P2ED 460 micromotor

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N **C1.STD.XX.1**




Ø 10mm
L:1600mm / R:2500mm

**Hose for NSK ® TIM40 (EL 400)
micromotors**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N N1.STD.XX.1



Ø 10mm
L:1600mm / R:2500mm


**Hose for NSK ® TIM40 (EL 400)
micromotors - 400° swivel
connection**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N N2.STD.XX.1

FOR KAVO ® K190, K196, K200, CHIRANA ® CH660




Ø 10mm
L:1600mm / R:2500mm

**Hose for KAVO ® K190/196/200
and Chirana medical ® CH660 light
micromotors**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N K1.STD.XX.1




Ø 10mm
L:1600mm / R:2500mm

**Hose for KAVO ® K190/196/200
and Chirana medical ® CH660 light
micromotors**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N K1.STD.XX.2




Ø 10mm
L:1600mm / R:2500mm

**Hose for KAVO ® K190/ 196/200
and Chirana medical ® CH660
light micromotors - 400° swivel
connection**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N K2.STD.XX.1



Ø 10mm
L:1600mm / R:2500mm


Hose for KAVO ® K190/ 196/200 and Chirana medical CH660 light micromotors - 400° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N K2.STD.XX.2

FOR KAVO ® K192, K201, KL700 SERIES




Ø 10mm
L:1600mm / R:2500mm

Hose for KAVO ® K192/201 micromotors - 400° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N K7.STD.XX.1




Ø 10mm
L:1600mm / R:2500mm

Hose for KAVO ® K192/201 micromotors with water spray regulation - 400° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N K8.STD.XX.1



Ø 10mm
L:1600mm / R:2500mm


Hose for KAVO ® KL700 Series micromotors with water spray regulation - 400° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N K9.STD.XX.1

FOR SIRONA ® SL



Ø 10mm
L:1600mm / R:2500mm


Hose for SIRONA ® SL micromotors

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N A1.STD.XX.1

FOR SIRONA ® BL




Hose for SIRONA ® BL ISO C-APEX micromotors with water spray regulation

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Ø 10mm
L:1600mm / R:2500mm



P/N AV.STD.XX.1




Hose for SIRONA ® BL ISO C-APEX micromotors

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Ø 10mm
L:1600mm / R:2500mm



P/N AV.STD.XX.2




Hose for SIRONA ® BL-APEX micromotors with water spray regulation

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Ø 10mm
L:1600mm / R:2500mm



P/N AB.STD.XX.1




Hose for SIRONA ® BL-APEX micromotors

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Ø 10mm
L:1600mm / R:2500mm



P/N AB.STD.XX.2




Hose for SIRONA ® BL ISO-APEX micromotors with water spray regulation

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Ø 10mm
L:1600mm / R:2500mm



P/N AN.STD.XX.1



Ø 10mm
L:1600mm / R:2500mm


Hose for SIRONA® BL ISO-APEX micromotors

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



P/N AN.STD.XX.2

FOR STERN WEBER®, ANTHOS®, CASTELLINI® MOTORS



Ø 10mm
L:1600mm / R:2500mm

Black connector on motor side


Hose for STERN WEBER® iXS4, ANTHOS® iMMs, CASTELLINI® Implantor LED micromotors

*models up to 2015

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038



P/N D1.STD.XX.1



Ø 10mm
L:1600mm / R:2500mm

Black connector on motor side


Hose for STERN WEBER® iXS4, ANTHOS® iMMs, CASTELLINI® Implantor LED micromotors - 400° swivel connection

*models up to 2015

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038



P/N D1.STD.XX.S




Ø 10mm
L:1600mm / R:2500mm

Hose for STERN WEBER® iXR3L, ANTHOS® iMMrL, CASTELLINI® Handy Power LED micromotors

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038



P/N D2.STD.XX.1



Ø 10mm
L:1600mm / R:2500mm

Hose for STERN WEBER® iXR3L, ANTHOS® iMMrL, CASTELLINI® Handy Power LED micromotors - 400° swivel connection

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038



P/N D2.STD.XX.S




Ø 10mm
L:1600mm / R:2500mm

**Hose for STERN WEBER® iXR3,
ANTHOS® iMMr, CASTELLINI®
Handy Power micromotors**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038



P/N **D3.STD.XX.1**



Ø 10mm
L:1600mm / R:2500mm

**Hose for STERN WEBER® iXR3,
ANTHOS® iMMr, CASTELLINI®
Handy Power micromotors - 400°
swivel connection**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038



P/N **D3.STD.XX.S**



Ø 10mm
L:1600mm / R:2500mm

**Hose for STERN WEBER® iXS4,
ANTHOS® iMMs, CASTELLINI®
Implantor LED micromotors**


***models from 2016**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038



P/N **D4.STD.XX.1**

**White connector on
motor side**



Ø 10mm
L:1600mm / R:2500mm

**Hose for STERN WEBER® iXS4,
ANTHOS® iMMs, CASTELLINI®
Implantor LED micromotors - 400°
swivel connection**

***models from 2016**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038




P/N **D4.STD.XX.S**

**White connector on
motor side**

COMPATIBLE HOSES FOR SCALERS WITH UNIT FREE END

FOR EMS® PIEZON 7MM / 9MM




Ø 7mm
L:1600mm / R:2500mm

Hose for EMS® ultrasonic scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N E1.STD.XX.1




Ø 7mm
L:2000mm

Hose for EMS® ultrasonic scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038



P/N E1.200.XX.1




Ø 9mm
L:1600mm / R:2500mm

Hose for EMS® ultrasonic scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N E2.STD.XX.1



Ø 7mm
L:1600mm / R:2500mm


Hose for EMS® ultrasonic scaler suitable for EM-028, EM-060

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N E1.DUO.XX.1

FOR EMS ® WITH LIGHT (PIEZON LED)




Ø 7mm
L:1600mm / R:2500mm

**Hose for EMS ® ultrasonic scaler
with light**

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N E5.STD.XX.1




Ø 7mm
L:2000mm

**Hose for EMS ® ultrasonic scaler
with light**

LG: Light Grey RAL 9002
GR: Grey RAL 7038



P/N E5.200.XX.1




Ø 7mm
L:2000mm

**Hose for EMS ® ultrasonic scaler
with light and water spray
regulation**

LG: Light Grey RAL 9002
GR: Grey RAL 7038



P/N E5.STD.XX.R




Ø 7mm
L:2000mm

**Hose for EMS ® ultrasonic scaler
with light and water spray
regulation**

LG: Light Grey RAL 9002
GR: Grey RAL 7038



P/N E5.200.XX.R




Ø 9mm
L:1600mm / R:2500mm

**Hose for EMS ® ultrasonic scaler
with light**

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N E6.STD.XX.1



Ø 9mm
L:1600mm / R:2500mm


Hose for EMS® ultrasonic scaler with light and water spray regulation

LG: Light Grey RAL 9002
GR: Grey RAL 7038



P/N E6.STD.XX.R

FOR SATELEC



Ø 7mm
L:1600mm / R:2500mm

Hose for SATELEC® ultrasonic scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N S1.STD.XX.1



Ø 7mm
L:2000mm

Hose for SATELEC® ultrasonic scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038



P/N S1.200.XX.1



Ø 9mm
L:1600mm / R:2500mm


Hose for SATELEC® ultrasonic scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N S2.STD.XX.1

FOR SATELEC WITH LIGHT (NEWTRON LED)




Ø 7mm
L:1600mm / R:2500mm

Hose for SATELEC® ultrasonic scaler with light

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N S5.STD.XX.1




Ø 7mm
L:2000mm

Hose for SATELEC® ultrasonic scaler with light

LG: Light Grey RAL 9002
GR: Grey RAL 7038



P/N S5.200.XX.1




Ø 7mm
L:1600mm / R:2500mm

Hose for SATELEC® ultrasonic scaler with light and water spray regulation

LG: Light Grey RAL 9002
GR: Grey RAL 7038



P/N S5.STD.XX.R




Ø 7mm
L:2000mm

Hose for SATELEC® ultrasonic scaler with light and water spray regulation

LG: Light Grey RAL 9002
GR: Grey RAL 7038



P/N S5.200.XX.R




Ø 9mm
L:1600mm / R:2500mm

Hose for SATELEC® ultrasonic scaler with light

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N S6.STD.XX.1



Ø 9mm
L:1600mm / R:2500mm


Hose for SATELEC® ultrasonic scaler with light and water spray regulation

LG: Light Grey RAL 9002
GR: Grey RAL 7038



P/N S6.STD.XX.R

FOR MECTRON®




Ø 7mm
L:1600mm / R:2500mm

Hose for MECTRON® ultrasonic scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N M1.STD.XX.1



Ø 9mm
L:1600mm / R:2500mm


Hose for MECTRON® ultrasonic scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N M2.STD.XX.1

FOR MECTRON® STARLIGHT S LED




Ø 7mm
L:1600mm / R:2500mm

Hose for MECTRON® ultrasonic scaler with light

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N M5.STD.XX.1



Ø 9mm
L:1600mm / R:2500mm


Hose for MECTRON® ultrasonic scaler with light

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N M6.STD.XX.1

FOR BIEN AIR® POWER CARE




Ø 7mm
L:1600mm / R:2500mm

Hose for BIEN AIR® Power Care ultrasonic scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



P/N M3.STD.XX.1



Ø 9mm
L:1600mm / R:2500mm

Hose for BIEN AIR® Power Care ultrasonic scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC




P/N **M4.STD.XX.1**



COMPATIBLE DETACHABLE HOSES FOR TURBINES

SUITABLE FOR KAVO®, CEFLA®, SIRONA®, PLANMECA® UNITS

WITHOUT LIGHT AND WITHOUT WATER REGULATION



Ø 10mm
L:1200mm / R:1400mm

Hose 3-hole borden connector

SUITABLE FOR ANTHOS®: A3, A5, A6, A7, A9, R7, L6, L9
STERN®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



P/N 3H.SCF.XX.1

for CEFLA® units




Ø 11mm
L:1250mm / R:1400mm

Hose 4-hole midwest connector without light & 3F syringe - nut 1

SUITABLE FOR KAVO® UNITS 1057,1058,1060,1062,
1063,1065,1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 4H.SKV.XX.1

for KAVO® units




Ø 11mm
L:1250mm / R:1400mm

Hose 4-hole midwest connector without light & 3F syringe - nut 2

SUITABLE FOR KAVO® UNITS 1057,1058,1060,1062,
1063,1065,1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 4H.SKV.XX.2

for KAVO® units




Ø 11mm
L:1250mm / R:1400mm

Hose 4-hole midwest connector without light & 3F syringe - nut 3

SUITABLE FOR KAVO® UNITS E50, E70, E80
(NO MAGNETIC SENSOR)


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 4H.SKV.XX.3

for KAVO® units



Ø 11mm
L:1250mm / R:1400mm

Hose 4-hole midwest connector without light & 3F syringe - nut 4

SUITABLE FOR KAVO @ UNITS E50, E70, E80
(NO MAGNETIC SENSOR)

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


OPTIONAL
COLORS



for KAVO @ units

P/N 4H.SKV.XX.4

WITH LIGHT AND WITHOUT WATER REGULATION



Ø 11mm
L:1200mm / R:1400mm

Hose 4-hole midwest connector without light

SUITABLE FOR ANTHOS @: A3, A5, A6, A7, A9, R7, L6, L9
STERN @: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI @: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



for CEFLA @ units

P/N 4H.SCF.XX.1



Ø 11mm
L:1250mm / R:1400mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing - nut 1

SUITABLE FOR KAVO @ UNITS 1057,1058,1060,1062,
1063,1065,1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO @ units

P/N 6H.SKV.XX.1



Ø 11mm
L:1250mm / R:1400mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing - nut 2

SUITABLE FOR KAVO @ UNITS 1057,1058,1060,1062,
1063,1065,1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO @ units

P/N 6H.SKV.XX.2



Ø 11mm
L:1300mm / R:1400mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing - nut 3

SUITABLE FOR KAVO @ UNITS E50, E70, E80
(NO MAGNETIC SENSOR)


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO @ units

P/N 6H.SKV.XX.3



Ø 11mm
L:1250mm / R:1400mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing - nut 4

SUITABLE FOR KAVO ® UNITS E50, E70, E80
(NO MAGNETIC SENSOR)


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 6H.SKV.XX.4

for KAVO ® units




Ø 11mm
L:1200mm / R:1400mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR,
S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



P/N 6H.SCF.XX.1

for CEFLA ® units




Ø 11mm
L:1370mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR SIRONA ® A1, A2, A4, A5, AC, C1, C1+, C2, C2+,
C4, C4+, C5+, C8, E1, E2, E4, E5, EC, M1, M196, M1+, PROFEEL,
SPIRIT, S1, S2, TENEO


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 6H.SSR.XX.1

for SIRONA ® units




Ø 11mm
L:1030mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR SIRONA ® C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 6H.SSR.XX.2

for SIRONA ® units




Ø 11mm
L:1370mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR SIRONA ® C8+ INTERNATIONAL VERSION


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 6H.SSR.XX.3

for SIRONA ® units




Ø 11mm
L:1370mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR C8+ CONTINENTAL VERSION


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N 6H.SSR.XX.4




Ø 11mm
L:1030mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR PLANMECA ® RESISTANCE 820 Ω
*original P/N 2600265-11

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA ® units

P/N 6H.PLM.XX.1




Ø 11mm
L:900mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR PLANMECA ® RESISTANCE 560 Ω
*original P/N 2600203-8


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA ® units

P/N 6H.PLM.XX.2




Ø 11mm
L:930mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR PLANMECA ® RESISTANCE 430 Ω


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA ® units

P/N 6H.PLM.XX.3




Ø 11mm
L:1000mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR PLANMECA ® RESISTANCE 820 Ω


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA ® units

P/N 6H.PLM.XX.4



Ø 11mm
L:930mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR PLANMECA ®
*original P/N 2600250-6


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **6H.PLM.XX.5**

for PLANMECA ® units



Ø 11mm
L:930mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR PLANMECA ®
*original P/N 2600280-6


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **6H.PLM.XX.6**

for PLANMECA ® units



Ø 11mm
L:930mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR PLANMECA ®
*original P/N 2600296-7


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **6H.PLM.XX.7**

for PLANMECA ® units



Ø 11mm
L:930mm

Hose 4-hole midwest connector with electric sockets and separate air return tubing

SUITABLE FOR PLANMECA ®
*original P/N 2600264-11

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **6H.PLM.XX.8**


for PLANMECA ® units



COMPATIBLE DETACHABLE HOSES FOR MICROMOTORS

SUITABLE FOR KAVO ®, CEFLA ®, SIRONA ®, PLANMECA ® UNITS

FOR BIEN AIR ® MC3, NSK ® M40, MULTIPURPOSE



Ø 11mm
L:1250mm / R:1400mm

Hose for BIEN AIR ® MC3 micromotor

SUITABLE FOR KAVO ® 1057, 1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8H.SKV.XX.1

for KAVO ® units




Ø 11mm
L:1250mm / R:1400mm

Hose for BIEN AIR ® MC3 micromotor

SUITABLE FOR KAVO ® 1058, 1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8H.SKV.XX.2

for KAVO ® units



Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR ® MC3 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR KAVO ® 1057,1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8R.SKV.XX.1

for KAVO ® units




Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR ® MC3 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR KAVO ® 1058,1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8R.SKV.XX.2

for KAVO ® units



Ø 11mm
L:1250mm / R:1400mm

Hose for NSK ® M40 micromotor

SUITABLE FOR KAVO ® 1057, 1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N 8H.SKK.XX.1



Ø 11mm
L:1250mm / R:1400mm

Hose for NSK ® M40 micromotor

SUITABLE FOR KAVO ® 1058, 1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N 8H.SKK.XX.2



Ø 10mm
L:1250mm / R:1400mm

Hose for NSK ® M40 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR KAVO ® 1057, 1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N 8R.SKK.XX.1



Ø 10mm
L:1250mm / R:1400mm

Hose for NSK ® M40 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR KAVO ® 1058, 1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N 8R.SKK.XX.2



Ø 11mm
L:1200mm / R:1400mm

Hose for BIEN AIR ® MC3 micromotor

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



for CEFLA ® units

P/N 8H.SCF.XX.1



Ø 11mm
L:1200mm / R:1400mm

Hose for NSK ® M40 micromotor

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR,
S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



P/N 8H.SCK.XX.1

for CEFLA ® units




Ø 10mm
L:1200mm / R:1400mm

Hose for BIEN AIR ® MC3, NSK ® M40 micromotors and midwest type turbines

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR,
S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



P/N 8P.SCF.XX.1

for CEFLA ® units



Ø 10mm
L:1200mm / R:1400mm

Hose for BIEN AIR ® MC3 micromotor - 400° swivel connection

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR,
S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



P/N 85.SCF.XX.1

for CEFLA ® units



Ø 11mm
L:1370mm

Hose for BIEN AIR ® MC3 micromotor

SUITABLE FOR SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8H.SSR.XX.1

for SIRONA ® units



Ø 11mm
L:1030mm

Hose for BIEN AIR ® MC3 micromotor

SUITABLE FOR SIRONA ®: C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8H.SSR.XX.2

for SIRONA ® units



Ø 11mm
L:1370mm

Hose for BIEN AIR® MC3 micromotor

SUITABLE FOR SIRONA ®: C8+


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8H.SSR.XX.3

for SIRONA® units




Ø 10mm
L:1370mm

Hose for BIEN AIR® MC3 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8R.SSR.XX.1

for SIRONA® units



Ø 10mm
L:1030mm

Hose for BIEN AIR® MC3 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR SIRONA ®: C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8R.SSR.XX.2

for SIRONA® units



Ø 10mm
L:1370mm

Hose for BIEN AIR® MC3 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR SIRONA ®: C8+


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8R.SSR.XX.3

for SIRONA® units



Ø 11mm
L:1370mm

Hose for NSK® M40 micromotor

SUITABLE FOR SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8H.SSK.XX.1

for SIRONA® units



Ø 10mm
L:1370mm

Hose for NSK ® M40 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8R.SSK.XX.2

for SIRONA ® units



Ø 11mm
L:1000mm

Hose for BIEN AIR ® MC3 micromotor

SUITABLE FOR PLANMECA ® RESISTANCE 82Ω
*original P/N 10044908-1


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8H.PLM.XX.1

for PLANMECA ® units




Ø 10mm
L:1000mm

Hose for BIEN AIR ® MC3 micromotor 400° swivel connection

SUITABLE FOR PLANMECA ® RESISTANCE 82Ω
*original P/N 10044908-1


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8S.PLM.XX.1

for PLANMECA ® units



Ø 11mm
L:980mm

Hose for BIEN AIR ® MC3 and NSK M40 micromotor

SUITABLE FOR PLANMECA ® RESISTANCE 82Ω
*original P/N 10044909-1


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N 8P.PLM.XX.1

for PLANMECA ® units



Ø 11mm
L:900mm

Hose for BIEN AIR ® MC3 and NSK M40 micromotor

SUITABLE FOR PLANMECA ® 82Ω

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


OPTIONAL
COLORS



P/N 8P.PLM.XX.2

for PLANMECA ® units

FOR BIEN AIR ® MC2 IR, BIEN AIR ® MC2 ISOLITE 300



Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR ® MC2 IR

SUITABLE FOR KAVO ® 1057, 1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N **B5.SKV.XX.1**



Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR ® MC2 IR

SUITABLE FOR KAVO ® 1058, 1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N **B5.SKV.XX.2**



Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR ® MC2 Isolite 300 micromotor

SUITABLE FOR KAVO ® 1057, 1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N **B7.SKV.XX.1**



Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR ® MC2 Isolite 300 micromotor

SUITABLE FOR KAVO ® 1058, 1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N **B7.SKV.XX.2**



Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR ® MC2 IR and Isolite 300 micromotor

SUITABLE FOR KAVO ® 1057, 1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N **B3.SKV.XX.1**



Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR® MC2 IR and Isolite 300 micromotor

SUITABLE FOR KAVO® 1058, 1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **B3.SKV.XX.2**

for KAVO® units



Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR® MC2 Isolite 300 micromotor - 400° swivel connection

SUITABLE FOR KAVO® 1057, 1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **B2.SKV.XX.1**

for KAVO® units



Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR® MC2 Isolite 300 micromotor - 400° swivel connection

SUITABLE FOR KAVO® 1058, 1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **B2.SKV.XX.2**

for KAVO® units



Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR® MC2 IR and MC2 Isolite 300 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR KAVO® 1057, 1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **BR.SKV.XX.1**

for KAVO® units



Ø 10mm
L:1250mm / R:1400mm

Hose for BIEN AIR® MC2 IR and MC2 Isolite 300 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR KAVO® 1058, 1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **BR.SKV.XX.2**

for KAVO® units



Ø 10mm
L:1200mm / R:1400mm

Hose for BIEN AIR ® MC2 IR micromotor

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



for CEFLA ® units

P/N B5.SCF.XX.1



Ø 10mm
L:1200mm / R:1400mm

Hose for BIEN AIR ® MC2 Isolite 300 micromotor

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



for CEFLA ® units

P/N B7.SCF.XX.1



Ø 10mm
L:1200mm / R:1400mm

Hose for BIEN AIR ® MC2 Isolite 300 micromotor - 400° swivel connection

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

GR: Grey RAL 7038

OPTIONAL
COLORS



for CEFLA ® units

P/N B2.SCF.XX.1



Ø 10mm
L:1200mm / R:1400mm

Hose for BIEN AIR ® MC2 IR and Isolite 300 micromotor (*dual use)

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



for CEFLA ® units

P/N B3.SCF.XX.1



Ø 10mm
L:1370mm

Hose for BIEN AIR ® MC2 IR

SUITABLE FOR SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N B5.SSR.XX.1



Ø 10mm
L:1030mm

Hose for BIEN AIR ® MC2 IR

SUITABLE FOR SIRONA ®: C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N **B5.SSR.XX.2**



Ø 10mm
L:1370mm

Hose for BIEN AIR ® MC2 Isolite 300 micromotor

SUITABLE FOR SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N **B7.SSR.XX.1**



Ø 10mm
L:1030mm

Hose for BIEN AIR ® MC2 Isolite 300

SUITABLE FOR SIRONA ®: C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N **B7.SSR.XX.2**



Ø 10mm
L:1030mm

Hose for BIEN AIR ® MC2 IR and Isolite 300 micromotor

SUITABLE FOR SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N **B3.SSR.XX.1**



Ø 10mm
L:1030mm

Hose for BIEN AIR ® MC2 IR and Isolite 300 micromotor

SUITABLE FOR SIRONA ®: C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N **B3.SSR.XX.2**



Ø 10mm
L:1370mm

Hose for BIEN AIR® MC2 Isolite 300 micromotor - 400° swivel connection

SUITABLE FOR SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA® units

P/N B2.SSR.XX.1



Ø 10mm
L:1030mm

Hose for BIEN AIR® MC2 Isolite 300 micromotor - 400° swivel connection

SUITABLE FOR SIRONA ®: C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA® units

P/N B2.SSR.XX.2



Ø 10mm
L:1370mm

Hose for BIEN AIR® MC2 IR and Isolite 300 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA® units

P/N BR.SSR.XX.1



Ø 10mm
L:1030mm

Hose for BIEN AIR® MC2 IR and Isolite 300 micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR SIRONA ®: C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA® units

P/N BR.SSR.XX.2



Ø 10mm
L:1030mm

Hose for BIEN AIR® MC2 IR micromotor

SUITABLE FOR PLANMECA ®: 143Ω


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA® units

P/N B5.PLM.XX.1



Ø 10mm
L:1030mm

Hose for BIEN AIR® MC2 Isolite 300 micromotor

SUITABLE FOR PLANMECA®: 143Ω

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA® units

P/N **B7.PLM.XX.1**



Ø 10mm
L:1030mm

Hose for BIEN AIR® MC2 IR and Isolite 300 micromotor

SUITABLE FOR PLANMECA®: 143Ω


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA® units

P/N **B3.PLM.XX.1**



Ø 10mm
L:1030mm

Hose for BIEN AIR® MC2 Isolite 300 micromotor - 400° swivel connection

SUITABLE FOR PLANMECA®: 143Ω

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS




for PLANMECA® units

P/N **B2.PLM.XX.1**



FOR KAVO ® K190, K196, K200 AND CHIRANA ® CH660



Ø 10mm
L:1250mm / R:1400mm

**Hose for KAVO ® K190, K196, K200 and
Chirana ® CH660L micromotor**


SUITABLE FOR KAVO ® units 1058, 1062, 1063, 1065, 1066, 1080

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **K1.SKV.XX.1**



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor with black nut

SUITABLE FOR KAVO ® UNITS 1058, 1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **K1.SKV.XX.2**

for KAVO ® units



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor - with 400° swivel connection

SUITABLE FOR KAVO ® UNITS 1058, 1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **K2.SKV.XX.1**

for KAVO ® units



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor - with 400° swivel connection

SUITABLE FOR KAVO ® UNITS 1058, 1062, 1063, 1065, 1066, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **K2.SKV.XX.2**

for KAVO ® units



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor

SUITABLE FOR KAVO ® UNITS 1057, 1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **K7.SKV.XX.1**

for KAVO ® units



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor with black nut

SUITABLE FOR KAVO ® UNITS 1057, 1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



P/N **K7.SKV.XX.2**

for KAVO ® units



Ø 10mm
L:1370mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor

SUITABLE FOR SIRONA ® UNITS A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N K1.SSR.XX.1




Ø 10mm
L:1030mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor

SUITABLE FOR SIRONA ® UNITS C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N K1.SSR.XX.2




Ø 10mm
L:1370mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor with black nut

SUITABLE FOR SIRONA ® UNITS A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N K1.SSR.XX.3




Ø 10mm
L:1030mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor with black nut

SUITABLE FOR SIRONA ® UNITS C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N K1.SSR.XX.4




Ø 10mm
L:1370mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor - with 400° swivel connection

SUITABLE FOR SIRONA ® UNITS A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N K2.SSR.XX.1



Ø 10mm
L:1030mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor - with 400° swivel connection

SUITABLE FOR SIRONA ® UNITS C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N K2.SSR.XX.2




Ø 10mm
L:1370mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor with black nut - with 400° swivel connection

SUITABLE FOR SIRONA ® UNITS A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N K2.SSR.XX.3




Ø 10mm
L:1030mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor with black nut - with 400° swivel connection

SUITABLE FOR SIRONA ® UNITS C3, C3+, C6, E3


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for SIRONA ® units

P/N K2.SSR.XX.4




Ø 10mm
L:1010mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor

SUITABLE FOR PLANMECA ® RESISTANCE 270Ω


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA ® units

P/N K1.PLM.XX.1




Ø 10mm
L:1000mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor

SUITABLE FOR PLANMECA ® NO RESISTANCE - Ω


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA ® units

P/N K1.PLM.XX.2




Ø 10mm
L:1000mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor

SUITABLE FOR PLANMECA ® RESISTANCE 270Ω


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA ® units

P/N **K1.PLM.XX.3**




Ø 10mm
L:1010mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor - 400° swivel connection

SUITABLE FOR PLANMECA ® RESISTANCE 270Ω


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA ® units

P/N **K2.PLM.XX.1**



Ø 10mm
L:1000mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor - 400° swivel connection

SUITABLE FOR PLANMECA ® NO RESISTANCE- Ω


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for PLANMECA ® units

P/N **K2.PLM.XX.2**



Ø 10mm
L:1000mm

Hose for KAVO ® K190, K196, K200 and Chirana ® CH660L micromotor - 400° swivel connection

SUITABLE FOR PLANMECA ® RESISTANCE 270Ω

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


OPTIONAL
COLORS



for PLANMECA ® units

P/N **K2.PLM.XX.3**

FOR KAVO ® K192, K201



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® K192, K201 micromotor with black nut - 400° swivel connection

SUITABLE FOR KAVO ® UNITS 1063,1065,1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N **K5.SKV.XX.1**



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® K192, K201 micromotor with black nut - 400° swivel connection

SUITABLE FOR KAVO ® UNITS 1057, 1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N K5.SKV.XX.2



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® K192, K201 micromotor with water spray regulation black nut - 400° swivel connection

SUITABLE FOR KAVO ® UNITS 1057,1060


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N K6.SKV.XX.1



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® K192, K201 micromotor with water spray regulation black nut - 400° swivel connection

SUITABLE FOR KAVO ® UNITS 1063,1065,1080

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


OPTIONAL
COLORS



for KAVO ® units

P/N K6.SKV.XX.2

FOR KAVO ® KL700 SERIES



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® KL 700 series micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR KAVO ® UNITS 1058,1062,1063,1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N K9.SKV.XX.1



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® KL 700 series micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR KAVO ® UNITS E50, E70, E80 (NO MAGNETIC SENSOR)


LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

OPTIONAL
COLORS



for KAVO ® units

P/N K9.SKV.XX.2



Ø 10mm
L:1250mm / R:1400mm

Hose for KAVO ® KL 700 series micromotor with water spray regulation - 400° swivel connection

SUITABLE FOR KAVO ® UNITS 1057, 1060

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


OPTIONAL COLORS



for KAVO ® units

P/N **K9.SKV.XX.3**

FOR SIRONA ® SL



Ø 10mm
L:1250mm / R:1400mm

Hose for SIRONA ® SL micromotors


SUITABLE FOR KAVO ® UNITS 1057,1060

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



for KAVO ® units

P/N **A1.SKV.XX.1**




Ø 10mm
L:1250mm / R:1400mm

Hose for SIRONA ® SL micromotors


SUITABLE FOR KAVO ® UNITS 1058,1062,1063,1065,1066, 1078,1080

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



for KAVO ® units

P/N **A1.SKV.XX.2**




Ø 10mm
L:1030mm / R:1350mm

Hose for SIRONA ® SL micromotors


SUITABLE FOR SIRONA ® UNITS A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



for SIRONA ® units

P/N **A1.SSR.XX.1**



Ø 10mm
L:1030mm / R:1350mm

Hose for SIRONA ® SL micromotors


SUITABLE FOR SIRONA ® UNITS C3, C3+, C6, E3

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



for SIRONA ® units

P/N **A1.SSR.XX.2**



Ø 10mm
L:1370mm / R:1350mm

Hose for SIRONA® SL micromotors


SUITABLE FOR SIRONA® UNITS C8+

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



P/N A1.SSR.XX.3

for SIRONA® units



Ø 10mm
L:1000mm

Hose for SIRONA® SL micromotors

SUITABLE FOR PLANMECA® RESISTANCE 200Ω

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


OPTIONAL
COLORS



P/N A1.PLM.XX.1

for PLANMECA® units

FOR SIRONA® BL



Ø 10mm
L:1370mm / R:2500mm

Hose for SIRONA® BL ISO C-APEX micromotors with water spray regulation - 400° swivel connection


SUITABLE FOR SIRONA® TENEO, SINIUS, INTEGO, INTEGO PRO

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



P/N AV.SSR.XX.1

for SIRONA® units



Ø 10mm
L:1370mm / R:2500mm

Hose for SIRONA® BL ISO C-APEX micromotors


SUITABLE FOR SIRONA® TENEO, SINIUS, INTEGO, INTEGO PRO

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



P/N AV.SSR.XX.2

for SIRONA® units



Ø 10mm
L:1370mm / R:2500mm

Hose for SIRONA® BL-APEX micromotors with water spray regulation - 400° swivel connection


SUITABLE FOR SIRONA® TENEO, SINIUS

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



P/N AB.SSR.XX.1

for SIRONA® units



Ø 10mm
L:1370mm / R:2500mm

Hose for SIRONA® BL-APEX micromotors


SUITABLE FOR SIRONA® TENEO, SINIUS

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



P/N **AB.SSR.XX.2**

for SIRONA® units



Ø 10mm
L:1370mm / R:2500mm

Hose for SIRONA® BL ISO-APEX micromotors with water spray regulation - 400° swivel connection


SUITABLE FOR SIRONA® TENEO

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



P/N **AN.SSR.XX.1**

for SIRONA® units



Ø 10mm
L:1370mm / R:2500mm

Hose for SIRONA® BL ISO-APEX micromotors

SUITABLE FOR SIRONA® TENEO

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



P/N **AN.SSR.XX.2**

for SIRONA® units

FOR STERN WEBER®, ANTHOS®, CASTELLINI® MOTORS



Ø 10mm
L:1200mm / R:1400mm


Black connector on motor side

Hose for STERN WEBER® iXS4, ANTHOS® iMMs, CASTELLINI® Implantor LED micromotors

*models up to 2015


SUITABLE FOR ANTHOS®: A7+, L9, R7
STERN WEBER®: S320TR S280TRC, S300, S380TRC
CASTELLINI®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038



P/N **D1.SCF.XX.1**

for CEFLA® units



Ø 10mm
L:1200mm / R:1400mm


Black connector on motor side

Hose for STERN WEBER® iXS4, ANTHOS® iMMs, CASTELLINI® Implantor LED micromotors - 400° swivel connection

*models up to 2015


SUITABLE FOR ANTHOS®: A7+, L9, R7
STERN WEBER®: S320TR S280TRC, S300, S380TRC
CASTELLINI®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038



P/N **D1.SCF.XX.S**

for CEFLA® units




Ø 10mm
L:1200mm / R:1400mm

**Hose for STERN WEBER® iXR3L,
ANTHOS® iMMrL, CASTELLINI®
Handy Power LED micromotors**

*models up to 2015


SUITABLE FOR ANTHOS®: A3+, A5, A6+, L6, R7
STERN WEBER®: S200, S220TR, S280TRC, S300
CASTELLINI®: Skema 5, Skema 6, CART

GR: Grey RAL 7038



P/N D2.SCF.XX.1

for CEFLA® units




Ø 10mm
L:1200mm / R:1400mm

**Hose for STERN WEBER® iXR3L,
ANTHOS® iMMrL, CASTELLINI®
Handy Power LED micromotors - 400°
swivel connection**


SUITABLE FOR ANTHOS®: A3+, A5, A6+, L6, R7
STERN WEBER®: S200, S220TR, S280TRC, S300
CASTELLINI®: Skema 5, Skema 6, CART

GR: Grey RAL 7038



P/N D2.SCF.XX.S

for CEFLA® units




Ø 10mm
L:1200mm / R:1400mm

**Hose for STERN WEBER® iXR3,
ANTHOS® iMMr, CASTELLINI®
Handy Power micromotors**


Suitable for ANTHOS®: A3+, A5, A6+, L6, R7
STERN WEBER®: S200, S220TR, S280TRC, S300
CASTELLINI®: Skema 5, Skema 6, CART

GR: Grey RAL 7038



P/N D3.SCF.XX.1

for CEFLA® units




Ø 10mm
L:1200mm / R:1400mm

**Hose for STERN WEBER® iXR3,
ANTHOS® iMMr, CASTELLINI®
Handy Power micromotors - 400°
swivel connection**


SUITABLE FOR ANTHOS®: A3+, A5, A6+, L6, R7
STERN WEBER®: S200, S220TR, S280TRC, S300
CASTELLINI®: Skema 5, Skema 6, CART

GR: Grey RAL 7038



P/N D3.SCF.XX.S

for CEFLA® units




Ø 10mm
L:1200mm / R:1400mm
**White connector on
motor side**

**Hose for STERN WEBER® iXS4,
ANTHOS® iMMs, CASTELLINI®
Implantor LED micromotors**

*models from 2016


SUITABLE FOR ANTHOS®: A7+, L9, R7
STERN WEBER®: S320TR, S280TRC, S300, S380TRC
CASTELLINI®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038



P/N D4.SCF.XX.1

for CEFLA® units




Ø 10mm
L:1200mm / R:1400mm
**White connector on
motor side**

**Hose for STERN WEBER® iXS4,
ANTHOS® iMMs, CASTELLINI®
Implantor LED micromotors - 400°
swivel connection**

***models from 2016**

SUITABLE FOR ANTHOS®: A7+, L9, R7
STERN WEBER®: S320TR, S280TRC, S300, S380TRC
CASTELLINI®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038



for CEFLA® units


P/N **D4.SCF.XX.S**



COMPATIBLE DETACHABLE HOSES FOR SCALERS

SUITABLE FOR KAVO ®, CEFLA ®, PLANMECA ® UNITS

FOR EMS ® PIEZON 7MM / 9MM




Ø 7mm
L:1250mm / R:1400mm

Hose for EMS ® ultrasonic scaler

SUITABLE FOR KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



P/N E1.SKV.XX.1

for KAVO ® units




Ø 9mm
L:1250mm / R:1400mm

Hose for EMS ® ultrasonic scaler

SUITABLE FOR KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



P/N E2.SKV.XX.1

for KAVO ® units




Ø 7mm
L:1200mm / R:1400mm

Hose for EMS ® ultrasonic scaler

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



P/N E1.SCF.XX.1

for CEFLA ® units




Ø 9mm
L:1200mm / R:1400mm

Hose for EMS ® ultrasonic scaler

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



P/N E2.SCF.XX.1

for CEFLA ® units



Ø 7mm
L:1030mm

Hose for EMS ® ultrasonic scaler

SUITABLE FOR PLANMECA ® RESISTANCE 1300Ω


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for PLANMECA ® units

P/N E1.PLM.XX.1



Ø 9mm
L:1030mm

Hose for EMS ® ultrasonic scaler

SUITABLE FOR PLANMECA ® RESISTANCE 1300Ω

LG: Light Grey RAL 9002
GR: Grey RAL 7038


OPTIONAL
COLORS



for PLANMECA ® units

P/N E2.PLM.XX.1

FOR EMS ® WITH LIGHT (PIEZON LED)



Ø 7mm
L:1250mm / R:1400mm

Hose for EMS ® ultrasonic scaler with light

SUITABLE FOR KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for KAVO ® units

P/N E5.SKV.XX.1



Ø 7mm
L:1250mm / R:1400mm

Hose for EMS ® ultrasonic scaler with light and water spray regulation

SUITABLE FOR KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for KAVO ® units

P/N E5.SKV.XX.R



Ø 9mm
L:1250mm / R:1400mm

Hose for EMS ® ultrasonic scaler with light

SUITABLE FOR KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for KAVO ® units

P/N E6.SKV.XX.1




Ø 9mm
L:1250mm / R:1400mm

Hose for EMS® ultrasonic scaler with light and water spray regulation

SUITABLE FOR KAVO® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



P/N E6.SKV.XX.R

for KAVO® units




Ø 7mm
L:1200mm / R:1400mm

Hose for EMS® ultrasonic scaler with light

SUITABLE FOR ANTHOS®: A3, A5, A6, A7, A9, R7, L6, L9
STERN®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



P/N E5.SCF.XX.1

for CEFLA® units




Ø 9mm
L:1200mm / R:1400mm

Hose for EMS® ultrasonic scaler with light

SUITABLE FOR ANTHOS®: A3, A5, A6, A7, A9, R7, L6, L9
STERN®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



P/N E6.SCF.XX.1

for CEFLA® units




Ø 7mm
L:1030mm

Hose for EMS® ultrasonic scaler with light

SUITABLE FOR PLANMECA® RESISTANCE 1300Ω


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



P/N E5.PLM.XX.1

for PLANMECA® units




Ø 9mm
L:1030mm

Hose for EMS® ultrasonic scaler with light

SUITABLE FOR PLANMECA® RESISTANCE 1300Ω

LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



P/N E6.PLM.XX.1

for PLANMECA® units

FOR SATELEC ®



Ø 7mm
L:1250mm / R:1400mm

Hose for SATELEC ® scaler

SUITABLE FOR KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for KAVO ® units

P/N **S1.SKV.XX.1**



Ø 9mm
L:1250mm / R:1400mm

Hose for SATELEC ® scaler

SUITABLE FOR KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for KAVO ® units

P/N **S2.SKV.XX.1**



Ø 7mm
L:1200mm / R:1400mm

Hose for SATELEC ® scaler

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



for CEFLA ® units

P/N **S1.SCF.XX.1**



Ø 9mm
L:1200mm / R:1400mm

Hose for SATELEC ® scaler

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



for CEFLA ® units

P/N **S2.SCF.XX.1**



Ø 7mm
L:1020mm

Hose for SATELEC ® scaler

SUITABLE FOR PLANMECA ® RESISTANCE 1200Ω

LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for PLANMECA ® units

P/N **S1.PLM.XX.1**



Ø 9mm
L:1020mm

Hose for SATELEC® scaler

SUITABLE FOR PLANMECA® RESISTANCE 1200Ω

LG: Light Grey RAL 9002
GR: Grey RAL 7038


OPTIONAL
COLORS



for PLANMECA® units

P/N S2.PLM.XX.1

FOR SATELEC® WITH LIGHT (NEWTRON LED)




Ø 7mm
L:1250mm / R:1400mm

Hose for SATELEC® ultrasonic scaler with light

SUITABLE FOR KAVO® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for KAVO® units

P/N S5.SKV.XX.1




Ø 7mm
L:1250mm / R:1400mm

Hose for SATELEC® ultrasonic scaler with light and water regulation

SUITABLE FOR KAVO® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for KAVO® units

P/N S5.SKV.XX.R




Ø 9mm
L:1250mm / R:1400mm

Hose for SATELEC® ultrasonic scaler with light

SUITABLE FOR KAVO® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for KAVO® units

P/N S6.SKV.XX.1




Ø 9mm
L:1250mm / R:1400mm

Hose for SATELEC® ultrasonic scaler with light and water regulation

SUITABLE FOR KAVO® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for KAVO® units

P/N S6.SKV.XX.R



Ø 7mm
L:1200mm / R:1400mm

Hose for SATELEC ® ultrasonic scaler with light

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



P/N **S5.SCF.XX.1**

for CEFLA ® units



Ø 9mm
L:1200mm / R:1400mm

Hose for SATELEC ® ultrasonic scaler with light

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


GR: Grey RAL 7038

OPTIONAL
COLORS



P/N **S6.SCF.XX.1**

for CEFLA ® units



Ø 7mm
L:1020mm

Hose for SATELEC ® ultrasonic scaler with light

SUITABLE FOR PLANMECA ® RESISTANCE 1200Ω


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



P/N **S5.PLM.XX.1**

for PLANMECA ® units




Ø 9mm
L:1020mm

Hose for SATELEC ® ultrasonic scaler with light

SUITABLE FOR PLANMECA ® RESISTANCE 1200Ω

LG: Light Grey RAL 9002
GR: Grey RAL 7038


OPTIONAL
COLORS



P/N **S6.PLM.XX.1**

for PLANMECA ® units

FOR MECTRON ®




Ø 7mm
L:980mm

Hose for MECTRON ® ultrasonic scaler

SUITABLE FOR PLANMECA ® RESISTANCE 340Ω


LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



P/N **M5.PLM.XX.1**

for PLANMECA ® units



Ø 9mm
L:980mm

Hose for MECTRON® ultrasonic scaler

SUITABLE FOR PLANMECA® RESISTANCE 340Ω

LG: Light Grey RAL 9002
GR: Grey RAL 7038

OPTIONAL
COLORS



for PLANMECA® units

P/N M6.PLM.XX.1

HOSES FOR SYRINGES WITH UNIT FREE END

FOR 6F SYRINGES



Ø 10mm
L:1600mm

Straight Inox Luzzani® Minilight 6F syringe with silicone hose

LG: Light Grey RAL 9002



P/N L3.STD.SS.2

FOR 3F SYRINGES



Ø 10mm
L:1600mm

Hose for syringe 3F with air and water tubing without syringe

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



P/N SYR.XX.1



Straight Inox Luzzani® Minimate 3F syringe with silicone hose

MG: Middle Grey RAL7035

Ø 10mm
L:1600mm




P/N L1.STD.SS.1



Angled Inox Luzzani® Minimate 3F syringe with silicone hose

MG: Middle Grey RAL7035

Ø 10mm
L:1600mm



P/N L1.STD.AS.1



Straight Inox Luzzani® Minilight 3F syringe with silicone hose

MG: Middle Grey RAL7035

Ø 10mm
L:1600mm



P/N L2.STD.SS.1



Straight Inox Luzzani® Minilight 3F syringe with silicone hose

LG: Light Grey RAL 9002

Ø 10mm
L:1600mm



P/N L2.STD.SS.2



Angled Inox Luzzani® Minilight 3F syringe with silicone hose

MG: Middle Grey RAL7035

Ø 10mm
L:1600mm




P/N L2.STD.AS.1

COMPATIBLE DETACHABLE HOSES FOR SYRINGES

SUITABLE FOR KAVO ®, CEFLA ®, PLANMECA ® UNITS

FOR KAVO ® UNITS 3F



Ø 10mm
L:1250mm / R:1400mm

Hose for 3F air/water syringe


SUITABLE FOR KAVO ® UNITS 1057,1058,1060,1062,
1063,1065,1080, E30S, E30T

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



P/N SY.SKV.XX.2

for KAVO ® units



Ø 10mm
L:1250mm / R:1400mm

Straight Inox Luzzani ® Minimate 3F syringe with silicone hose


SUITABLE FOR KAVO ® UNITS 1057,1058,1060,1062,1063,
1066, 1078, 1080, E30S, E30T

MG: Middle Grey RAL7035



P/N L1.SKV.SS.1

for KAVO ® units



Ø 10mm
L:1250mm / R:1400mm

Angled Inox Luzzani ® Minimate 3F syringe with silicone hose


SUITABLE FOR KAVO ® UNITS 1057,1058,1060,1062,1063,
1066, 1078, 1080, E30S, E30T

MG: Middle Grey RAL7035



P/N L1.SKV.AS.1

for KAVO ® units



Ø 10mm
L:1250mm / R:1400mm

Straight Inox Luzzani ® Minilight 3F syringe with silicone hose


SUITABLE FOR KAVO ® UNITS 1057,1058,1060,1062,1063,
1065,1066, 1078, 1080, E30S, E30T

MG: Middle Grey RAL7035



P/N L2.SKV.SS.1

for KAVO ® units




Ø 10mm
L:1250mm / R:1400mm

Straight Inox Luzzani ® Minilight 3F syringe with silicone hose

SUITABLE FOR KAVO ® UNITS 1057,1058,1060,1062,1063, 1065,1066, 1078, 1080, E30S, E30T

LG: Light Grey RAL 9002




Ø 10mm
L:1250mm / R:1400mm

Angled Inox Luzzani ® Minilight 3F syringe with silicone hose

SUITABLE FOR KAVO ® UNITS 1057,1058,1060,1062,1063, 1065,1066, 1078, 1080, E30S, E30T

MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm

Straight Inox Luzzani ® Minilight 3F syringe with silicone hose

SUITABLE FOR KAVO ® UNITS E50S

MG: Middle Grey RAL7035



P/N L2.SKV.SS.2

for KAVO ® units



P/N L2.SKV.AS.1


for KAVO ® units



P/N L2.SKV.SS.E

for KAVO ® units

FOR CEFLA ® UNITS 3F



Ø 10mm
L:1200mm / R:1400mm

Straight Inox Luzzani ® Minimate 3F syringe with silicone hose


SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

MG: Middle Grey RAL7035



P/N L1.SCF.SS.1

for CEFLA ® units



Ø 10mm
L:1200mm / R:1400mm

Angled Inox Luzzani ® Minimate 3F syringe with silicone hose


SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

MG: Middle Grey RAL7035



P/N L1.SCF.AS.1

for CEFLA ® units



Ø 10mm
L:1200mm / R:1400mm

Straight Inox Luzzani ® Minilight 3F syringe with silicone hose


SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

MG: Middle Grey RAL7035



P/N L2.SCF.SS.1

for CEFLA ® units



Ø 10mm
L:1200mm / R:1400mm

Angled Inox Luzzani ® Minilight 3F syringe with silicone hose

SUITABLE FOR ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI


MG: Middle Grey RAL7035



P/N L2.SCF.AS.1

for CEFLA ® units

FOR PLANMECA ® UNITS 3F / 6F



Ø 10mm
L:1100mm

Straight Inox Luzzani ® Minimate 3F syringe with silicone hose


SUITABLE FOR PLANMECA ® RESISTANCE 1780Ω

MG: Middle Grey RAL7035



P/N L1.PLM.SS.1

for PLANMECA units



Ø 10mm
L:1100mm

Angled Inox Luzzani ® Minimate 3F syringe with silicone hose


SUITABLE FOR PLANMECA ® RESISTANCE 1780Ω

MG: Middle Grey RAL7035



P/N L1.PLM.AS.1

for PLANMECA ® units




Ø 10mm
L:1100mm

Straight Inox Luzzani ® Minilight 3F syringe with silicone hose


SUITABLE FOR PLANMECA ® RESISTANCE 1780Ω

MG: Middle Grey RAL7035



P/N L2.PLM.SS.1

for PLANMECA ® units



Ø 10mm
L:1250mm / R:1400mm

Straight Inox Luzzani ® Minilight 3F syringe with silicone hose


SUITABLE FOR PLANMECA ® RESISTANCE 1780Ω

LG: Light Grey RAL 9002



P/N L2.PLM.SS.2

for PLANMECA ® units



Ø 10mm
L:1100mm

Angled Inox Luzzani ® Minilight 3F syringe with silicone hose


SUITABLE FOR PLANMECA ® RESISTANCE 1780Ω

MG: Middle Grey RAL7035



P/N L2.PLM.AS.1

for PLANMECA ® units



Ø 10mm
L:1250mm / R:1400mm

Straight Inox Luzzani® Minilight 6F syringe with silicone hose

SUITABLE FOR PLANMECA®
*original PN 2600287-20

LG: Light Grey RAL 9002



for PLANMECA® units

P/N L3.PLM.SS.2



MINI
light


LUZZANI DENTAL



ACCESSORIES

Tip for Luzzani ® 3F minimate & minilight syringe


*original P/N RL348G



P/N LU01

Nut for Tips for Luzzani ® 3F minimate syringe

*original P/N RT223



P/N LU02

Nut for Tips for Luzzani ® 3F minilight syringe

*original P/N RL441



P/N LU03

Complete straight inox cover for Luzzani ® minilight syringe

*original P/N RL443C



P/N LU04

Complete angled inox cover for Luzzani ® minilight syringe


*original P/N RL451C



P/N LU08

**Complete straight inox cover for
Luzzani ® minimate syringe**


*original P/N RT243C



P/N LU05

**Complete angled inox cover for
Luzzani ® minimate syringe**

*original P/N RT251C



P/N LU09

**Complete taper for Luzzani ® minilight
syringe**

*original P/N RL404C3



P/N LU06

**Complete taper for Luzzani ®
minimate syringe**

*original P/N RT202C



P/N LU07



COMPATIBLE COMPONENTS FOR HOSES REPAIR

TPU MATERIAL SUITABLE FOR FOOD CONTACT

SMALL TUBES

Packaging
30m

Chip air and water spray tubing
GR: Green
BL: Blue
*internal diameter 1,3mm



P/N TP.D25.XX.1

Packaging
30m

Drive air tubing
CL: Transparent
*internal diameter 2,5mm



P/N TP.D40.CL.1

Packaging
30m

Exhaust air tubing
RD: Red
*internal diameter 3,2mm



P/N TP.D45.RD.1

SILICONE SHEATH

Packaging
25m

White silicone sheath
Ø 11 mm (I.D. 8,5mm) Ref. GU.D11.WH.1
WH: White



P/N look at diameter

Packaging
25m

Light grey silicone sheath

Ø 7 mm (I.D. 5mm) Ref. GU.D07.LG.1
Ø 9 mm (I.D. 7mm) Ref. GU.D09.LG.1
Ø 10 mm (I.D. 7,5mm) Ref. GU.D10.LG.1
Ø 11 mm (I.D. 8,5mm) Ref. GU.D11.LG.1

LG: Light Grey RAL 9002



P/N **look at diameter**

Packaging
25m

Middle grey silicone sheath

Ø 10 mm (I.D. 7,5mm) Ref. GU.D10.MG.1
Ø 11 mm (I.D. 8,5mm) Ref. GU.D11.MG.1

MG: Middle Grey RAL 7035



P/N **look at diameter**

Packaging
25m

Grey silicone sheath

Ø 7 mm (I.D. 5mm) Ref. GU.D07.GR.1
Ø 9 mm (I.D. 7mm) Ref. GU.D09.GR.1
Ø 10 mm (I.D. 7,5mm) Ref. GU.D10.GR.1
Ø 11 mm (I.D. 8,5mm) Ref. GU.D11.GR.1

GR: Grey RAL 7038



P/N **look at diameter**

Packaging
25m

Brown adec silicone sheath

Ø 7 mm (I.D. 5mm) Ref. GU.D07.BR.1
Ø 9 mm (I.D. 7mm) Ref. GU.D09.BR.1
Ø 10 mm (I.D. 7,5mm) Ref. GU.D10.BR.1
Ø 11 mm (I.D. 8,5mm) Ref. GU.D11.BR.1

BR: Brown ADEC



P/N **look at diameter**

ADAPTERS & O-RINGS



**Adapter for BIEN AIR ® MC3 micromotor »
turbine & NSK ® M40 micromotor
- for multipurpose hoses ref. 8P**

P/N **CM021.F1.0**



**Adapter for BIEN AIR ® MC2 micromotor »
dual use BIEN AIR ® MC2 IR
- for multipurpose hoses ref. B2**

P/N **CM076.F1.0**



**Adapter for BIEN AIR ® MC2 micromotor »
dual use BIEN AIR ® MC2 ISOLITE 300
- for multipurpose hoses ref. B3**

P/N **CM077.F1.0**



**Spare o-rings for KAVO ® hose K190,
K196, K200 micromotors**

Packaging
3 pieces

P/N **ORK1**



**Spare o-rings for KAVO ® hose KL700
series micromotors**

Packaging
3 pieces

P/N **ORK9**

COMPATIBLE ASPIRATION TUBES AND HANDLES



L:1m, 25m

Etyl-vinyl-acetate, extra-flexible suction hose inside and outside corrugated

Ref. AEX.LG.11	ID Ø 11 mm - per 1m
Ref. AEX.LG.17	ID Ø 17 mm - per 1m
Ref. AEX.LG.11R	ID Ø 11 mm - roll 25m
Ref. AEX.LG.17R	ID Ø 17 mm - roll 25m

P/N look at diameter



L:1,7m

Double-walled, flexible soft PVC suction hose reinforced with rigid PVC helix - inside and outside smooth

LIGHT GREY RAL9002

Ref. APV.LG.08	ID Ø 8 mm
Ref. APV.LG.10	ID Ø 10 mm
Ref. APV.LG.11	ID Ø 11 mm
Ref. APV.LG.15	ID Ø 15 mm
Ref. APV.LG.16	ID Ø 16 mm
Ref. APV.LG.17	ID Ø 17 mm
Ref. APV.LG.20	ID Ø 20 mm
Ref. APV.LG.22	ID Ø 22 mm

P/N look at diameter



L:10m

Double-walled, flexible soft PVC suction hose reinforced with rigid PVC helix - inside and outside smooth

LIGHT GREY RAL9002

Ref. APV.LG.08R	ID Ø 8 mm
Ref. APV.LG.10R	ID Ø 10 mm
Ref. APV.LG.11R	ID Ø 11 mm
Ref. APV.LG.15R	ID Ø 15 mm
Ref. APV.LG.16R	ID Ø 16 mm
Ref. APV.LG.17R	ID Ø 17 mm
Ref. APV.LG.20R	ID Ø 20 mm
Ref. APV.LG.22R	ID Ø 22 mm

P/N look at diameter



L:1,7m

Tube for aspiration with extra-flexible corrugated EVA hose for CATTANI ®

Ref. XCT.LG.11	ID Ø 11 mm
Ref. XCT.LG.17	ID Ø 17 mm

P/N look at diameter



L:1,7m

Tube for aspiration with double-walled, flexible soft PVC hose for CATTANI®

Ref. PCT.LG.11 ID Ø 11 mm
Ref. PCT.LG.17 ID Ø 17 mm

P/N look at diameter



Packaging
3 pieces

Suction handle Ø 16 mm

Compatible with APV.LG.17

P/N TER.GR.16




Packaging
3 pieces

Suction handle Ø 11 mm

Compatible with APV.LG.11

P/N TER.GR.11



Spiro Dental

Copyright SPIRO d.o.o. 2020

Contact us

SPIRO d.o.o.

Velika pot 24
SI-5250 Solkan
Slovenia (EU)

General information:
info@spiroteh.com

Technical support:
service@spiroteh.com

Telephone 1:
+386 40 718 184

Telephone 2:
+386 31 379 825

Website:
www.spiroteh.com



Spiro Dental